

Annotated Checklist of the Vascular Plants of the Washington - Baltimore Area

Part I

Ferns, Fern Allies, Gymnosperms, and Dicotyledons

by

Stanwyn G. Shetler and Sylvia Stone Orli

Department of Botany

National Museum of Natural History

2000

Department of Botany, National Museum of Natural History
Smithsonian Institution, Washington, DC 20560-0166

PREFACE

The better part of a century has elapsed since A. S. Hitchcock and Paul C. Standley published their succinct manual in 1919 for the identification of the vascular flora in the Washington, DC, area. A comparable new manual has long been needed. As with their work, such a manual should be produced through a collaborative effort of the region's botanists and other experts. The *Annotated Checklist* is offered as a first step, in the hope that it will spark and facilitate that effort. In preparing this checklist, Shetler has been responsible for the taxonomy and nomenclature and Orli for the database.

We have chosen to distribute the first part in preliminary form, so that it can be used, criticized, and revised while it is current and the second part (Monocotyledons) is still in progress. Additions, corrections, and comments are welcome. We hope that our checklist will stimulate a new wave of fieldwork to check on the current status of the local flora relative to what is reported here. When Part II is finished, the two parts will be combined into a single publication. We also maintain a Web site for the Flora of the Washington-Baltimore Area, and the database can be searched there (<http://www.nmnh.si.edu/botany/projects/dcflora>).

We wish to express our sincere thanks to a number of persons for their help. We are indebted in the first place to Carol Annable, Christine Begle, Marcie Beyersdorfer, Laura Lehtonen, and Susan Wiser—all former assistants of Shetler—for their vital help in compiling the working materials, including the initial list. In particular, Begle was largely responsible for compiling from Hitchcock and Standley's *Flora* (1919) and Hermann's *Checklist* (1946) what became the working list. The *Crataegus* specimens in the D.C. Herbarium were annotated by J. B. Phipps during a recent visit, and he also provided the basis for our treatment of the genus. David Lellinger kindly reviewed and annotated our specimens of the *Cystopteris fragilis* complex. Dan Nicolson willingly gave of his time and expertise to solve nomenclatural problems during the course of the work. Edward Terrell shared the results of the botanical survey of the premises of the Beltsville Agricultural Research Center just completed by him and several colleagues (in press), and we were grateful to be able to add their findings.

The D.C. Herbarium is computerized, and all changes (annotations, etc.) have to be entered into the specimen database to keep it current. Elaine Haug cheerfully does this updating as needed and certainly handled hundreds if not thousands of transactions during the preparation of *Part I*. She also maintains the gazetteer database of local place names. Christian Tuccinardi, the manager of the specimen database, tirelessly gave of his time to produce various data reports as needed and to offer technical advice and assistance in the building of our *Annotated Checklist* database.

Finally, we thank W. John E. Kress, Chairman, and the Department of Botany for their continued encouragement and support of this project; and the Virginia E. Crouch Memorial Fund for Native Plant Conservation and Research, administered by Larry E. Morse at The Nature Conservancy, for partial support of the reproduction and distribution of *Part I*.

Stanwyn G. Shetler
Sylvia Stone Orli
Department of Botany
National Museum of Natural History
Smithsonian Institution
Washington, DC 20560-0166

shetler.stanwyn@nmnh.si.edu

26 June 2000

CONTENTS

Preface.....	iii
Introduction.....	vii
Geographic Coverage.....	viii
Taxonomic Considerations.....	ix
Revision Procedures.....	x
Primary Sources.....	x
Principal References.....	xi
Format of Species Entries.....	xii
Excluded Species.....	xiv
Statistics.....	xv
Web Site.....	xv
Annotated Checklist.....	1
Fern Allies.....	1
Ferns.....	3
Gymnosperms.....	9
Dicotyledons.....	11
Key to Abbreviations of Authors.....	135
References.....	151
Index of Scientific Names.....	159
Index of Common Names.....	167

INTRODUCTION

by Stanwyn G. Shetler

In 1881, Lester F. Ward published his *Guide to the Flora of Washington and Vicinity*. It was the first relatively comprehensive guide to the local flora. Basically an annotated checklist, it included common names and flowering times and occasionally also frequency of occurrence, localities, or other comments. In 1919, A. S. Hitchcock and Paul C. Standley, “with the assistance of the botanists of Washington,” published the *Flora of the District of Columbia and Vicinity*, a much awaited, revised guide to the local flora. The Hitchcock and Standley *Flora* was a manual with relatively nontechnical keys and information about habitat, frequency, flowering time, general distribution, and synonyms, in addition to common names and occasional other comments. It was aimed at the amateur as well as the professional. Though much outdated and long out of print, this is still a very useful identification manual.

Six supplements to Ward’s *Guide* were published before Hitchcock and Standley’s *Flora* appeared, and two supplements to the latter work were published, which were numbered in the same sequence. Following is an abbreviated listing of these supplements; complete citations can be found in the References for all but Knowlton, who is cited fully here:

1. Ward [1884], “List of plants added to the flora of Washington from April 1, 1882, to April 1, 1884.”
2. Knowlton, Frank H. 1886. “Additions to the flora of Washington and vicinity from April 1, 1884, to April 1, 1886.” Proc. Biol. Soc. Washington 3: 106-132.
3. Holm 1892, “Third list of additions to the flora of Washington, D.C.”
4. ____ 1896, “Fourth list of additions to the flora of Washington, D.C.”
5. ____ 1901, “Fifth list of additions to the flora of Washington, D.C.”
6. Steele 1901, “Sixth list of additions to the flora of Washington, D.C., and vicinity.”
7. McAtee 1930, “Seventh supplement to the flora of the District of Columbia and vicinity.”
8. ____ 1940, “Eighth supplement to the flora of the District of Columbia and vicinity.”

In the 1930s, botanists of the Washington, D.C., area organized a project known as the “Conference on District Flora” to prepare a new manual to replace the already out-of-print Hitchcock and Standley *Flora*. The geographic area covered by Hitchcock and Standley, essentially the same as covered by Ward, was a circle of 15-miles’ radius centered on the Capitol. For the Conference project the original geographic circumscription was enlarged substantially, and the circumscription of the local flora herbarium at the Smithsonian Institution was enlarged accordingly (see **Geographic Coverage**). The goal of a new Flora was never realized, although about a dozen preliminary treatments of taxa were produced and circulated to interested persons in duplicated form. The checklist compiled under the auspices of the Conference as an aid to the preparation of a new manual went through two editions, however. Authored

by Frederick J. Hermann, *A Checklist of Plants in the Washington-Baltimore Area* first appeared in 1941, and the second edition came out in 1946. Both were distributed in duplicated form.

The goal of producing a new Flora remains the same. Although we have ended the century without achieving this goal, the need for a modern equivalent of the succinct, nontechnical Hitchcock and Standley manual is greater than ever, because the public's interest in the local flora is greater than ever. Even Hermann's latest *Checklist* is now more than 50 years old, and just in that time alone great changes have taken place both in the local flora itself and in the taxonomy and nomenclature of the plants in the flora. As before, a checklist has seemed to be an essential first step. It will provide an initial working list that can then serve as a framework for organizing a collaborative effort to prepare a new manual for the new century.

This is not a revision of Hermann's *Checklist* but a completely new synthesis, which, nonetheless, accounts for all his names. In preparing *Part I* of the *Annotated Checklist*, species by species I have examined all and annotated many of the pertinent specimens in the Smithsonian's Washington-Baltimore Herbarium, traditionally known as the "D.C." (District of Columbia) or "District" Herbarium. It is a separate part of the U.S. National Herbarium (US), Department of Botany, National Museum of Natural History. The nomenclature has been updated, and in numerous cases unidentified or misidentified specimens were identified or re-identified.

Geographic Coverage

Our *Annotated Checklist* is based in the first instance on the D.C. Herbarium, and for obvious practical reasons we adopted the same geographic circumscription. The limits of the D.C. Herbarium as expanded in the 1930s and 1940s for the Conference on District Flora are the limits of the "Washington-Baltimore Area" as defined by Hermann (1941, 1946) in his *Checklist*.

This Area is bounded on the north by the Maryland-Pennsylvania line, on the east by the Chesapeake Bay (western shore), on the south by the Rappahannock and Rapidan Rivers, and on the west by the east foot of the Blue Ridge Mountains. It includes the Bull Run and Catoctin mountains, but excludes Shenandoah National Park and the Eastern Shore. Encompassed are the District of Columbia and the following 23 counties and 5 cities in Maryland and Virginia:

Maryland

Counties: Anne Arundel, Baltimore, Calvert, Carroll, Charles, Frederick, Harford, Howard, Montgomery, Prince George's, St. Mary's. *Cities:* Baltimore

Virginia

Counties: Arlington, Culpeper, Fairfax, Fauquier, King George, Lancaster, Loudoun, Northumberland, Prince William, Richmond, Stafford, Westmoreland. *Cities:* Alexandria, Fairfax, Falls Church, Manassas

So defined, the Washington-Baltimore Area represents a radius of coverage from the Capitol in Washington, D.C., of about 50 miles, more than three times the 15-mile radius of the previous Floras .

In compiling the *Atlas of the Virginia Flora*, Harvill *et al.* (1992), included the independent cities within counties for the purpose of mapping specimen distributions. Thus, Alexandria specimens were mapped as though from Arlington Co., Fairfax and Falls Church specimens as though from Fairfax Co., and Manassas specimens as though from Prince William Co. It is important to keep this in mind when voucher herbarium specimens from these cities are checked against the *Atlas*.

Taxonomic Considerations

The *Annotated Checklist*, when completed, will include all native and naturalized species of vascular plants known to occur or to have occurred within the defined geographic area. Naturalized species are alien (exotic) species introduced into the area that are now reproducing and spreading in the wild without cultivation if only on a limited scale. A few long-persisting planted species are being included with appropriate explanation.

Taxonomic categories below the rank of species (notably, subspecies, variety, and form) are not recognized formally as separate entries in the *Checklist* but may be mentioned in the comments or cited as synonyms under the appropriate species where necessary to avoid confusion. In *Part I*, the families are arranged alphabetically within these major groups: Fern Allies, Ferns, Gymnosperms, Dicotyledons.

The ever unfolding new evidence from molecular studies and phylogenetic analyses poses quite a challenge to the contemporary floristic worker. On the one hand, one wants to follow the evidence insofar as possible and recognize only monophyletic taxa, regardless of the impact on time-honored concepts and nomenclature. On the other hand, taxonomy is practical and useful only to the extent that it remains relatively stable through time. Thus, change must come in a measured way and not get too far ahead of the users. Furthermore, the new evidence must stand the test of time.

The new evidence is having a profound effect on the concepts and limits not only of genera and species but also families, which, consequently, are in a state of flux, especially in the ferns. Whether or not to stick with familiar, traditional family circumscription is a dilemma faced repeatedly. I have not followed any authority entirely and have tended to opt for traditional usage where there is still no general agreement. In the ferns, I have been guided by Lellinger (1985) and the Flora of North America Editorial Committee (1993), but have not followed either entirely.

I have adopted a relatively broad concept of genera and species, tending to lump more than to split and in debatable cases to stay with widespread practice, trying to strike a balance between stability and change. On the whole, changes that are widely accepted have been adopted, whereas changes that do not yet enjoy wide acceptance are being deferred. The time for more comprehensive revision will be when a new manual is prepared by specialist collaborators. In cases where species have been combined and split seemingly at will, I have largely followed the evidence of the local material in making my decision whether to lump or to split. Inasmuch as it is the only relatively current, comprehensive guide to the flora of the Northeast, which has been very widely used since it first appeared in 1963, the Gleason and Cronquist *Manual* (1991) has been an especially important influence in deciding which species to recognize.

Revision Procedures

Species were accepted into *Part I* of our *Checklist*, as will also be the case in *Part II*, only on the basis of one or more voucher specimens in the D.C. Herbarium or a reliable published record, as, for example, in Brown and Brown (1972, 1984) or Harvill *et al.* (1992).

The starting point for the new checklist is a compiled list of all the species recognized in Hitchcock and Standley's *Flora* (1919) and Hermann's *Checklist* (1946). This preliminary list is then evaluated and documented by checking it species by species against the D.C. Herbarium and the other designated "Primary Sources" (see below) of floristic records for Maryland and Virginia. The list is further supplemented, winnowed, and refined by consulting the "Principal References" and selected other literature as appropriate. The annotations in the *Checklist* are based on all of these sources. Every effort is made to account for all the species that have been recognized and the names that have been used widely in the region since the publication of Hitchcock and Standley's *Flora*.

The nomenclature of the *Annotated Checklist*, including the author citations, largely follows Kartesz (1994). In confused cases, judgments were made on the basis of all the evidence at hand.

Primary Sources

These are the key, though not the only important, publications on the flora of the Washington-Baltimore Area being used in compiling this checklist. Every species in them is evaluated for possible inclusion, and every species that they attribute to this Area should be accounted for in the checklist, as a recognized species, synonym of a recognized species, or an "excluded" species (see p. iv). Following is an abbreviated listing of the Primary Sources; full citations are given in the References:

Brown and Brown 1972, *Woody Plants of Maryland*. Cited as B&B 1972.

Brown and Brown 1984, *Herbaceous Plants of Maryland*. B&B 1984.

Harvill *et al.* 1992, *Atlas of the Virginia Flora. III. Atlas*.

- Hermann 1941, *A Checklist of the Plants in the Washington-Baltimore Area*. FJH 1941.
Hermann 1946, *A Checklist of the Plants in the Washington-Baltimore Area*. FJH 1946.
Hitchcock and Standley 1919, *Flora of the District of Columbia and Vicinity*. H&S.
Redman 1992, "An annotated list of the ferns and fern allies of Maryland and the District of Columbia."
Redman 1992.
Reed 1953, *The Ferns and Fern Allies of Maryland and Delaware, Including the District of Columbia*. Reed 1953.
Ward 1881, *Guide to the Flora of Washington and Vicinity*. Ward 1881.

Principal References

These are the regional manuals, Floras of adjacent states, and other key reference works that are consulted routinely in the preparation of species entries for the checklist. These manuals and Floras have been used widely in the Washington-Baltimore Area. Every effort is made to account, through the synonymy, for the names used in these works whenever the same species is treated under a different name in the *Annotated Checklist*, so that users can move easily between it and these standard references. Following is an abbreviated listing; full citations are given in the References:

- Brummitt and Powell 1992, *Authors of Plant Names*.
Fernald 1950, *Gray's Manual of Botany*. Ed. 8.
Flora of North America Editorial Committee 1993, 1997, *Flora of North America North of Mexico*, Vols. 2, 3. Cited by individual authors in the *Flora*.
Gleason 1952, *The New Britton and Brown Illustrated Flora of the Northeastern United States and Adjacent Canada*.
Gleason and Cronquist 1991, *Manual of Vascular Plants of Northeastern United States and Adjacent Canada*. Ed. 2.
Kartesz 1994, *A Synonymized Checklist of the Vascular Flora of the United States, Canada, and Adjacent Greenland*. Ed. 2. 2 vols.
Lellinger 1985, *A Field Manual of the Ferns and Fern-Allies of the United States & Canada*.
Radford, Ahles and Bell 1968, *Manual of the Vascular Plants of the Carolinas*.
Strausbaugh and Core [1978], *Flora of West Virginia*. Ed. 2.

Format of Species Entries

The following explanations apply specifically to the present publication, *Part I*. A species entry will contain some or all of the following elements of information in the standardized order and format indicated:

1. Accepted scientific name (Latin binomial) and author of name

The scientific names of native species are in **boldface** and of introduced species, in Engraver's Gothic BT. Authors' names are abbreviated according to Brummitt and Powell (1992), and a key to the abbreviations in *Part I* can be found on pages 135-150. An "X" is placed in front of the specific name (epithet) of a species thought to be of hybrid origin, and the known or putative parent species may be given parenthetically immediately following the scientific name and author (e.g., **Equisetum x ferrissii** Clute (*E. hyemale* × *laevigatum*)).

2. Common names

Following the scientific names, one to several common (vernacular) names are given in preferred order. They were drawn mainly from the Principal Sources and the Principal References, especially Gleason and Cronquist (1991), Strausbaugh and Core [1978], and Brown and Brown (1972, 1984). These particular manuals have long been standards in this area. Fleming et al. (1995) also was consulted routinely. An attempt was made to put the most widely used name first, but there are no standards for common names; hence, they become a matter of author's and, ultimately, user's choice.

When to hyphenate always presents a problem, and there seldom are stated rules. If two or more words make up the name, they may be (1) treated as separate words, (2) hyphenated as though one word, or (3) run together as one word (e.g., twin leaf, twin-leaf, twinleaf, for *Jeffersonia*). Different authors and editors follow different rules. If enough authors are consulted, one often will find the same name treated all three ways.

Because of the logic that we have followed, we have tended to hyphenate more names than most authors. We have hyphenated words that, in our opinion, belong together as a one-word name or name modifier, but traditionally are not run together. Such words should be indexed as one word, and we have used this indexing criterion as a rule-of-thumb in deciding what to hyphenate. This is particularly true of words that *together* constitute the common name of a genus (e.g., autumn-olive, for *Elaeagnus*; sweet-clover, for *Melilotus*). If, in such cases, there is a tradition of running the words together, we have tended to do likewise (e.g., crabapple, horseradish, twinleaf).

In many cases, we have hyphenated adjectives or nouns often treated separately, because we do not consider such words as, for instance, "leaf" (as in "twin leaf") to be stand-alone, indexable names for kinds of plants. We have not used hyphens after "false" and "wild" (e.g., false foxglove,

not false-foxglove) in most cases, however, unless that has been traditional. These adjectives by nature tend to go with the noun that follows and to suggest an imitation of the true genus of the same common name. Thus, for example, while we do not hyphenate “false foxglove (*Aureolaria*),” we do hyphenate “yellow-foxglove (also *Aureolaria*).” The first naturally goes together and unambiguously says “imitation foxglove,” but in the latter case it would not be clear that a “yellow foxglove” is not a yellow species of the true foxglove genus (*Digitalis*).

3. Synonyms

Scientific names used in the Primary Sources and Principal References that are deemed to be synonyms of the accepted name are given in parenthesis following the common names. Synonyms from the D.C. Herbarium have also been included if they appeared frequently on specimen labels. This helps to account for names that were used locally for a time but do not necessarily appear in the earlier Floras and checklists.

4. Distribution

Distribution, which follows synonymy, is indicated only to the state level by the **boldfaced** abbreviations **DC**, **MD**, and **VA**, in this order. (D.C., for this purpose, is treated as a state.) A state is listed only if we have one or more specimens in the D.C. Herbarium from that state *or* a reliable observation or published record, which then is cited parenthetically. If there is only a single specimen in the D.C. Herbarium from the state, then the county where collected (for MD and VA) and sometimes the locality are also given, and the specimen itself is cited parenthetically. (Occasionally, more than one specimen per state is cited). This alerts the user to the cases where the documentation of occurrence is very limited and perhaps also very old.

5. Status in the flora

As mentioned above, the names of the native species are **boldfaced**, and the introduced, non-native species are indicated by a different font, Engraver’s Gothic **BT**. The generic name appears in this font only if the genus itself is also alien to the local flora. Examples: **Phyllitis scolopendrium**, **Hieracium pilosella**.

If a species is introduced, its status in the flora is characterized briefly following the distribution summary. Three, ultimately arbitrary types of introduced species are recognized: (a) “Naturalized” - a species that is freely reproducing in the wild and is often long and widely established in the flora; (b) “waif” - a species that has appeared here and there without apparent deliberate introduction, not necessarily reproducing and persisting for long, and continues to be an accidental element of the flora; (c) “escape” - a species escaping from cultivation perhaps in several to many places and often spreading, particularly locally, but not necessarily persisting and becoming fully naturalized. Introduced plants of the latter two types are also regarded as naturalized in the broad sense, as

defined for inclusion here. Other characterizations of status in the flora in the species entries should be self-explanatory.

6. Comments.

Comments about the species, if any, constitute the final element of the species entry. Many entries do not have comments.

7. Abbreviations

Oft-cited authors (see References for full citations):

Atlas = Harvill *et al.* 1992

B&B 1972 = Brown and Brown 1972

B&B 1984 = Brown and Brown 1984

FJH 1941 = Hermann 1941

FJH 1946 = Hermann 1946

H&S = Hitchcock and Standley 1919

Other

DC = District of Columbia

MD = Maryland

VA = Virginia

W-B Area = Washington-Baltimore Area

Excluded Species

These species have been reported for the W-B Area but are not included in the Checklist, because they do not appear to be found in the Area. The reasons for excluding them, which otherwise may not be clear in the Checklist, are given here.

1. *Cystopteris fragilis* (L.) Bernh. (*C. dickieana* Sim, *Filix fragilis* (L.) Underw.) Formerly treated broadly, including *C. protrusa* (Weath.) Blasdell and *C. tenuis* (Michx.) Desv., which are present in the W-B Area. However, typical *C. fragilis*, as now more narrowly defined, does not occur in the W-B Area, according to Haufler *et al.* (1993a).
2. *Equisetum laevigatum* A. Braun. Included by Reed (1953, p. 254, 264) as *E. hyemale* L. var. *intermedium* A. A. Eaton: “Said to occur in Baltimore County [MD], but no authentic specimens available” (p. 254). Not included by Redman (1992) in his checklist.
3. *Erigeron vernus* (L.) Torr. & A. Gray. A southern coastal plain species reaching southeastern VA. One D.C. Herbarium specimen, collected by G. McCarthy in the 1880s, said to be from the DC area, but probably mislabelled (see H&S).

4. *Euphorbia mercurialina* Michx. (*Tithymalopsis mercurialina* (Michx.) Small) Reported with doubt by Hitchcock and Standley (1919, p. 196), but no documentary collections have turned up.
5. *E. peplus* L. Only one doubtful specimen in D.C. Herbarium (*E. A. Preble s.n.*, 1932), from Scott's [Turkey] Island, Montgomery County. It is a very leafy, nonflowering specimen, which likely is *E. commutata* Engelm. (*Tithymalus peplus* (L.) Gaertn.). This specimen was the basis for inclusion of the species with doubt by Hermann (1941), who subsequently (1946) also cited McAtee (1930, p. 29). Hermann's inclusion probably was the basis, in turn, for Brown and Brown (1984) to include it.
6. *E. vermiculata* Raf. (*Chamaesyce rafinesquei* (Greene) Arthur, *C. vermiculata* (Raf.) House, *E. rafinesquei* Greene) "Reported from Great Falls and Marshall Hall..." (H&S 1919, p. 195), but there are no documentary collections.
7. *Parthenocissus tricuspidata* Planch. Listed by Hermann (1946) as a "waif," but there are no voucher specimens in the D.C. Herbarium. Furthermore, the species is not included in Brown and Brown (1972) or Harvill et al. (1992).
8. *Pinus glabra* Walter. Regarded by Hermann (1941, 1946) as a "waif," presumably on the basis of several old specimens in the D. C. Herbarium. All but one of these specimens were originally identified as *P. inops* Sol. ex Aiton, a synonym of *P. virginiana* Mill., which they seem to fit. The one actually identified as *P. glabra*, a Sudworth specimen, consists only of fascicles of needles, impossible to determine to species with any certainty. Past or present, it seems likely that any apparently wild *P. glabra* in the W-B Area has, in fact, been persisting from cultivation, not spontaneously spreading.

Statistics

No. of Native Species.....	1220
No. of Introduced Species.....	<u>781</u>
Total No. of Species.....	2001

Web Site for Flora of Washington-Baltimore Area

To search the Checklist database or for updates on the ongoing project and other information about the local flora, see: <http://www.nmnh.si.edu/botany/projects/dcfiora>.

Annotated Checklist of the Vascular Plants of the Washington-Baltimore Area

Part I

FERN ALLIES

EQUISETACEAE *The Horsetail Family*

Equisetum

arvense L. - common horsetail, field horsetail. **DC, MD, VA.**

x ferrissii Clute (*E. hyemale* x *laevigatum*) - Ferriss scouring-rush. (*E. hyemale* var. *intermedium* A.A. Eaton) **MD:** Prince George's Co., 1 station along Potomac River (Redman 1992). Only MD station, according to Redman.

fluviatile L. - water horsetail, river horsetail. **DC** (Hauke 1993), **MD:** Harford Co. (Reed 1953). Not found in DC or MD portions of W-B Area, according to Redman (1992).

hyemale L. - common scouring-rush. (*E. affine* Engelm., *E. hyemale* var. *pseudohyemale* (Farw.) C.V. Morton, *E. hyemale* var. *robustum* (A. Braun) A.A. Eaton, *E. prealtum* Raf., *E. robustum* A. Braun) **DC, MD, VA.** All American plants regarded as var. *affine* (Engelm.) A. A. Eaton (Lellinger 1985, p. 98) or ssp. *affine* (Engelm.) Calder and Roy L. Taylor (Hauke 1993).

sylvaticum L. - wood horsetail, woodland horsetail. **MD:** Baltimore Co. (*G.R. Fessenden* 5254, 1951). See also Shreve et al. 1910, p. 389; Reed 1943, 1953.

ISOETACEAE *The Quillwort Family*

Isoetes

engelmannii A. Braun - Engelmann's quillwort. **MD, VA.**

riparia Engelm. ex A. Braun - riverbank quillwort, shore quillwort. (*Isoetes saccharata* Engelm.) **DC, MD, VA.**

LYCOPODIACEAE *The Clubmoss Family*

Lycopodium

alopecuroides L. - foxtail bog clubmoss. (*Lycopodiella alopecuroides* (L.) Cranfill) **VA:** Arlington Co., Rosslyn (*S.F. Blake* 8937, 1924).

annotinum L. - bristly clubmoss. **MD:** W-B Area (B&B 1984). According to Reed (1953), only locality now under water of Loch Raven Reservoir in Baltimore Co.

appressum (Chapm.) F.E. Lloyd & Underw. - appressed bog clubmoss, southern bog clubmoss. (*Lycopodium inundatum* var. *adpressum* Chapm., *L. inundatum* var. *bigelovii* Tuck., *Lycopodiella appressa* (Chapm.) Cranfill) **DC, MD, VA.**

carolinianum L. - slender bog clubmoss. (*Pseudolycopodiella caroliniana* (L.) Holub) **MD.**

clavatum L. - common clubmoss, running clubmoss. **DC, MD, VA.**

Lycopodium - cont.

dendroideum Michx. - prickly tree clubmoss, round-branch ground-pine. (*L. obscurum* var. *dendroideum* (Michx.) D. C. Eaton ex A. Gray) **MD, VA.**

digitatum Dill. ex A. Braun - southern running-pine, southern ground-cedar. (*Diphasiastrum digitatum* (Dill. ex A. Braun) Holub, *L. complanatum* L. var. *flabelliforme* Fernald, *L. flabelliforme* (Fernald) Blanch.) **DC, MD, VA.**

hickeyi W.H. Wagner, Beitel & R.C. Moran - Hickey's tree clubmoss. (*L. obscurum* var. *isophyllum* Hickey) **MD:** Prince George's Co., Suitland Bog (C.F. Reed 128204, 1989).

inundatum L. - northern bog clubmoss. (*Lycopodiella inundata* (L.) Holub.) **VA:** Prince William Co. (Atlas).

lucidulum Michx. - shining clubmoss, shining fir-moss. (*Huperzia lucidula* (Michx.) Trevis.) **DC, MD, VA.**

obscurum L. - princess-pine, flat-branch tree clubmoss, flat-branch ground-pine. (*L. obscurum* in strict sense ("var. *genuinum* Wherry")) **DC, MD, VA.**

tristachyum Pursh - blue ground-cedar, wiry ground-cedar. (*Diphasiastrum tristachyum* (Pursh) Holub) **DC, MD, VA.**

SELAGINELLACEAE *The Spikemoss Family***Selaginella**

apoda (L.) Spring - meadow spikemoss. **DC, MD, VA.**

rupestris (L.) Spring - rock spikemoss. **MD, VA.**

FERNS

ADIANTACEAE *The Maidenhair Fern Family***Adiantum**

capillus-veneris L. - Venus's-hair fern, southern maidenhair fern. **MD:** Montgomery Co., woodside (Benedict 1924). Waif, temporarily persisting. Benedict's locality later destroyed (McAtee 1930, p. 23). *Adiantum* also placed in Pteridaceae (Windham 1993a) or Sinopteridaceae (Lellinger 1985).

pedatum L. - northern maidenhair fern. **DC, MD, VA.** W-B Area plants regarded by Lellinger (1985, p. 175) as ssp. *pedatum*.

Cheilanthes

lanosa (Michx.) D. C. Eaton - hairy lip fern. (*C. vestita* (Spreng.) Sw.) **MD, VA.** *Cheilanthes* also placed in Pteridaceae (Windham 1993a) or Sinopteridaceae (Lellinger 1985).

tomentosa Link - wooly lip fern. **VA:** Culpeper Co., Buzzard Mt. (*H.A. Allard 19613, 20354*, 1950, 1952).

Pellaea

atropurpurea (L.) Link - purple cliffbrake. **DC, MD, VA.** *Pellaea* also placed in Pteridaceae (Windham 1993a) or Sinopteridaceae (Lellinger 1985).

glabella Mett. ex Kuhn - smooth cliffbrake. (*P. glabella* ssp. *glabella* (Windham 1993b)) **MD:** Montgomery Co. (*Gilbert & Wagner 2010*, 1946); Frederick Co. (Redman 1985).

ASPLENIACEAE *The Spleenwort Family***Asplenium**

bradleyi D.C. Eaton (*A. montanum* x *platyneuron*) - Bradley's spleenwort. **MD, VA:** Loudoun Co., Furnace Mt. (*E.C. Leonard 2690*, 1924). Identity of VA specimen, only a snippet from "near Point of Rocks, MD," is questionable.

x ebenoides R.R. Scott (*A. platyneuron* x *rhizophyllum*) - Scott's spleenwort. (**x Asplenosorus ebenoides** (R.R. Scott) Wherry) **MD, VA:** Fairfax Co., Little Falls (*T. Ulke s.n.*, 1915).

montanum Willd. - mountain spleenwort. **MD, VA.**

pinnatifidum Nutt. (*A. montanum* x *rhizophyllum*) - lobed spleenwort. (Including *A. x kentuckiense* T.N. McCoy (*A. pinnatifidum* x *platyneuron*) and *A. x trudellii* Wherry (*A. pinnatifidum* x *montanum*), the former reported from Fauquier Co. (Atlas) and the latter from Harford Co. and W-B Area of MD (B&B 1984).) **MD:** Baltimore and Frederick cos. (Redman 1992), **VA.**

platyneuron (L.) B.S.P. - ebony spleenwort. (Including *A. x virginicum* Maxon (*A. platyneuron* x *trichomanes*), collected in Arlington Co. (*W. Palmer 324*, 1899), which may be basis for Fairfax Co. report (Reed 1953).) **DC, MD, VA.**

Asplenium - cont.

rhizophyllum L. - walking fern. (*Camptosorus rhizophyllus* (L.) Link) **DC** (*Fairchild & Waite s.n.*, 1890), **MD, VA**.

ruta-muraria L. - wall-rue, wall-rue spleenwort. (*A. cryptolepis* Fernald) **MD**: Frederick Co. (*E.C. Leonard 2702*, 1924), **VA**: Loudoun Co. (*H.A. Allard 20491*, 1952).

trichomanes L. - maidenhair spleenwort. **DC, MD, VA**.

Phyllitis

scolopendrium (L.) Newman - hart's-tongue fern. (*Asplenium scolopendrium* L.) **MD**: Harford Co. (Reed 1953). All native American plants regarded as var. *americana* Fernald (Lellinger 1985, p. 228; Wagner et al. 1993). Both the typical European variety (Wherry 1937) and the American variety (Reed 1943) said to be introduced in Harford Co.

AZOLLACEAE *The Mosquito Fern Family***Azolla**

caroliniana Willd. - eastern mosquito fern. **DC** (*Z. Kelso s.n.*, 1950), **MD**: Calvert Co. (*N. Hotchkiss 7348*, 1952); Montgomery Co., Plummer's Island (*Hotchkiss & Leonard 3591*, 1961).

BLECHNACEAE *The Chain Fern Family***Woodwardia**

areolata (L.) T. Moore - netted chain fern. (*Lorinseria areolata* (L.) Presl, *Woodwardia angustifolia* Sm.) **DC, MD, VA**.

virginica (L.) Sm. - Virginia chain fern. (*Anchistea virginica* (L.) Presl.) **DC, MD, VA**: Fairfax Co. (*Strong & Simmons 1777*, 1998); see also Atlas.

DENNSTAEDTIACEAE *The Bracken Fern Family***Dennstaedtia**

punctiloba (Michx.) T. Moore - hay-scented fern. **DC, MD, VA**.

Pteridium

aquilinum (L.) Kuhn - bracken, bracken fern. (*Pteridium latiusculum* (Desv.) Fr., *Pteris aquilina* L.) **DC, MD, VA**. W-B Area plants ssp. *aquilinum*, either var. *latiusculum* (Desv.) Underw. ex A. Heller (largely) or var. *pseudocaudatum* (Clute) A. Heller (Lellinger 1985, p. 211; Jacobs & Peck 1993).

DRYOPTERIDACEAE *The Wood Fern Family***Dryopteris**

x boottii (Tuck.) Underw. (*D. cristata* x *intermedia*) - Boott's fern. **MD, VA**. Perhaps best included in *D. cristata* (Lellinger 1985).

Dryopteris - cont.

carthusiana (Vill.) H.P. Fuchs - spinulose wood fern, toothed wood fern. (*Aspidium spinulosum* O.F. Müll., *D. austriaca* (Jacq.) Woyn. ex Schinz & Thell., in part, *D. spinulosa* (O.F. Müll.) Watt, in part) **DC, MD, VA.**

celsa (W. Palmer) Knowlton, W. Palmer & Pollard (*D. goldiana* x *ludoviciana*) - log fern. **DC, MD, VA** (Atlas). Also reported for MD by Reed (1943, 1953) and Redman (1992), who says it is confused with *D. clintoniana*, which, according to him, does not occur in MD.

clintoniana (D.C. Eaton) Dowell (*D. cristata* x *goldiana*) - Clinton's wood fern, broad swamp fern. (*D. cristata* var. *clintoniana* (D.C. Eaton) Underw.) **MD:** Montgomery Co., Glen Echo (W. Palmer s.n., 1899), **VA:** Fairfax Co. Despite collections seeming to fit this species, recognized by H&S, Hermann (1946), and Reed (1953), recent authors do not include MD or VA in its range (Lellinger 1985, Atlas, Redman 1992, Montgomery & Wagner 1993).

cristata (L.) A. Gray (*D. ludoviciana* (Kunze) Small x unknown diploid (Wagner 1971)) - crested wood fern, narrow swamp fern. (*Aspidium cristatum* (L.) Sw.) **DC, MD, VA.** Including *D. x slossonae* Wherry ex Lellinger (*D. cristata* x *marginalis*), reported from DC (L.F. Ward s.n., 1878) and Fairfax Co. (Atlas, p. 136).

goldiana (Hook. ex Goldie) A. Gray - Goldie's wood fern, giant wood fern. **DC, MD, VA.** Including *D. xneowherry* W.H. Wagner (*D. goldiana* x *marginalis*), reported from DC (E.T. Wherry s.n., 1926) and Fauquier Co. (Atlas, p. 136).

intermedia (Muhl. ex Willd.) A. Gray - evergreen wood fern, fancy fern. (*Aspidium spinulosum* O.F. Müll. var. *intermedium* (Muhl. ex Willd.) D.C. Eaton, *D. spinulosa* (O.F. Müll.) Watt var. *intermedia* (Muhl. ex Willd.) Underw.) **DC, MD, VA.**

marginalis (L.) A. Gray - marginal shield fern, marginal wood fern. (*Aspidium marginalis* (L.) Sw.) **DC, MD, VA.**

Polystichum

acrostichoides (Michx.) Schott - Christmas fern. (*Aspidium acrostichoides* (Michx.) Sw.) **DC, MD, VA.**

MARSILEACEAE The Water-clover Family**Marsilea**

quadridifolia L. - European water-clover. **DC:** Fish Ponds near [Washington] Monument, 1886, 1902, **MD.** Accidentally introduced to DC in 1880; Fish Ponds long since destroyed.

OPHIOGLOSSACEAE The Adder's-tongue Fern Family**Botrychium**

binternatum (Savigny) Underw. - sparse-lobed grapefern, southern grapefern. (*B. dissectum* var. *tenuifolium* (Underw.) Farw.) **DC** (Reed 1953, p. 46, as *B. dissectum*), **MD:** Anne Arundel and Prince George's cos. (Reed, loc. cit.).

Botrychium - cont.

dissectum Spreng. - cut-leaved grapefern, lace-frond grapefern, dissected grapefern. (*B. obliquum* Muhl. in Willd.) **DC, MD, VA.**

matricariifolium A. Braun ex W.D.J. Koch - daisy-leaved moonwort, matricary grapefern. (*B. neglectum* A.W. Wood) **DC:** Battery Park (*F.C. Coe s.n.*, 1942), **MD, VA:** Fauquier Co. (Fessenden 1945).

multifidum (S.G. Gmel.) Rupr. - leathery grapefern. **MD:** Baltimore Co. (Reed 1943). Only MD station, according to Redman (1992).

oneidense (Gilib.) House - blunt-lobed grapefern. **MD:** St. Mary's Co. (Redman 1992), **VA:** Fairfax and Fauquier cos. (Atlas).

simplex E. Hitchc. - least moonwort. **MD:** Montgomery Co., Bethesda (*F.C. Coe s.n.* 1942, as var. *tenebrosum* (A.A. Eaton) R.T. Clausen). A somewhat doubtful record; possibly depauperate *B. matricariifolium* (cf. Fessenden 1945, Reed 1953).

virginianum (L.) Sw. - rattlesnake fern, common grapefern. **DC, MD, VA.**

Ophioglossum

vulgatum L. - common adder's-tongue, southern adder's-tongue. (*O. pycnostichum* (Fernald) A. Löve & D. Löve) **DC, MD, VA.**

OSMUNDACEAE *The Royal Fern Family***Osmunda**

cinnamomea L. - cinnamon fern. **DC, MD, VA.**

claytoniana L. - interrupted fern. **DC, MD, VA.**

regalis L. - royal fern. **DC, MD, VA.** All American plants regarded as var. *spectabilis* (Willd.) A. Gray (Lellinger 1985, p. 121; Whetstone & Atkinson 1993).

POLYPODIACEAE *The Polypody Fern Family***Polypodium**

polypodioides (L.) Watt - resurrection fern, Gray's fern. (*Pleopeltis polypodioides* (L.) E.G. Andrews & Windham var. *michaixiana* (Weath.) E.G. Andrews & Windham) **MD, VA.** All American plants regarded as var. *michaixianum* Weath. (Lellinger 1985, p. 195; Andrews & Windham 1993).

virginianum L. - rock polypody, common polypody. (*Polypodium vulgare* L., *P. vulgare* var. *virginianum* (L.) D.C. Eaton) **DC, MD, VA.** No attempt made to separate out diploid form recently described as *P. appalachianum* Haufler & Windham, Appalachian polypody, which, according to Haufler et al. (1993b), occurs in DC and some parts of MD & VA.

PTERIDACEAE *The Brake Fern Family*

Pteris

multifida Poir. - spider brake, spider fern. **DC** (*F.J. Hermann 12605, 13588, 1956, 1957*). Escape.
Probably not persisting long.

vittata L. - Chinese ladder brake, ladder brake, Chinese brake. **DC** (*F.N. Irwing s.n., 1942*). Escape.
Probably not persisting long.

SCHIZAEACEAE *The Climbing Fern Family*

Lygodium

palmatum (Bernh.) Sw. - American climbing fern. **MD, VA** (Atlas). *Lygodium* placed by some
(Nauman 1993) in monotypic family Lygodiaceae.

THELYPTERIDACEAE *The Marsh Fern Family*

Thelypteris

hexagonoptera (Michx.) Weath. - broad beech fern, southern beech fern. (*Dryopteris hexagonoptera*
(Michx.) C. Chr., *D. hexagonoptera* forma *simonii* C.F. Reed (holotype from Baltimore Co.
(C.F. Reed 3618, US #1872563; Reed 1945)), *Phegopteris hexagonoptera* (Michx.) Fée) **DC,**
MD, VA.

noveboracensis (L.) Nieuwl. - New York fern. (*Aspidium noveboracense* (L.) Sw., *Dryopteris noveboracensis* (L.) A. Gray, *Thelypteris thelypteroides* (Michx.) Holub., misapplied) **DC,**
MD, VA.

palustris Schott - marsh fern. (*Aspidium thelypteris* (L.) Sw., *Dryopteris thelypteris* (L.) A. Gray)
DC, MD, VA. All American plants regarded as var. *pubescens* (Laws.) Fernald (Lellinger
1985, p. 222; A.R. Smith 1993a).

phegopteris (L.) Slossen - long beech fern, narrow beech fern, northern beech fern. (*Dryopteris phegopteris* (L.) C. Chr., *Phegopteris connectilis* (Michx.) Watt) **MD:** Baltimore Co. (Reed
1943). Last seen here (Loch Raven) about 1895 (Reed 1953).

simulata (Davenp.) Nieuwl. - Massachusetts fern. (*Aspidium simulatum* Davenp., *Dryopteris simulata* Davenp.) **DC** (*P. Fleming 2285, 1989*), **MD, VA:** Westmoreland Co. (Atlas).

WOODSIACEAE *The Cliff Fern Family*

Athyrium

filix-femina (L.) Roth. ex Mert. - lady fern. (*A. angustum* (Willd.) C. Presl., *A. asplenioides* (Michx.)
Desv.) **DC, MD, VA.** *Athyrium* also placed in Dryopteridaceae (A.R. Smith 1993b). *A. angustum* (northern lady fern) and *A. asplenioides* (southern lady fern) usually recognized
as varieties (Kato 1993) or subspecies (Lellinger 1985) of *A. filix-femina*. Both forms present
in W-B Area, but second one is more common.

Athyrium - cont.

pycnocarpon (Spreng.) Tidestr. - narrow-leaved glade fern, narrow-leaved spleenwort. (*Asplenium angustifolium* Michx., *A. pycnocarpon* Spreng., *Athyrium angustifolium* (Michx.) Milde, *Diplazium pycnocarpon* (Spreng.) M. Broun) **DC, MD, VA.**

thelypteroides (Michx.) Desv. - silvery glade fern, silvery spleenwort. (*Asplenium acrostichoides* Sw., *A. thelypteroides* Michx., *Athyrium acrostichoides* (Sw.) Diels, *Deparia acrostichoides* (Sw.) M. Kato) **DC, MD, VA.**

Cystopteris

bulbifera (L.) Bernh. - bulblet bladder fern, bulblet fern, bladder fern. (*Filix bulbifera* (L.) Underw.) **MD:** Frederick Co., Catoctin Furnace (W.H. Wagner 2003, 1944; det. by C. Haufler, 1991, as probably *C. bulbifera xtenuis*), **VA:** Fairfax Co.. *Cystopteris* also placed in Dryopteridaceae (A.R. Smith 1993b).

protrusa (Weath.) Blasdell - lowland brittle fern, southern bladder fern. (*C. fragilis* var. *protrusa* Weath.) **DC, MD, VA.** Has been included in *C. fragilis*.

tennesseensis Shaver - Tennessee bladder fern, hybrid bladder fern. (*C. fragilis* var. *tennesseensis* (Shaver) McGregor) **MD:** Frederick and Harford cos.. State Rare species in MD. Frederick Co. locality destroyed recently, according to Donn Redman (personal communication, May 2, 1999).

tenuis (Michx.) Desv. - Mackay's brittle fern, upland brittle fern. (*C. fragilis* var. *mackayi* G. Lawson) **MD, VA.** Has been included in *C. fragilis*.

Gymnocarpium

dryopteris (L.) Newman - common oak fern. (*Dryopteris disjuncta* (Ledeb.) C.V. Morton, *Phegopteris dryopteris* (L.) Fée) **MD:** Baltimore Co. (Shreve et al. 1910, p. 388). *Gymnocarpium* also placed in Dryopteridaceae (A.R. Smith 1993b). Baltimore locality destroyed in 1895 (Reed 1953).

Matteuccia

struthiopteris (L.) Tod. - ostrich fern. (*M. pensylvanica* (Willd.) Raymond, *Onoclea struthiopteris* (L.) Hoffm., *Pteretis pensylvanica* (Willd.) Fernald, *P. nodulosa* (Michx.) Nieuwl., misapplied) **DC, MD, VA.** All American plants regarded as var. *pensylvanica* (Willd.) C.V. Morton (Lellinger 1985, p. 247; D.M. Johnson 1993). *Matteuccia* also placed in Onocleaceae (Gleason & Cronquist 1991) or Dryopteridaceae (A.R. Smith 1993b).

Onoclea

sensibilis L. - sensitive fern. **DC, MD, VA.** *Onoclea* also placed in Onocleaceae (Gleason & Cronquist 1991) or Dryopteridaceae (A.R. Smith 1993b).

Woodsia

obtusa (Spreng.) Torr. - blunt-lobed cliff fern. **DC, MD, VA.** W-B Area plants ssp. *obtusa* (Windham 1993a). *Woodsia* also placed in Dryopteridaceae (A.R. Smith 1993b).

GYMNOSPERMS**CUPRESSACEAE *The Cypress Family******Chamaecyparis******thyoides*** (L.) B.S.P. - Atlantic white-cedar. **MD.*****Juniperus******virginiana*** L. - eastern red-cedar, Virginia juniper. **DC, MD, VA.** W-B area plants var. *virginiana* (Adams 1993).***Taxodium******distichum*** (L.) Rich. - bald-cypress, pond-cypress. (*T. ascendens* Brongn.) **MD, VA.** Widely planted in region. Large stand in tidal inlet on Roosevelt Island, DC, planted.**PINACEAE *The Pine Family******Picea******abies*** (L.) H. Karst. - Norway Spruce. Escape in DC area (McAtee 1930, p. 23).***Pinus******echinata*** Mill. - shortleaf pine, yellow pine. (*P. mitis* Michx.) **DC, MD, VA.*****pungens*** Lamb. - table-mountain pine. **DC, MD, VA.*****rigida*** Mill. - pitch pine. **DC, MD, VA.*****strobus*** L. - eastern white pine. **DC** (*P. Fleming* 337, 1987), **MD, VA.** Not believed to be native in DC (H&S, Fleming & Kanal 1995, Kral 1993), but long planted and escaped here and in region; Rock Creek Park US specimens probably from planted trees or escapes.***sylvestris*** L. - Scotch pine. **MD:** Baltimore Co. (*E. Baltars* 1711, 1957). Escape. Widely planted but doubtfully naturalizing in region. American cultivated and escaped plants var. *sylvestris* (Kral, 1993).***taeda*** L. - loblolly pine. **MD, VA:** Lancaster Co. (*L.B. Smith* 5511, 1951). Planted and perhaps escaping in DC and region.***virginiana*** Mill. - scrub pine, Virginia pine, Jersey pine. (*P. inops* Sol. ex Aiton (Ward 1881)) **DC, MD, VA.*****Tsuga******canadensis*** (L.) Carrière - eastern hemlock. **DC** (*P. Fleming* 1445, 1993), **MD:** Calvert Co., Hellen Creek (B&B 1972), **VA.** Not known to be native in DC, but long planted and escaped here and in region. State Tree of Pennsylvania.

TAXACEAE *The Yew Family***Taxus**

baccata L. - English yew. **DC:** Rock Creek Park (*P. Fleming* 294, 1986). Escape. Widely planted in region, along with *T. cuspidata* Siebold & Zucc., which may also be escaping.

canadensis Marshall - Canada yew, American yew, ground-hemlock. **VA:** Prince William Co. (Atlas).

DICOTYLEDONSACANTHACEAE *The Acanthus Family***Justicia**

americana (L.) Vahl - water-willow, American water-willow, dense-flowered water-willow. (*Dianthera americana* L.) **DC, MD, VA.**

Ruellia

caroliniensis (J.F. Gmel.) Steud. - hairy ruellia, slender ruellia. (*R. ciliosa* Pursh) **DC, MD, VA.**
purshiana Fernald - Pursh's ruellia, Appalachian ruellia. W-B Area (FJH 1946).

strepens L. - smooth ruellia. **DC, MD, VA.**

ACERACEAE *The Maple Family***Acer**

negundo L. - boxelder, ash-leaved maple. (*Rulac negundo* (L.) Hitchc.) **DC, MD, VA.**

palmatum Thunb. - Japanese maple. **DC:** Rock Creek Park. Escape.

pensylvanicum L. - striped maple, moosewood. **MD:** Frederick Co. (B&B 1972).

platanooides L. - Norway maple. **DC:** Rock Creek Park (*P. Fleming 1031*, 1989), **MD** (inferred from B&B 1972), **VA** (Atlas). Escape.

rubrum L. - red maple. **DC, MD, VA.**

saccharinum L. - silver maple. **DC, MD, VA.**

saccharum Marshall s.l. - sugar maple. (*A. barbatum* Michx., *A. leucoderme* Small., *A. nigrum* F. Michx., *A. saccharophorum* K. Koch) **MD, VA.** DC specimens all appear to be cultivated. The local sugar maples, which need critical study, have been lumped for now. Specimens from the same sites have been identified variously as *A. barbatum*, *A. nigrum leucoderme*, *A. nigrum*, and *A. saccharum*. State Tree of West Virginia.

AIZOACEAE *The Fig-marigold Family***Sesuvium**

maritimum (Walter) B.S.P. - sea-purslane. **VA:** Northumberland Co. (Atlas).

AMARANTHACEAE *The Amaranth Family***Alternanthera**

philoxeroides (Mart.) Griseb. - alligator-weed. **VA:** Fairfax Co. (Atlas). Waif.

Amaranthus

albus L. - tumbleweed. (*Amaranthus graecizans* L., misapplied.) **DC, MD, VA** (Atlas).

blitoides S. Watson - tumbleweed. (*Amaranthus graecizans* L., misapplied.) **DC** (*C. Mohr s.n.*, 1882),
MD: Baltimore (*A. Fredholm 2116*, 1896).

blitum L. - (*Amaranthus lividus* L.) **MD:** Baltimore Co.; Prince George's Co. (Terrell et al. 1999), **VA:**
Fairfax Co. (Atlas). Waif.

cannabinus (L.) J.D. Sauer - water-hemp. (*Acnida cannabina* L.) **DC, MD, VA.**

cruentus L. - red amaranth, purple amaranth. (*Amaranthus hybridus* var. *cruentus* (L.) Moq., *A. paniculatus* L.) **DC.** Cultivated and occasionally escaping. Current status?

deflexus L. - **MD:** Baltimore (*C.F. Reed 32823*, 1953). Waif, from tropical America.

hybridus L. - common pigweed, smooth pigweed. (*A. retroflexus* L., misapplied (Ward 1881)) **DC,**
MD, VA.

palmeri S. Watson - careless-weed. **MD:** Baltimore (*C.F. Reed 32979*, 1953), **VA:** Arlington Co.
(*J.B.S. Norton s.n.*, 1915). Waif.

retroflexus L. - rough pigweed, redroot. **DC, MD, VA** (Atlas). Naturalized.

spinosa L. - spiny amaranth, thorny amaranth. **DC, MD, VA.** Naturalized.

Celosia

argentea L. - silvery celosia. **VA:** Arlington Co. (*F.J. Hermann 9627*, 1938). Escape, from tropics.
This specimen *C. argentea* x *cristata*, according to W.F. Grant, 1961.

cristata L. - cockscomb. **MD:** Prince George's Co. (*E.C. Leonard 20729*, 1953). Escape.

Froelichia

floridana (Nutt.) Moq. - common cottonweed. **MD:** Anne Arundel Co..

gracilis (Hook.) Moq. - slender cottonweed. **MD:** Baltimore (*C.F. Reed 65410*, 1963).

Iresine

rhizomatosa Standl. - bloodleaf. **MD:** Plummer's Island, Montgomery Co. (several old specimens;
holotype: *P.C. Standley 12500*, 1915, US865290), **VA:** Westmoreland Co. (Atlas). Plummer's
Island is type locality, but population apparently long since extirpated. Also found on nearby
Mineshoe Island (*C.R. Shoemaker s.n.*, 1923).

ANACARDIACEAE *The Sumac Family***Rhus**

aromatica Aiton - fragrant sumac, squaw-bush. (*Schmaltzia crenata* (Mill.) Greene) **DC:** Rock Creek
Park (*D.W. Hayes 43-45*, 1943), **MD, VA.** Probably planted in DC.

copallinum L. - shining sumac. **DC, MD, VA.**

glabra L. - smooth sumac. **DC, MD, VA.**

Rhus - cont.

typhina L. - staghorn sumac. (*R. hirta* (L.) Sudw.) **DC, MD, VA.**

Toxicodendron

pubescens Mill. - poison-oak. (*Rhus quercifolia* (Michx.) Steud., *R. toxicarium* Salisb., *R. toxicodendron* L., *Toxicodendron quercifolia* (Michx.) Greene, *T. toxicarium* (Salis.) Gillis) **DC, MD, VA.**

radicans (L.) Kuntze - poison-ivy. (*Rhus radicans* L., *R. toxicodendron* L., misapplied, *Toxicodendron pubescens* Mill., misapplied, *T. toxicodendron* Britton, misapplied) **DC, MD, VA.**

vernix (L.) Kuntze - poison-sumac. (*Rhus vernix* L.) **DC, MD, VA.**

ANNONACEAE The Custard-apple Family

Asimina

triloba Dunal - pawpaw. **DC, MD, VA.**

APIACEAE The Parsley Family

Aegopodium

podagraria L. - goutweed. **DC** (*P. Fleming* 800, 1988), **MD, VA** (Atlas). Escape.

Anethum

graveolens L. - dill. **VA:** Fauquier Co. (Atlas). Waif.

Angelica

atropurpurea L. - purple angelica, purplestem angelica. **MD:** Calvert Co. (*J.W. Turpin* 307, 1941). Apparently this species.

venenosa (Greenway) Fernald - hairy angelica. (*A. hirsuta* (Torr. & A. Gray) Chapm., *A. villosa* (Walter) B.S.P., *Archangelica hirsuta* Torr & A. Gray) **DC, MD, VA.**

Anthriscus

cerefolium (L.) Hoffm. - chervil. **VA:** Fauquier Co. (Atlas). Escape.

Biflora

testiculata DC. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Bupleurum

lancifolium Hornem. - thoroughwax. (*B. protractum* Hoffm. & Link) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

odontites L. - thoroughwax. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

rotundifolium L. - thoroughwax. **DC** (*F.V. Coville s.n.*, 1889), **MD:** Montgomery Co. (*G.S. Miller s.n.*, 1898), **VA:** Fauquier Co. (*H.A. Allard 6619*, 1939). Waif.

Carum

carvi L. - caraway. **DC** (*E.S. Steele s.n.*, 1899), **MD** (inferred from B&B 1984). Escape.

Chaerophyllum

bulbosum L. - turnip-rooted chervil, parsnip chervil. **DC**: Fish Ponds (4 specimens 1899-1902). Waif.

procumbens (L.) Crantz - spreading chervil. **DC, MD, VA.**

tainturieri Hook. - southern chervil. **MD**: Montgomery Co., opposite Plummer's Island (*P.C. Standley 11418*, 1915), **VA** (Atlas). Standley's specimen probably *C. tainturieri*; fruits have distinct wide ribs, though ellipsoid in shape.

Cicuta

bulbifera L. - bulbiferous water-hemlock. **MD**: Montgomery Co. (*E.C. Leonard 1367*, 1919), **VA**: Arlington Co. (Atlas). Common along Potomac River according to B&B 1984.

maculata L. - common water-hemlock, spotted cowbane. **DC, MD, VA.**

Conium

maculatum L. - poison-hemlock. **DC, MD, VA.** Naturalized.

Cryptotaenia

canadensis (L.) DC. - honewort, wild chervil. (*Deringa canadensis* (L.) Kuntze) **DC, MD, VA.**

Cyclospermum

leptophyllum (Pers.) Sprague - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Daucus

carota L. - Queen Anne's-lace, wild carrot. **DC, MD, VA.**

Erigenia

bulbosa (Michx.) Nutt. - harbinger-of-spring. **DC, MD, VA.**

Eryngium

aquaticum L. - marsh eryngo, button-snakeroot. (*E. virginianum* Lam.) **DC, MD, VA.**

campestre L. - eryngo. **MD**: Baltimore City (3 pre-1900 collections; see also Reed 1964). Waif.

planum L. - eryngo. **DC** (*E.S. Steele s.n.*, 1899). Waif.

yuccifolium Michx. - rattlesnake-master, button-snakeroot. (*E. aquaticum* L., misapplied) **MD**: Montgomery Co..

Foeniculum

vulgare Mill. - fennel. **MD, VA.** Waif.

Heracleum

maximum Bartram - cow-parsnip. (*H. lanatum* Michx., *H. spondylium* L., as to American plants) **DC**: Fletcher's Landing (color slides of H.W. Wibert, 1953, 1955 - sheets 2099864, 2388516), **MD**, **VA**: Loudoun Co. (Atlas).

Hydrocotyle

americana L. - American water pennywort, marsh pennywort. **DC, MD, VA.**

ranunculoides L. f. - floating water pennywort, buttercup pennywort. **DC, MD, VA.**

sibthorpioides Lam. - lawn pennywort. (*H. rotundifolia* Lam.) **DC, MD, VA.** Naturalized.

umbellata L. - water pennywort, umbellate water pennywort. **MD** (inferred from B&B 1984), **VA**: Lancaster Co. (*H.A. Allard 21847*, 1954).

verticillata Thunb. - whorled water pennywort, whorled pennywort. **MD, VA**: Stafford Co. (*A.L. Nelson s.n.*, 1934; see also Atlas).

Ligusticum

canadense (L.) Britton - nondo, angelico, American lovage. **MD**: Frederick Co. (*E. Baltars 192*, 1949), **VA**: Fauquier Co. (Atlas).

Lilaeopsis

chinensis (L.) Kuntze - (*L. lineata* (Michx.) Greene) **MD, VA.**

Oenanthe

aquatica (L.) Poir. - water-fennel. (*O. phellandrium* Lam.) **DC** (*E.S. Steele s.n.*, 1897), **MD**: "D.C. area" (B&B 1984). Waif.

Osmorrhiza

claytonii (Michx.) C.B. Clarke - hairy sweet-cicely, bland sweet-cicely, sweet-jarvil. **DC, MD, VA.**

longistylis (Torr.) DC. - anise-root, smooth sweet-cicely, long-styled sweet-cicely. **DC, MD, VA.**

Oxypolis

rigidior (L.) Raf. - cowbane, common water-dropwort. (*Archemora rigida* (L.) DC., *Tiedmannia rigida* (L.) J.M. Coulter & Rose) **DC, MD, VA.**

Pastinaca

sativa L. - wild parsnip, parsnip. **DC, MD, VA.** Naturalized.

Pimpinella

saxifraga L. - burnet-saxifrage. **MD**: Baltimore Co. (B&B 1984); Montgomery Co. (McAtee 1930, p. 31). Waif.

Ptilimnium

capillaceum (Michx.) Raf. - mock-bishopweed. **DC, MD, VA.**

Ptilimnium - cont.

nodosum (Rose) Math. - harperella, riverbank mock-bishopweed. (*Harperella fluviatilis* Rose, *H. nodosa* Rose, *H. vivipara* Rose, *P. fluviatile* (Rose) Math., *P. viviparum* (Rose) Math.) **MD:** Potomac Valley (B&B 1984).

Sanicula

canadensis L. - black snakeroot, Canada sanicle. **DC, MD, VA.**

gregaria E.P. Bicknell - clustered snakeroot, cluster sanicle. (*S. odorata* (Raf.) K.M. Pryer & L.R. Phillippe (correct name according to Kartesz 1994, p. 47)) **DC, MD, VA.**

marilandica L. - sanicle, Maryland sanicle, black snakeroot. **DC, VA** (Atlas).

trifoliata E.P. Bicknell - large-fruited snakeroot, trifoliate snakeroot, beaked snakeroot. **MD:** Harford Co. (*E. Baltars* 365, 1951; *E. Baltars* 4133, 1967); Baltimore (B&B 1984), **VA** (Atlas).

Scandix

pecten-veneris L. - Venus's-comb. **DC** (*T.H. Kearney s.n.*, 1898; *E.S. Steele s.n.*, 1898), **MD:** Prince George's Co. (McAtee 1930, p. 45). Waif.

Seseli

libanotis (L.) W.D.J. Koch - **MD:** Prince George's Co. (*J.B.S. Norton s.n.*, 1905). Waif.

Sium

suave Walter - water-parsnip. (*S. cicutifolium* Schrank, *S. "laeve* Walt." of H&S, *S. lineare* Michx.) **DC, MD, VA.**

Spermolepis

inermis (Nutt. ex DC.) Math. & Constance - western spermolepis. **MD:** Baltimore Co. (B&B 1984).

Taenidia

integerima (L.) Drude - yellow pimpernel. **DC, MD, VA.**

montana (Mack.) Cronquist - shale-barren pimpernel, Virginia pimpernel. (*Pseudotaenia montana* Mack.) **MD:** Frederick Co. (B&B 1984).

Thaspium

barbinode (Michx.) Nutt. - hairy-jointed meadow-parsnip, bearded meadow-parsnip. **DC, MD, VA.**

trifoliatum (L.) A. Gray - woodland meadow-parsnip, smooth meadow-parsnip. **MD, VA.**

Torilis

arvensis (Huds.) Link - field hedge-parsley. (*Caucalis anthriscus* (L.) Huds., misapplied, *T. anthriscus* (L.) C.C. Gmel., misapplied, *T. japonica* (Houtt.) DC., misapplied) **DC** (4 specimens, 1894-1902), **MD:** Baltimore City (*B. Sollers s.n.*, 1890; Reed 1964), **VA:** Fauquier Co. (Atlas). Waif.

Torilis - cont.

nodosa (L.) Gaertn. - knotted hedge-parsley. **MD:** "near Baltimore" (*D. Foreman s.n.*, 1876; see also B&B 1984). Waif.

Zizia

aptera (A. Gray) Fernald - heart-leaved golden-Alexanders. (*Thaspium trifoliatum* (L.) A. Gray, misapplied, *Z. cordata* W.D.J. Koch ex DC.) **DC, MD, VA.**

aurea (L.) W.D.J. Koch - common golden-Alexanders. (*Thaspium aureum* (L.) Nutt.) **DC, MD, VA.**

APOCYNACEAE *The Dogbane Family*

Apocynum

androsaemifolium L. - spreading dogbane. **DC** (McAtee 1930, p. 39), **MD** (inferred from B&B 1984), **VA.** All DC records (McAtee l.c.) are doubtful; the only surviving specimens (Corcoran Woods, cited in Holm 1892, p. 118) are *A. x floribundum*. See also H&S.

cannabinum L. - Indian-hemp, hemp dogbane. (*A. album* Greene (type from local region), *A. hypericifolium* Aiton, *A. nemorale* G.S. Mill. (type from local region), *A. pubescens* R. Br., *A. sibiricum* Jacq.) **DC, MD, VA.**

x floribundum Greene - intermediate dogbane. (*A. medium* Greene (type from local region), *A. milleri* Britton (type from local region), *A. pseudomedium* Bég. & Belosserky, *A. speciosum* G.S. Mill. (type from local region), *A. urceolifer* G.S. Mill. (type from local region)) **DC, MD, VA.** *A. androsaemifolium* x *A. cannabinum*.

Trachelospermum

difforme (Walter) A. Gray - climbing-dogbane. **DC:** Chain Bridge flats (*E.H. Walker* 974, 1930), **MD:** Anne Arundel Co. (*P.L. Ricker* 3964, 1943), **VA:** Arlington Co. (Atlas).

Vinca

major L. - large periwinkle, greater periwinkle. **VA:** Fairfax Co., Belle Haven (*E. & S. Shetler s.n.*, 1973). Persisting and spreading from cultivation.

minor L. - periwinkle, common periwinkle, myrtle. **DC, MD, VA.** Widely persisting and spreading from cultivation.

AQUIFOLIACEAE *The Holly Family*

Ilex

crenata Thunb. - Japanese holly. **DC:** Rock Creek Park (*P. Fleming* 820, 1988). Escape.

decidua Walter - possum-haw. **DC, MD, VA.**

glabra (L.) A. Gray - inkberry. **MD.**

laevigata (Pursh) A. Gray - smooth winterberry. **DC, MD, VA:** Loudoun Co. (S.G. Shetler, sight record).

Ilex - cont.

montana T. & G. ex A. Gray - mountain holly, bigleaf holly. **VA:** Fauquier Co. (Atlas).

opaca Aiton - American holly. **DC, MD, VA.** State Tree of Delaware.

verticillata (L.) A. Gray - black-alder, winterberry. **DC, MD, VA.**

*ARALIACEAE The Ginseng Family***Aralia**

nudicaulis L. - wild sarsaparilla. **DC, MD, VA.**

racemosa L. - spikenard, American spikenard. **DC, MD, VA.**

spinosa L. - Hercules'-club, devil's-walking-stick, angelica-tree. **DC, MD, VA.**

Hedera

helix L. - English ivy. **DC, MD, VA.** Persisting and spreading, escaping.

Panax

quinquefolius L. - ginseng, American ginseng. **MD** (inferred from B&B 1984), **VA:** Fairfax Co. (*D.J. Crosby s.n.*, 1902; see also Atlas). Only one US specimen. Once widespread, now largely extirpated. See also B&B 1984.

trifolius L. - dwarf ginseng. **DC, MD, VA.**

*ARISTOLOCHIACEAE The Birthwort Family***Aristolochia**

clematitis L. - birthwort. **MD:** Baltimore City. Rare escape. Baltimore colony extirpated by 1906 (Reed 1964).

serpentaria L. - Virginia-snakeroot. **DC, MD, VA.**

Asarum

canadense L. - wild ginger. (*A. reflexum* E.P. Bicknell) **DC, MD, VA.**

Hexastylis

minor (Ashe) H.L. Blomq. - heartleaf. (*Asarum minus* Ashe, *A. virginicum* L., in part, *H. virginica* (L.) Small, in part) **VA:** Fauquier Co. (Atlas).

virginica (L.) Small - heartleaf, coltsfoot. (*Asarum virginicum* L.) **MD:** Charles Co. (B&B 1984), **VA:** King George Co. (*F.H. Sargent 9*, 1950).

*ASCLEPIADACEAE The Milkweed Family***Asclepias**

amplexicaulis Sm. - clasping milkweed, blunt-leaved milkweed. **DC, MD, VA.**

Asclepias - cont.

exaltata L. - poke milkweed, tall milkweed. (*Asclepias phytolaccoides* Pursh) **MD, VA.**

incarnata L. - swamp milkweed. (*Asclepias incarnata* ssp. *pulchra* (Ehrh. ex Willd.) Woodson, *A. incarnata* var. *pulchra* (Ehrh. ex Willd.) Pers., *A. pulchra* Ehrh. ex willd.) **DC, MD, VA.** Most plants in local flora fit characters of var. *pulchra*.

purpurascens L. - purple milkweed. **DC, MD, VA.**

quadrifolia Jacq. - four-leaved milkweed. **MD, VA.**

rubra L. - red milkweed. **DC, MD, VA.**

syriaca L. - common milkweed. **DC, MD, VA.**

tuberosa L. - butterfly-weed, pleurisy-root. **DC, MD, VA.**

variegata L. - white milkweed. **DC, MD, VA.**

verticillata L. - whorled milkweed. **DC, MD, VA.**

viridiflora Raf. - green milkweed, green-flowered milkweed. (*Acerates viridiflora* (Raf.) Pursh ex Eaton) **DC, MD, VA.**

Cynanchum

laeve (Michx.) Pers. - honeyvine, sandvine. (*Ampelamus albidum* (Nutt.) Britton, *Gonolobus laevis* Michx.) **DC, MD, VA.**

louiseae Kartesz & Gandhi - black swallow-wort. (*C. nigrum* (L.) Cav., misapplied, *Vincetoxicum nigrum* (L.) Moench, misapplied) **MD:** Baltimore Co. (*G.R. Fessenden 5405*, 1952).

Matelea

carolinensis (Jacq.) Woodson - (*Gonolobus carolinensis* (Jacq.) R. Br. ex Nutt., misapplied, *G. hirsutus* Michx., *Vincetoxicum carolinense* (Jacq.) Britton, *V. hirsutum* (Michx.) Britton) **DC, MD, VA.**

decipiens (Alexander) Woodson - (*Gonolobus decipiens* (Alexander) L.M. Perry) **MD ?**(B&B 1984), **VA:** Lancaster Co. (Atlas). Report from Washington-Baltimore Area (B&B 1984) probably based on misidentification. This species not in Washington area, according to D.J. Drapalnik's annotation, 1970.

gonocarpos (Walters) Shinners - anglepod. (*Gonolobus suberosus* (L.) R. Br., misapplied, *M. suberosus* (L.) Shinners, misapplied, *Vincetoxicum suberosum* (L.) Britton, misapplied) **MD:** ?Prince George's Co. (H&S, "along the Potomac near Fort Washington"), **VA:** Lancaster Co. (Atlas).

obliqua (Jacq.) Woodson - (*Gonolobus obliquus* (Jacq.) R. Br. ex J. Schult., *G. shortii* A. Gray, *M. shortii* (A. Gray) Woods., *Vincetoxicum obliquum* (Jacq.) Britton, *V. shortii* (A. Gray) Britton) **DC, MD, VA.**

ASTERACEAE *The Aster Family***Acanthospermum**

australe (Loefl.) Kuntze - Paraguay-bur. **VA:** Arlington Co., railroad embankment (*E. Summers s.n.*, 1912; cf. H&S). Waif, from tropics.

Achillea

millefolium L. - common yarrow, milfoil. **DC, MD, VA.**

Ageratina

altissima (L.) R.M. King & H. Rob. - white snakeroot. (*A. altissimum* L., *Eupatorium ageratoides* L. f., *E. rugosum* Houtt., *E. urticifolium* Reichard) **DC, MD, VA.**

aromatica (L.) Spach - small-leaved white snakeroot, small white snakeroot, smaller white snakeroot, aromatic thoroughwort. (*Eupatorium aromaticum* L.) **DC, MD, VA.**

Ageratum

conyzoides L. - ageratum **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

Ambrosia

artemisiifolia L. - common ragweed. (*A. elatior* L.) **DC, MD, VA.**

bidentata Michx. - lance-leaved ragweed. **MD:** Prince George's Co. (*M. Pladeck s.n.*, 1933). Waif, from west.

trifida L. - giant ragweed. **DC, MD, VA.**

Anaphalis

margaritacea (L.) Benth. & Hook. f. - pearly everlasting. **MD:** Baltimore City, Canton (Reed 1964); Prince George's Co. (*D.L. Topping s.n.*, 1896).

Antennaria

neglecta Greene - field pussytoes. (*A. alsinoides* Greene, *A. howellii* ssp. *neodioica* (Greene) R. J. Bayer, *A. neodioica* Greene) **DC, MD, VA.**

plantaginifolia (L.) Richardson - plantain-leaved everlasting, plantain-leaved pussytoes, plantain pussytoes. (*A. arnoglossa* Greene, *A. decipiens* Greene, *A. fallax* Greene, *A. parlinii* Fernald) **DC, MD, VA.**

solitaria Rydb. - single-headed pussytoes, solitary pussytoes. **DC, MD, VA.**

virginica Stebbins - shale-barren pussytoes. **MD:** Frederick Co. (B&B 1984), **VA.**

Anthemis

arvensis L. - corn chamomile, field chamomile. **DC, MD, VA.** Naturalized.

cotula L. - mayweed, stinking chamomile, dog-fennel. **DC, MD, VA.** Naturalized.

tinctoria L. - yellow chamomile. **MD, VA:** Arlington Co. (Atlas). Waif.

Arctium

minus Bernh. - common burdock. **DC, MD, VA.** Naturalized.

tomentosum Mill. - cotton burdock. **DC** (*E.S. Steele s.n.*, 1896), **MD**. Waif. Needs study locally in relation to *A. minus*.

Arnica

acaulis (Walter) B.S.P. - leopard's-bane. **DC, MD, VA.**

Arnoglossum

atriplicifolium (L.) H. Rob. - pale Indian-plantain. *Cacalia atriplicifolia* L., *Mesadenia atriplicifolia* (L.) Raf.) **DC, MD, VA.**

muhlenbergii (Sch. Bip.) H. Rob. - great Indian-plantain. (*Cacalia muhlenbergii* (Sch. Bip.) Fernald, *C. reniformis* Muhl. ex Willd., misapplied, *Mesadenia muhlenbergii* (Sch. Bip.) Rydb., *M. reniformis* Raf.) **DC** ?: Chain Bridge (*J.W. Chickering, Jr. s.n.*, 1873), **MD**.

Artemisia

abrotanum L. - southernwood. **MD**: Frederick Co. (B&B 1984). Escape.

absinthium L. - absinthe, common wormwood. **MD**: Baltimore City (*E. Baltars 717*, 1956). Escape.

annua L. - annual wormwood. **DC, MD, VA.** Naturalized.

campestris L. - wormwood. (*A. caudata* Michx.) **VA**: Alexandria (Holm 1892, p. 117). Waif.

ludoviciana Nutt. - western mugwort, white sage. **MD**: Baltimore City (*E. Baltars 718*, 1956: see also Reed 1964); Prince George's Co. (B&B 1984), **VA**: Richmond Co. (Atlas). Waif, from west.

scoparia Waldst. & Kit. - wormwood. **MD**: Baltimore City, Canton (Reed 1964). Waif.

stelleriana Besser - dusty-miller, beach wormwood, old-woman. **DC** (*L.F. Ward s.n.*, 1886), **VA**: Northumberland Co. (Atlas). Escape.

vulgaris L. - common mugwort. **DC, MD, VA.** Naturalized.

Aster

acuminatus Michx. - mountain aster, whorled aster. (*Oclemena acuminata* (Michx.) Greene) **MD**, **VA**: Alexandria (FJH 1946).

concolor L. - eastern silvery aster. (*Lasallea concolor* (L.) Semple & Brouillet, *Symphyotrichum concolor* (L.) G.L. Nesom, *Virgulus concolor* (L.) Reveal & Keener) **DC, MD, VA**: Arlington Co. (*E.S. Steele s.n.*, 1915).

cordifolius Michx. - common blue wood aster, common blue heart-leaved aster. (*A. sagittifolius* Wedem. ex Willd., *Symphyotrichum cordifolium* (L.) G.L. Nesom, *S. sagittifolium* (Wedem. ex Willd.) G.L. Nesom) **DC, MD, VA.**

depauperatus Fernald - eastern serpentine aster. (*A. pilosus* var. *pusillus* (A. Gray) A.G. Jones, *Symphyotrichum depauperatum* (Fernald) G.L. Nesom) **MD**: Harford Co. (*C.F. Reed 127000*, 1988).

Aster - cont.

divaricatus L. - white wood aster, common white heart-leaved aster. (*A. corymbosus* Aiton, *A. curvescens* E.S. Burgess, *A. persaliens* E.S. Burgess, *Eurybia divaricata* (L.) G.L. Nesom) **DC, MD, VA.**

dumosus L. - bushy aster, long-stalked aster. (*Symphyotrichum dumosum* (L.) G.L. Nesom) **DC, MD, VA.**

ericoides L. - heath aster, squarrose white aster, dense-flowered aster. (*A. multiflorus* Aiton, *A. pilosus* Willd., misapplied, *Lasallea ericoides* (L.) Semple & Brouillet, *Symphyotrichum ericoides* (L.) G.L. Nesom, *Virgulus ericoides* (L.) Reveal & Keener) **MD** (inferred from B&B 1984), **VA**: Fauquier Co. (*H.A. Allard 12196*, 1946). E.C. Leonard's many collections from Riverdale, Prince George's Co., made Sept. 17, 1961, and identified as this species belong instead to *A. racemosus*. Commonly confused with *A. pilosus*.

gracilis Nutt. - slender aster. (*Eurybia compacta* G.L. Nesom) **MD**: St. Mary's Co., **VA** (Atlas). Several specimens from St. Mary's Co.

infirmitus Michx. - cornel-leaved aster, Appalachian flat-topped white aster. (*Doellingeria infirma* (Michx.) Greene) **DC, MD, VA.**

laevis L. - smooth aster. (*A. concinnus* Willd., *Symphyotrichum laeve* (L.) A. Love & D. Love) **DC, MD, VA.**

lanceolatus Willd. - paniced aster, tall white aster, eastern lined aster. (*A. paniculatus* Lam., *A. praealtus* Poir., misapplied, *A. salicifolius* Lam., misapplied, *A. simplex* Willd., *A. tradescantii* L., misapplied, *Symphyotrichum lanceolatum* (Willd.) G.L. Nesom) **DC, MD, VA.** Specimens identified as *A. praealtus* Poir. (some under *A. salicifolius* Aiton) seem to be this species.

lateriflorus (L.) Britton - calico aster, starved aster, goblet aster. (*A. diffusus* Aiton, *A. miser* Nutt., *A. tradescantii* L., misapplied, *A. vimineus* Lam., *Symphyotrichum lateriflorum* (L.) A. Love & D. Love) **DC, MD, VA.**

linariifolius L. - stiff aster, stiff-leaved aster. (*Ionactis linariifolia* (L.) Greene) **DC, MD, VA.**

macrophyllus L. - big-leaved aster. (*Eurybia macrophylla* (L.) Cass.) **DC**: "near Washington, D.C." (*W.H. Seaman s.n.*, undated), **VA** (Atlas). Seaman specimen probably from VA or from outside W-B Area.

novae-angliae L. - New England aster. (*Lasallea novae-angliae* (L.) Semple & Brouillet, *Symphyotrichum novae-angliae* (L.) G.L. Nesom, *Virgulus novae-angliae* (L.) Reveal & Keener) **DC, MD, VA.**

novi-belgii L. - New York aster. (*A. aestivus* Aiton [Dryand.], *A. elodes* Torr. & A. Gray, *Symphyotrichum novi-belgii* (L.) G.L. Nesom) **DC, MD, VA.**

oblongifolius Nutt. - aromatic aster, shale-barren aster. (*Lasallea oblongifolia* (Nutt.) Semple & Brouillet, *Symphyotrichum oblongifolium* (Nutt.) G.L. Nesom, *Virgulus oblongifolius* (Nutt.) Reveal & Keener) **DC, MD, VA.**

Aster - cont.

oolentangiensis Riddell - prairie heart-leaved aster. (*A. azureus* Lindl.) **DC**: Terra Cotta (Holm 1892, p. 115). Doubtfully present in W-B Area. Holm's report (1892, p. 115), as *A. azureus*, was based on a report by E.S. Burgess, who might have misidentified the plant.

patens Aiton - late purple aster, clasping aster. (*A. phlogifolius* Muhl. ex Willd., *Lasallea patens* (Aiton) Semple & Brouillet, *Symphyotrichum patens* (Aiton) G.L. Nesom, *S. phlogifolium* (Muhl. ex Willd.) G.L. Nesom, *Virgulus patens* (Aiton) Reveal & Keener) **DC, MD, VA**.

pilosus Willd. - white heath aster, awl aster. (*A. ericoides* L., misapplied, *Symphyotrichum pilosum* (Willd.) G.L. Nesom) **DC, MD, VA**. Highly variable.

prenanthoides Muhl. ex Willd. - crooked-stem aster, zigzag aster. (*Symphyotrichum prenanthoides* (Muhl. ex Willd.) G.L. Nesom) **DC, MD, VA**.

puniceus L. - purple-stemmed aster, bristly aster. (*A. salicifolius* Lam., *Symphyotrichum puniceum* (L.) A. Löve & D. Löve) **DC, MD, VA**.

racemosus Elliott - small white aster, small-headed aster. (*A. fragilis* Willd., misapplied, *A. vimineus* Lam., misapplied, *Symphyotrichum racemosum* (Elliott) G.L. Nesom) **DC, MD, VA**. Included in *A. pilosus* Willd. by some (Kartesz 1994, p. 74).

radula Aiton - low rough aster. (*Eurybia radula* (Aiton) G.L. Nesom) **MD**.

schreberi Nees - Schreber's aster. (*A. curvescens* E.S. Burgess, *A. glomeratus* Bernh., *A. macrophyllus* L., misapplied, *A. oviformis* E.S. Burgess, *A. umbelliformis* E.S. Burgess, *Eurybia glomeratus* (Bernh.) Nees, *E. schreberi* (Nees) Nees) **DC, MD, VA**.

shortii Lindl. - Short's aster, midwestern blue heart-leaved aster. (*Symphyotrichum shortii* (Lindl.) G.L. Nesom) **MD, VA**.

subulatus Michx. - annual salt-marsh aster. (*Symphyotrichum subulatum* (Michx.) G.L. Nesom) **MD, VA**.

tataricus L. f. - tatarian aster. **VA**. Escape.

tenuifolius L. - perennial salt-marsh aster, large salt-marsh aster. **MD, VA**.

umbellatus Mill. - flat-topped white aster. (*Doellingeria umbellata* (Mill.) Nees) **DC, MD, VA**.

undulatus L. - wavy-leaved aster, clasping heart-leaved aster. (*A. azureus* Lindl., misapplied (Holm 1892, p. 115), *A. corrigiatus* E.S. Burgess, *A. gracilescens* E.S. Burgess, *A. sylvestris* E.S. Burgess, *Symphyotrichum undulatum* (L.) G.L. Nesom) **DC, MD, VA**.

Baccharis

halimifolia L. - groundsel-tree, sea-myrtle, high-tide-bush. **DC**: Benning's (*A. Ruth s.n.*, 1912; *E.S. Steele s.n.*, 1915), **MD, VA**.

Bahia

schaffneri S. Watson - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from Mexico.

Bellis

perennis L. - English daisy. **DC, MD** (B&B 1984), **VA**: Lancaster Co. (Atlas). Escape.

Bidens

aristosa (Michx.) Britton - midwestern tickseed-sunflower. (*B. trichosperma* (Michx.) Britton, misapplied) **DC, MD, VA**. Naturalized, from midwest.

bidentoides (Nutt.) Britton - southern estuarine beggar-ticks, swamp beggar-ticks. (*B. mariana* S.F. Blake (Type from just outside W-B Area in Cecil Co., MD.)) **MD**: Harford Co. (*G.H. Shull* 399, 1902; *S.F. Blake* 9703, 1926).

bipinnata L. - Spanish-needles. **DC, MD, VA**.

cernua L. - nodding bur-marigold, stick-tight. (*B. chrysanthemoides* Michx., in part, *B. leptomeria* Greene (type from DC area)) **DC, MD, VA**.

coronata (L.) Britton - northern tickseed-sunflower. (*B. trichosperma* (Michx.) Britton) **MD, VA**: Stafford & King George cos. (Atlas).

discoidea (Torr. & A. Gray) - few-bracted beggar-ticks. **DC, MD**: Montgomery Co. (*E.C. Leonard* 1332, 1919), **VA**.

frondosa L. - devil's beggar-ticks, stick-tight. **DC, MD, VA**.

laevis (L.) Britton - showy bur-marigold, stick-tight. (*B. chrysanthemoides* Michx., in part) **DC, MD, VA**.

pilosa L. - beggar-ticks, Spanish-needles. **MD**: Baltimore City (*C.F. Reed* 32882, 1942; see also Reed 1964). Waif, from tropics.

polylepis S.F. Blake - Ozark tickseed-sunflower. (*B. trichosperma* (Michx.) Britton, misapplied) **DC, MD, VA**. Perhaps should be united with *B. aristosa* (Kartesz 1994, p. 76).

tenuisepta A. Gray - beggar-ticks. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.

tripartita L. - beggar-ticks, tickseed. (*B. comosa* (A. Gray) Wiegand, *B. connata* Muhl. ex Willd.) **DC, MD, VA**. Naturalized.

vulgaris Greene - tall beggar-ticks, tall stick-tight, common beggar-ticks. **DC, MD, VA**.

Boltonia

asteroides (L.) L'Her. - boltonia. **MD**: Harford Co. (FJH 1946).

Borrichia

frutescens (L.) DC. - sea-oxeye. **VA**: Lancaster Co. (*L.B. Smith* 5577, 1951).

Carduus

acanthoides L. - plumeless thistle. **MD**: Harford Co. (*E. Baltars* 2500, 1959; see also B&B 1984), **VA** (Atlas). Naturalized.

Carduus - cont.

crispus L. - curled thistle, welted thistle. **MD:** Frederick Co. (*E. Baltars* 2729, 1960; see also B&B 1984). Naturalized.

nutans L. - nodding thistle, musk thistle. **DC, MD, VA.** Naturalized.

Carthamus

tinctorius L. - safflower. **MD:** Baltimore City (*C.F. Reed* 36552, 1955; see also Reed 1964, "*Cnicus benedictus* L."). Escape.

Centaurea

calcitrapa L. - purple star-thistle, caltrops. **DC, MD:** Baltimore City, Canton, chrome ore piles (Reed 1964), **VA.** Naturalized.

cineraria L. - dusty-miller. **MD:** Prince George's Co. (B&B 1984). Escape.

cyanus L. - bachelor's-button, cornflower, bluebottle. **DC, MD, VA** (Atlas). Escape.

debeauxii Gren. & Godr. - (*C. x pratensis* Thuill, misapplied) **VA:** Fairfax Co. (Atlas).

depressa M. Bieb. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Escape.

jacea L. - brown knapweed. **DC** (*E.T. Wherry s.n.*, 1917), **MD:** Baltimore City (*E. Baltars* 747, 1956); see also B&B 1984, **VA:** Fairfax Co. (*L.D. Miner s.n.*, 1915). Waif.

maculosa Lam. - spotted knapweed. (*C. biebersteinii* DC. (perhaps correct name for W-B Area plants)) **MD, VA.** Naturalized.

nigra L. - black knapweed, Spanish-buttons. **DC** (*E.S. Steele s.n.*, 1914), **MD**; Baltimore City (*C.C. Plitt* 624, 1899), **VA:** Falls Church (*F.C. Craighead s.n.*, 1916). Waif. None of specimens is entirely typical.

nigrescens Willd. - short-fringed knapweed, Wocheiner knapweed. (*C. dubia* Suter, misapplied, *C. vochinensis* Bernh. ex Rchb.) **DC** (*J.B.S. Norton s.n.*, 1915), **MD, VA.** Naturalized.

solstitialis L. - yellow star-thistle. **MD:** Prince George's Co. (*Uhler & Nelson s.n.*, 1933), **VA:** Fairfax Co. (*C.L. Shear s.n.*, 1909). Waif.

Chondrilla

juncea L. - skeleton-weed, naked-weed. **DC, MD, VA.** Naturalized.

Chrysogonum

virginianum L. - golden-star, golden-knees, green-and-gold. **DC, MD, VA.**

Chrysopsis

graminifolia (Michx.) Elliott - silkgrass, grass-leaved golden-aster. (*C. adenolepis* Fernald, *C. aspera* Shuttlew. ex Small, *Heterotheca adenolepis* (Fernald) H.E. Ahles, *H. aspera* (Shuttlew. ex Small) Shinners, *H. graminifolia* (Michx.) Shinners, *Pityopsis adenolepis* (Fernald) Semple, *P. aspera* (Shuttlew. ex Small) Small, *P. graminifolia* (Michx.) Nutt.) **MD:** St. Mary's Co. (*E.H. Walker* 3930, 1945), **VA:** Northumberland and Richmond cos..

Chrysopsis - cont.

marianna (L.) Elliott - Maryland golden-aster, shaggy golden-aster. (*Heterotheca mariana* (L.) Shinners) **DC, MD, VA.** *J.H. Painter 1055*, 1904, identified as *C. pilosa* (Walter) Britton and referred by H&S, to *C. gossypina* (Michx.) Elliott, is really *C. mariana*.

Cichorium

intybus L. - chicory. **DC, MD, VA.** Naturalized.

Cirsium

altissimum (L.) Hill - tall thistle. **DC, MD, VA.**

arvense (L.) Scop. - Canada thistle. **DC, MD, VA.** Naturalized.

carolinianum (Walter) Fernald & B.G. Schub. - spring thistle. **VA:** Fairfax Co. (*P.C. Standley 11681*, 1915, as *C. virginianum* (L.) Michx.).

discolor (Muhl. ex Willd.) Spreng. - field thistle. **DC, MD, VA.**

horridulum Michx. - yellow thistle. **MD:** Baltimore Co. (*E. Baltars 615, 618*, 1955).

muticum Michx. - swamp thistle. **MD:** Frederick Co. (*E. Baltars 529*, 1953), **VA:** Arlington Co. (*E.S. Steele s.n.*, 1914).

pumilum (Nutt.) Spreng. - pasture thistle, bull thistle. (*C. odoratum* (Muhl. ex Barton) Petr.) **DC, MD, VA.**

vulgare (Savi) Ten. - bull thistle, common thistle. (*C. lanceolatum* (L.) Hill., misapplied) **DC, MD:** Prince George's Co. (*Bro. F. Hyacinth 1808*, 1918), **VA.** Naturalized.

Conyzia

canadensis (L.) Cronquist - horseweed, colt's-tail. (*Erigeron canadensis* L., *E. pusillus* Nutt., *Leptilon canadense* (L.) Britton) **DC, MD, VA.**

Coreopsis

auriculata L. - running tickseed, lobed tickseed. **VA:** Stafford Co. (Atlas).

grandiflora Hogg ex Sweet - large-flowered coreopsis, large-flowered tickseed. **MD:** Montgomery Co. (*T. Ulke s.n.*, 1947). Escape.

lanceolata L. - lance-leaved coreopsis, lance-leaved tickseed, long-stalked tickseed. (*C. crassifolia* Aiton) **MD, VA.** Escape.

tinctoria Nutt. - golden coreopsis, plains tickseed. **DC, MD:** Montgomery Co., Plummers Island (*S.F. Blake 12091*, 1936), **VA:** Fairfax Co. (*H.G. Deignan 1283*, 1946). Escape.

tripteris L. - tall coreopsis, tall tickseed. **DC** ?: "below Chain Bridge" (*L.F. Ward s.n.*, 1877), **MD, VA.**

verticillata L. - whorled coreopsis, whorled tickseed, thread-leaved tickseed. **DC, MD, VA.**

Cosmos

parviflorus (Jacq.) Pers. - small-flowered cosmos. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

sulphureus Cav. - yellow cosmos, orange cosmos. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Escape.

Crepis

capillaris (L.) Wallr. - smooth hawk's-beard. (*C. virens* L.) **DC, MD, VA** (Atlas). Waif.

pulchra L. - small-flowered hawk's-beard. **DC, MD:** Montgomery Co., Plummers Island (*E.P. Killip 31846*, 1936), **VA** (Atlas). Waif.

tectorum L. - narrow-leaved hawk's-beard. **DC** (*S.F. Blake 11664*, 1933), **MD** (B&B 1984). Waif.

Dyssodia

papposa (Vent.) Hitchc. - stinking-marigold. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.

Echinacea

pallida (Nutt.) Nutt. - prairie coneflower. (*Brauneria angustifolia* (DC.) A. Heller, *B. pallida* (Nutt.) Britton, *B. tennesseensis* Beadle, *E. angustifolia* DC., *E. tennesseensis* (Beadle) Small) **DC:** Eastern Branch (*Collector?*, 1886), **MD:** Prince George's Co. (*R.M. King 6849*, 1973). Escape.

purpurea (L.) Moench - purple coneflower. (*Brauneria purpurea* (L.) Britton) **MD:** Baltimore Co. (B&B 1984). Escape.

Eclipta

prostrata (L.) L. - eclipta, yerba-de-tago. (*E. alba* (L.) Hassk., *E. erecta* L.) **DC, MD, VA.**

Elephantopus

carolinianus Raeusch. - elephant's-foot, leafy elephant's-foot. **DC, MD, VA.**

nudatus A. Gray - scapose elephant's-foot. **VA:** Lancaster Co. (*L.B. Smith 5569*, 1951).

tomentosus L. - devil's-grandmother, tobacco-weed. **MD:** St. Mary's Co. (*E.C. & G.M. Leonard 6759*, 1928), **VA:** Lancaster Co. (*H.A. Allard 21782*, 1953).

Emilia

coccinea (Sims) G.Don - tassel-flower, Flora's-paintbrush. (*E. flammea* Cass.) W-B Area (FJH 1946 - neither specimen nor locality cited). Waif, from tropics.

Erechtites

hieraciifolia (L.) Raf. - fireweed, pilewort, sneezeweed. **DC, MD, VA.**

Erigeron

annuus (L.) Pers. - daisy fleabane, annual fleabane, white-top. **DC, MD, VA.**

philadelphicus L. - Philadelphia fleabane, common fleabane, Philadelphia daisy. **DC, MD, VA.**

pulchellus Michx. - robin's-plantain. (*E. bellidifolius* Muhl. ex Willd.) **DC, MD, VA.**

Erigeron - cont.

strigosus Muhl. ex Willd. - lesser daisy fleabane, rough fleabane, white-top. (*E. ramosus* (Walter) Britton) **DC, MD, VA.**

Eupatorium

album L. - white thoroughwort, white-bracted eupatorium. (*Eupatorium fernaldii* R.K. Godfrey) **DC, MD, VA.**

altissimum L. - tall thoroughwort, tall boneset. **DC, MD, VA.**

cannabinum L. - hemp-agrimony. **MD:** Baltimore City (*C.C. Plitt s.n.*, 1899), **VA:** Fairfax Co. (*E.S. Steele s.n.*, 1899). Waif.

capillifolium (Lam.) Small - dog-fennel. **DC:** Mall (*Y.B. Abdul-Kadir s.n.*, 1964), **MD:** St. Mary's Co. (*S.F. Blake 11879*, 1934), **VA.**

coelestinum L. - mistflower, blue-boneset, wild-ageratum, hardy-ageratum. (*Conoclinium coelestinum* (L.) DC.) **DC, MD, VA.**

dubium Willd. ex Poir. - three-nerved joe-pye-weed, joe-pye-weed. (*Eupatoriadelphus dubius* (Willd. ex Poir.) R.M. King & H. Rob., *Eupatorium maculatum* L., misapplied, *E. purpureum* L., misapplied, *E. verticillatum* Lam., misapplied) **DC, MD, VA** (Atlas).

fistulosum Barratt - hollow-stemmed joe-pye-weed, joe-pye-weed, queen-of-the-meadow, trumpet-weed. (*Eupatoriadelphus fistulosus* (Barratt) R.M. King & H. Rob., *Eupatorium fuscorubrum* Walter, *E. maculatum* L., misapplied, *E. purpureum* L., misapplied) **DC, MD, VA.**

godfreyanum Cronquist - Godfrey's boneset, Godfrey's eupatorium. (*Eupatorium vaseyi* Porter, misapplied) **DC, MD, VA:** Fairfax Co. (*P.C. Standley 5909*, 1910).

hyssopifolium L. - hyssop-leaved boneset, hyssop-leaved thoroughwort. (*Eupatorium torreyanum* Short & Peter) **DC, MD, VA.**

incarnatum Walter - pink eupatorium. (*Fleischmannia incarnata* (Walter) R.M. King & H. Rob.) **VA** (Atlas).

leucolepis Walter - white-bracted thoroughwort. **VA:** Fairfax and Fauquier cos. (Atlas).

maculatum L. - spotted joe-pye-weed, joe-pye-weed. (*Eupatoriadelphus maculatus* (L.) R.M. King & H. Rob.) **MD:** Frederick Co. (*I.W. Roller 1041*, 1948 - late-season specimen and identification uncertain); Prince George's Co., Beltsville (Terrell et al., 1999), **VA:** Fairfax Co. (Atlas).

mohrii Greene - tuberous eupatorium. (*E. recurvans* Small) **VA** (Atlas).

perfoliatum L. - boneset, thoroughwort. **DC, MD, VA.**

pilosum Walter - vervain thoroughwort, ragged thoroughwort, rough boneset. (*Eupatorium teucriifolium* Willd., *E. verbenifolium* Michx.) **DC, MD, VA.**

Eupatorium - cont.

purpureum L. - purple-node joe-pye-weed, sweet joe-pye-weed, green-stemmed joe-pye-weed, wide-leaved joe-pye-weed, joe-pye-weed. (*Eupatoriadelphus purpureus* (L.) R.M. King & H. Rob., *Eupatoriumfalcatum* Michx., *E. trifoliatum* L., *E. verticillatum* Lam., in part) **DC, MD, VA.**

rotundifolium L. - round-leaved thoroughwort, round-leaved boneset, round-leaved eupatorium, wild horehound. (*Eupatorium pubescens* Muhl. ex Willd.) **DC, MD, VA.**

semiserratum DC. - (*Eupatorium cuneifolium* Willd. var. *semiserratum* (DC.) Fernald) **MD or VA?: Great Falls (Holm 1896, p. 35).**

serotinum Michx. - late-flowering thoroughwort, late-flowering boneset, late eupatorium. **DC, MD, VA.**

sessilifolium L. - upland boneset. **DC, MD, VA.**

Euthamia

graminifolia (L.) Nutt. - grass-leaved goldenrod, lance-leaved goldenrod, common flat-topped goldenrod. (*Solidago graminifolia* (L.) Salisb.) **DC, MD, VA.**

tenuifolia (Pursh) Nutt. - slender goldenrod, fragrant goldenrod, Coastal Plain flat-topped goldenrod. (*Euthamia microcephala* Greene, *Solidago microcephala* (Greene) Bush, *S. tenuifolia* Pursh) **VA.**

Filago

germanica (L.) Huds. - herba impia. (*F. vulgaris* Lam., *Gifola germanica* Dumort.) **MD:** Montgomery Co., High Island (*Eccles s.n.*, 1890), **VA.** Naturalized. Correct name according to some is *F. vulgaris* (Kartesz 1994, p. 99).

Flaveria

trinervia (Spreng.) C. Mohr. - **MD:** Baltimore City, Canton, chrome & manganese ore piles (Reed 1964). Waif, from tropics.

Galinsoga

parviflora Cav. - smooth galinsoga, lesser quickweed. **DC, MD, VA.** Naturalized.

quadriradiata Ruiz & Pav. - raceweed, common quickweed. (*G. caracasana* (DC.) Sch. Bip., *G. ciliata* (Raf.) Blake) **DC, MD, VA.** Naturalized.

urticifolia (Kunth) Benth. - nettle-leaved galinsoga. **DC** (*King & Krantz* 88, 1972, as *G. ciliata* (Raf.) S.F. Blake). Waif.

Gnaphalium

helleri Britton - Heller's cudweed. (*Gnaphalium obtusifolium* var. *microdonium* Weath.) **MD, VA:** Prince William Co. (*H.A. Allard* 9768, 1941).

obtusifolium L. - fragrant cudweed, sweet everlasting, catfoot, rabbit-tobacco, old-field-balsam. (*Gnaphalium polycephalum* Michx.) **DC, MD, VA.**

Gnaphalium - cont.

pensylvanicum Willd. - Pennsylvania cudweed. (*Gamochaeta pensylvanica* (Willd.) Cabrera, *Gnaphalium peregrinum* Fernald, *G. spathulatum* Lam.) **DC** (*E.S. Steele s.n.*, 1898), **MD**: Baltimore City (*E. Baltars 511*, 1953). Included by Gleason & Cronquist (1991, p. 596) in *Gnaphalium obtusifolium*.

purpureum L. - purple cudweed. (*Gamochaeta purpurea* (L.) Cabrera) **DC, MD, VA.**

uliginosum L. - low cudweed. **DC** (*L.F. Ward s.n.*, 1873; *Vasey s.n.*, 1884), **MD**: Prince George's Co., Beltsville (Terrell et al. 1999).

Grindelia

squarrosa (Pursh) Dunal - curly-top gumweed, curly-cup gumweed. **VA.**

Guizotia

abyssinica (L.f.) Cass. - niger, niger-seed. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Escape.

Haplopappus

ciliatus (Nutt.) DC. - wax goldenweed. (*Prionopsis ciliata* (Nutt.) Nutt.) **MD**: Calvert Co. (*F.B. Benedict s.n.*, 1947). Waif, from west.

Helenium

amarum (Raf.) H. Rock - narrow-leaved sneezeweed. (*H. tenuifolium* Nutt.) **MD**: Calvert Co. (*Leonard & Hotchkiss n.s.* 7, 1965), **VA** (Atlas).

autumnale L. - yellow sneezeweed, common sneezeweed. **DC, MD, VA.**

flexuosum Raf. - purple sneezeweed, southern sneezeweed. (*H. nudiflorum* Nutt.) **DC, MD, VA.**

Helianthus

angustifolius L. - narrow-leaved sunflower, swamp sunflower. **DC, MD, VA.**

annuus L. - common sunflower. **DC, MD, VA**: Arlington Co. (*E.S. Steele s.n.*, 1897). Escape.

atrorubens L. - Appalachian sunflower. **VA.**

debilis Nutt. - cucumber-leaved sunflower. **MD** (inferred from B&B 1984). Waif or escape, from south.

decapetalus L. - thin-leaved sunflower, forest sunflower. (*H. trachelifolius* Mill.) **DC, MD, VA.**

divaricatus L. - woodland sunflower, divaricate sunflower. **DC, MD, VA.**

giganteus L. - giant sunflower, swamp sunflower, tall sunflower. **DC, MD, VA.**

grosseserratus M. Martens - sawtooth sunflower. **MD**: Frederick & Prince George's cos. (B&B 1984), **VA** (Atlas). Perhaps not native along east coast.

Helianthus - cont.

hirsutus Raf. - hirsute sunflower, hairy sunflower. **MD:** Frederick & Prince George's cos. (B&B 1984), **VA:** Loudoun Co. (Atlas).

x laetiflorus Pers. - (*H. rigidus* (Cass.) Desf., misapplied) **MD:** Baltimore City, Port Covington (Reed 1964), **VA** (Atlas). Escape. Possibly the Atlas records belong to *H. pauciflorus* Nutt.

laevigatus Torr. & A. Gray - shale-barren sunflower, smooth sunflower. **VA:** Prince William Co. (Atlas).

maximiliani Schrad. - Maximilian sunflower. **VA:** Alexandria (*J.B.S. Norton*, 1915, as *H. giganteus* L.). Waif or escape, from west.

microcephalus Torr. & A. Gray - small-headed sunflower. **MD:** Frederick Co. (B&B 1984), **VA:** Arlington Co. (Steele 1901, p. 85); Prince William Co. (Atlas).

mollis Lam. - hairy sunflower, ashy sunflower, gray sunflower. **MD, VA:** Fairfax Co., Hunting Creek, and/or Alexandria (*W.L. McAtee* 2784, 1917; see also Atlas). Waif or escape, from west.

occidentalis Riddell - naked-stemmed sunflower, western sunflower, McDowell's sunflower. (*H. dowellianus* M.A. Curtis) **DC, MD, VA:** Arlington and Fairfax cos. (Atlas).

pauciflorus Nutt. - stiff sunflower, prairie sunflower. (*H. x laetiflorus* Pers. var. *rigidus* (Cass.) Fernald, *H. rigidus* (Cass.) Desf.) **MD:** Baltimore Co. (*C.C. Plitt* 156, 1899), **VA.** Escape or waif, from midwest.

strumosus L. - pale-leaved sunflower, rough-leaved sunflower. **DC, MD, VA.**

tuberosus L. - Jerusalem-artichoke. (*H. x doronicoides* Lam., misapplied.) **DC, MD, VA.**

Heliopsis

helianthoides (L.) Sweet - ox-eye, false sunflower, sunflower-everlasting. (*H. scabra* Dunal) **DC, MD,** **VA.**

Heterosperma

pinnatum Cav. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from Southwest.

Heterotheca

subaxillaris (Lam.) Britton & Rusby - camphorweed. **MD, VA:** Culpeper Co. (Atlas). Naturalized, from south.

Hieracium

aurantiacum L. - orange hawkweed, devil's-paintbrush, orange-red king-devil. **VA:** Fairfax Co. (Atlas). Naturalized.

caespitosum Dumort. - field hawkweed, king-devil. (*H. pratense* Tausch) **DC, MD, VA.** Naturalized.

x flagellare Willd. - whiplash hawkweed. **MD:** Carroll Co. (*E. Baltars* 560, 1954). Waif.

Hieracium - cont.

gronovii L. - hairy hawkweed, beaked hawkweed. **DC, MD, VA.**

x marianum Willd. - Maryland hawkweed. **DC, MD.** Puzzling intermediate specimens that are doubtfully distinct from *H. venosum*.

paniculatum L. - paniced hawkweed. **DC, MD, VA.**

pilosella L. - mouse-ear hawkweed. **VA:** Fairfax Co. (Atlas). Naturalized.

piloselloides Vill. - glaucous king-devil. (*H. florentinum* All.) **VA:** Arlington Co. (S.F. Blake 11655, 1933). Naturalized.

scabrum Michx. - rough hawkweed, sticky hawkweed. **DC, MD, VA.**

venosum L. - rattlesnake-weed, veiny hawkweed. **DC, MD, VA.**

Hypochaeris

radicata L. - spotted cat's-ear. **DC, MD:** Prince George's Co., Beltsville (*F.J. Hermann* 11615, 1948), **VA.** Naturalized.

Inula

britannica L. - **DC** (*J.B.S. Norton s.n.*, 1915). Waif.

helenium L. - elecampane. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964); Frederick Co. (*E. Baltars* 2733, 1960), **VA:** Fairfax Co. (Atlas). Escape.

Iva

annua L. - rough marsh-elder. **VA** (Atlas).

frutescens L. - marsh-elder, maritime marsh-elder, low-tide-bush. **MD, VA.**

xanthifolia Nutt. - big marsh-elder. **DC:** Georgetown (*O.M. Freeman s.n.*, 1920). Waif, from west.

Krigia

biflora (Walter) S.F. Blake - orange dwarf-dandelion, Cynthia. **MD** (inferred from B&B 1984).

dandelion (L.) Nutt. - potato-dandelion, colonial dwarf-dandelion. (*Adopogon dandelion* (L.) Kuntze, *Cynthia dandelion* (L.) DC.) **DC, MD, VA.**

virginica (L.) Willd. - dwarf-dandelion, Virginia dwarf-dandelion. (*Adopogon carolinianum* (Walter) Britton) **DC, MD, VA.**

Kuhnia

eupatorioides L. - false boneset. (*Brickellia eupatorioides* (L.) Shinners) **DC, MD:** Calvert Co. (B&B 1984), **VA.**

Lactuca

biennis (Moench) Fernald - tall blue lettuce. (*L. spicata* (Lam.) Hitchc., misapplied.) **DC, MD, VA.**

Lactuca - cont.

canadensis L. - wild lettuce, tall lettuce. (*L. integrifolia* Bigelow, *L. sagittifolia* Elliott, *L. steelei* Britton (type from Washington, DC, area)) **DC, MD, VA.**

floridana (L.) Gaertn. - Florida blue lettuce, Florida lettuce, woodland lettuce. (*L. villosa* Jacq.) **DC, MD, VA.**

hirsuta Muhl. ex Nutt. - hairy tall lettuce. **MD, VA.** Doubtfully distinct from *L. canadensis* in W-B Area.

saligna L. - willow-leaved lettuce, willow lettuce. **DC:** Columbia Island (*R. Kanal* 317 1988), **MD:** Baltimore Co. (B&B 1984); Prince George's Co., Beltsville (Terrell et al. 1999), **VA.** Naturalized.

serriola L. - prickly lettuce, compass-plant. (*L. scariola* L., *L. virosa* L. (recognized as separate species by some)) **DC, MD, VA.** Naturalized.

Lapsana

communis L. - nipplewort. **DC** (*J.B. Norton s.n.*, 1915), **MD:** Montgomery Co., Plummers Island (*Wiser & Burkett* 31, 1986), **VA** (Atlas). Naturalized. A third US specimen was collected by *Burgande* (*s.n.*) in 1884.

Leontodon

autumnalis L. - fall-dandelion. (*Apargia autumnalis* (L.) Hoffm.) **DC** (H&S, p. 264), **MD:** Prince George's Co. (B&B 1984). Waif.

hispidus L. - (*Apargia hispida* (L.) Willd., *L. hastilis* L.) **MD:** Prince George's Co. (*Bro. Arsène* 20, 1916). Waif.

taraxacoides (Vill.) Mérat - little hawkbit. (*L. leysseri* (Wallr.) Beck, *L. nudicaulis* (L.) Banks ex Schinz & R. Keller, misapplied) **DC, MD:** Prince George's Co. (*Strong, Simmons & Aronica* 1802, 1998). Waif.

Leucanthemum

vulgare Lam. - ox-eye daisy. (*Chrysanthemum leucanthemum* L.) **DC, MD, VA.** Naturalized.

Liatris

graminifolia Willd. - grass-leaved blazing-star. (*Laciaria graminifolia* (Willd.) Kuntze) **DC, MD, VA.** Correct name may be *Liatris pilosa* (Aiton) Willd.

scariosa (L.) Willd. - large blazing-star, northern blazing-star. (*Laciaria scariosa* (L.) Hill) **MD** (inferred from B&B 1984), **VA.**

spicata (L.) Willd. - gay-feathers, sessile blazing-star, spiked blazing-star. (*Laciaria spicata* (L.) Kuntze) **DC** (*J.W. Chickering, Jr., s.n.*, 1876), **MD, VA.**

squarrosa (L.) Michx. - colicroot, colicroot blazing-star, plains blazing-star, scaly blazing-star. (*Laciaria squarrosa* (L.) Hill) **DC** (*L.F. Ward s.n.*, 1893), **MD:** Charles Co. (*J.M. Turpin* 475, 1942), **VA.**

Madia

sativa Molina - Chilean tarweed. **DC** (McAtee 1940, p. 146), **MD:** Montgomery Co. (*J.E. Benedict, Jr., 1043*, 1930). Waif.

Matricaria

matricarioides (Less.) Porter - pineapple-weed. (*Chamomilla suaveolens* (Pursh.) Rydb., *M. discoidea* DC., *M. suaveolens* (Pursh) Buchenau, not L.) **MD, VA.** Naturalized.

recutita L. - wild chamomile. (*Chamomilla recutita* (L.) Rauschert, *M. chamomilla* L.) **MD:** Baltimore Co. (B&B 1984), **VA:** Arlington Co. (*S.F. Blake 10582*, 1928); Fairfax Co. (*F.R. Fosberg 23369*, 1945). Waif.

Melampodium

sericeum Lag. - (*M. hispidum* Kunth.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

Mikania

scandens (L.) Willd. - climbing hempweed. **DC, MD, VA.**

Onopordum

acanthium L. - Scotch-thistle. **DC, MD:** Baltimore City, Canton, chrome ore piles (Reed 1964); W-B Area (B&B 1984), **VA.** Naturalized.

Parthenium

hysterocephorus L. - **DC** (*Dayton & Blake 10856*, 1929), **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

integrifolium L. - feverfew, wild-quinine. (*P. auriculatum* Britton, *P. hispidum* Raf.) **MD:** Prince Georges Co. (*P.C. Standley s.n.*, 1909), **VA:** Arlington Co. (Atlas).

Picris

echioides L. - bristly ox-tongue. **DC** (*P.L. Ricker s.n.*, 1928), **MD:** Prince George's Co. (B&B 1984). Waif.

hieracioides L. - hawkweed ox-tongue. **MD:** Prince George's Co. (B&B 1984). Waif.

Pluchea

camphorata (L.) DC. - camphorweed, stinkweed. **MD:** Charles Co., Marshall Hall (H&S); Chapman Forest (*R. Simmons s.n.*, 1998), **VA:** Fairfax Co., Mount Vernon (*W. Hunter s.n.*, 1897).

odorata (L.) Cass. - saltmarsh-fleabane. (*P. marilandica* (Michx.) Cass., *P. purpurascens* (Sw.) DC.) **MD, VA.**

Polymnia

canadensis L. - white-flowered leafcup, pale-flowered leafcup, small-flowered leafcup. **DC?** (*L.F. Ward s.n.*, 18--, "In vincinis [sic] Washington, DC"), **MD, VA.**

vedalia L. - yellow-flowered leafcup, large-flowered leafcup, bear's-foot. **DC** (*H. Brummel s.n.*, 1869), **MD, VA.**

Prenanthes

alba L. - white-lettuce, rattlesnake-root. (*Nabalus albus* (L.) Hook.) **DC, MD, VA.**

altissima L. - tall white-lettuce. **MD** (B&B 1984), **VA:** Fauquier Co. (*H.A. Allard 3710*, 1937).

autumnalis Walter - slender rattlesnake-root. (*Nabalus virgatus* (Michx.) DC., *P. virgata* Michx.) **MD** (B&B 1984).

Prenanthes - cont.

serpentaria Pursh - lion's-foot, gall-of-the-earth, rattlesnake-root. (*Nabalus fraseri* DC., *N. integrifolius* Cass., *N. serpentarius* (Pursh) Hook., *P. integrifolia* (Cass.) Small) **DC, MD, VA.**

trifoliata (Cass.) Fernald - gall-of-the-earth, lion's-foot. (*Nabalus trifoliatus* Cass.) **MD:** Baltimore Co. (B&B 1984), **VA.**

Pulicaria

dysenterica (L.) Bernh. - fleabane. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964); Charles Co., Rock Point (*Leonard & Killip* 852, 1921; *O.M. Freeman s.n.*, 1930). Naturalized. Rock Point was once the only known locality in northeast (Fernald 1950, p. 1465).

Pyrrhopappus

carolinianus (Walter) DC. - false dandelion. (*Sitilias caroliniana* (Walter) Raf.) **DC** (*A.L. Schott s.n.*, 1885, possibly cultivated), **MD:** Calvert Co., Paris (*E.C. Leonard* 21900, 1962), **VA.**

Rudbeckia

fulgida Aiton - orange coneflower, brilliant coneflower, eastern coneflower. (*R. speciosa* Wender.) **DC, MD, VA.**

hirta L. - black-eyed-Susan. (*R. brittonii* Small, *R. monticola* Small, *R. serotina* Nutt.) **DC, MD, VA.** State Flower of Maryland.

laciniata L. - tall coneflower, green-headed coneflower, cut-leaved coneflower, wild golden-glow. **DC, MD, VA.**

triloba L. - three-lobed coneflower. **DC, MD, VA.**

Sanvitalia

procumbens Lam. - (*S. angustifolia* A. Gray) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Escape, from Mexico.

Schkuhria

wislizeni A. Gray - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

Senecio

anonymus Wood - Small's ragwort, Appalachian groundsel. (*S. balsamitae* Muhl. ex Willd., misapplied, *S. smallii* Britton) **DC, MD, VA.**

aureus L. - golden ragwort, heart-leaved groundsel. **DC, MD, VA.**

bicolor (Willd.) Tod. - dusty-miller. **MD:** Prince George's Co. (B&B 1984). Escape.

glabellus Poir. - yellowtop, butterweed. **MD:** Prince George's Co. (B&B 1984). Waif, from south.

Senecio - cont.

obovatus Muhl. - round-leaved ragwort, running groundsel, squaw-weed. **DC** (*Kearney & Maxon* 94, 1917), **MD**: Montgomery Co. (*S.F. Blake* 6863, 1918), **VA**: Fairfax Co., Great Falls (*C.R. Williams s.n.*, 1930).

pauperculus Michx. - balsam ragwort, northern meadow groundsel, balsam squaw-weed. (*S. balsamitae* Muhl. ex Willd., *S. crawfordii* Britton) **MD**: Prince George's Co., Suitland (7 collections), **VA**: Fairfax Co. (Atlas). US specimens identified as this species from Fairfax Co. are *S. anonymus* Wood.

plattensis Nutt. - Platte groundsel. **VA**: Loudoun Co. (*E.J. Hambleton* 54, 57, 1960). Originally identified as *S. smallii* (=*anonymus*). These specimens were annotated by J. Doyle in 1975 as *S. plattensis*, but seem more likely to be variants of the former.

tomentosus Michx. - southern woolly groundsel. **MD**: Prince George's Co. (*O.M. Freeman*, 1946), **VA** (Atlas).

vulgaris L. - common groundsel. **DC, MD, VA**: Fairfax Co. (Atlas). Naturalized.

Sericocarpus

asteroides (L.) B.S.P. - toothed white-topped aster, stiff aster. (*Aster paternus* Cronquist, *S. conyzoides* Nees) **DC, MD, VA**.

linifolius (L.) B.S.P. - narrow-leaved white-topped aster, flax-leaved aster. (*S. solidagineus* (Michx. ex Willd.) Nees) **DC, MD, VA**.

Silphium

laciniatum L. - compass-plant, lacinate rosinweed. **DC**: Woodley Park Bridge (*L.F. Ward s.n.*, 1886). Waif, from south or west. Only this one historical record for W-B Area.

trifoliatum L. - whorled rosinweed. **DC, MD, VA**.

Silybum

marianum (L.) Gaertn. - milk-thistle. **DC** (*S.F. Blake* 12603, 1956). Waif.

Simsia

lagasciformis DC. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from Mexico.

Solidago

arguta Aiton - cutleaf goldenrod, forest goldenrod. (*S. harrisii* E.S. Steele) **MD**: Harford Co. (*E. Baltars* 793, 1956), **VA**: Loudoun Co. (*W.R. Maxon* 10782, 1935).

bicolor L. - silverrod. **DC, MD, VA**.

caesia L. - blue-stem goldenrod, wreath goldenrod, axillary goldenrod. **DC, MD, VA**.

canadensis L. - tall goldenrod, Canada goldenrod, common goldenrod. (*S. altissima* L.) **DC, MD, VA**.

Solidago - cont.

curtisii Torr. & A. Gray - Curtis' goldenrod. **VA:** Fairfax Co. (Atlas). Included as variety of *S. caesia* by some (e.g., Kartesz 1994, p. 132).

elliottii Torr. & A. Gray - Elliott's goldenrod, coastal swamp goldenrod. (*S. latissimifolia* Mill. (correct name according to Kartesz 1994, vol. 1, p. 132)) **DC, MD.**

erecta Pursh - slender goldenrod. (*S. speciosa* var. *erecta* (Pursh) MacMill.) **DC, MD, VA.** Not clearly separable from *S. speciosa* according to some recent opinion.

fistulosa Mill. - pine-barren goldenrod, hairy piney-woods goldenrod. **VA:** Northumberland (Atlas).

flexicaulis L. - zigzag goldenrod, broad-leaved goldenrod. (*S. latifolia* L.) **DC, MD, VA.**

gigantea Aiton - late goldenrod, smooth goldenrod. (*S. serotina* Aiton) **DC, MD, VA.**

hispida Muhl. ex Willd. - hispid goldenrod, hairy goldenrod. (*S. bicolor* var. *concolor* Torr. & A. Gray) **DC, MD:** Anne Arundel Co., South River (*P. Bartsch s.n.*, 1917), **VA:** Falls Church (*P. Bartsch s.n.*, 1896).

juncea Aiton - early goldenrod. (*S. arguta* Aiton, misapplied) **DC, MD, VA.**

missouriensis Nutt. - Missouri goldenrod. **MD:** "...has been reported from Howard and Baltimore Counties; introduced from west" (B&B 1984).

nemoralis Aiton - gray goldenrod, old-field goldenrod, dwarf goldenrod. **DC, MD, VA.**

odora Aiton - sweet goldenrod, licorice goldenrod. (*S. suaveolens* Schoepf) **DC, MD, VA:** Fairfax Co. (*Strong & Simmons 1773*, 1998).

patula Muhl. ex Willd. - rough-leaved goldenrod, rough goldenrod. **MD:** Baltimore Co. (*Fessenden & Baltars 1898*, 1957).

pinetorum Small - fascicled piney-woods goldenrod. **VA:** Prince William Co. (*J. Baird 258*, 1949).

puberula Nutt. - downy goldenrod, dusty goldenrod. **DC ?** (*G. McCarthy s.n.*, 1885 - locality prob. wrong), **MD:** Prince George's Co. (*F.H. Knowlton s.n.*, 1897; W.R. Maxon 5921, 1912; Terrell et al. 1999); Frederick Co. (B&B 1984).

rigida L. - stiff goldenrod. **DC:** Woodley Park (5 collections, 1878-1896), **MD, VA** (Atlas).

rugosa Mill. - wrinkled-leaved goldenrod, rough-stemmed goldenrod. (*S. altissima* L., misapplied) **DC, MD, VA.**

rupestris Raf. - riverbank goldenrod. **DC ?, VA.** Most and perhaps all specimens are from VA side of Potomac River. Not clear that any really is from DC despite what labels say.

semperflorens L. - seaside goldenrod. **MD, VA.**

Solidago - cont.

simplex Kunth - riverbank goldenrod. (*S. humilis* Banks ex Pursh, *S. racemosa* Greene, *S. spathulata* DC. var. *racemosa* (Greene) Gleason) **DC, MD, VA.**

speciosa Nutt. - showy goldenrod. **MD, VA** (Atlas).

squarrosa Muhl. ex Nutt. - squarrose goldenrod. **MD:** Frederick Co. (W.E. Randall s.n., 1948), **VA:** Fauquier Co. (H.A. Allard 3738, 1937; 5713, 1938). Included in *S. petiolaris* Aiton by some (e.g., Kartesz 1994, p. 135).

stricta Aiton - willow-leaved goldenrod, wand goldenrod. **MD:** Prince George's Co. (B&B 1984), **VA:** King George Co. (Atlas).

uliginosa Nutt. - northern bog goldenrod. (*S. neglecta* Torr. & A. Gray, *S. uniligulata* (DC.) Porter) **DC, MD.**

ulmifolia Muhl. ex Willd. - elm-leaved goldenrod. **DC, MD, VA.**

Sonchus

arvensis L. - field sow-thistle, perennial sow-thistle. (*S. uliginosus* M. Bieb.) **DC, MD, VA.** Naturalized.

asper (L.) Hill - spiny-leaved sow-thistle, prickly sow-thistle. **DC, MD, VA.** Naturalized.

oleraceus L. - common sow-thistle, annual sow-thistle. **DC, MD, VA.** Naturalized.

Synosma

suaveolens (L.) Raf. ex Britton - sweet-scented Indian-plantain, hastate Indian-plantain. (*Cacalia suaveolens* L.) **DC, MD, VA.**

Tagetes

erecta L. - common marigold. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Escape.

minuta L. - muster-John-Henry. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

pusilla L. - marigold. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

Tanacetum

balsamita L. - costmary, mint-geranium. (*Balsamita major* Desf., *Chrysanthemum balsamita* L., perhaps misapplied) **DC** (E.S. Steele s.n., 1899). Escape.

parthenium (L.) Sch. Bip. - feverfew. (*Chrysanthemum parthenium* L., *Matricaria parthenium* L.) **DC ?:** Canal Rd. [near Georgetown] (E.S. Steele s.n., 1899), **MD, VA.** Escape.

vulgare L. - common tansy, golden-buttons. **DC** (E.S. Steele s.n., 1899), **MD** (B&B 1984), **VA:** Fauquier Co. (Atlas). Escape.

Taraxacum

laevigatum (Willd.) DC. - red-seeded dandelion. (*Leontodon erythrospermum* (Andrz. ex Besser) Britton, *T. disseminatum* G.E. Haglund, *T. erythrospermum* Andrz. ex Besser, *T. lacistophyllum* (Dahlst.) Raunk., *T. scanicum* Dahlst.) **DC, MD, VA.** Naturalized. Included by some in *T. officinale*.

officinale F.H. Wigg. - common dandelion. (*Leontodon taraxacum* L., *T. dens-leonis* Desf., *T. palustre* (Lyons) Symons, *T. polydon* Dahlst., *T. taraxacum* (L.) H. Karst., *T. vulgare* Lam.) **DC, MD, VA.** Naturalized.

Tetragonotheca

helianthoides L. - squarehead. **VA:** Lancaster Co. (FJH 1941).

Tragopogon

dubius Scop. - fistulous goat's-beard. (*T. major* Jacq.) **DC, MD:** Baltimore Co. (*E. Baltars* 2967, 1961); Prince George's Co., Beltsville (Terrell et al. 1999), **VA:** Culpeper Co. (*H.A. Allard 20409*, 1952). Naturalized.

porrifolius L. - salsify, oyster-plant, vegetable-oyster, purple goat's-beard, go-to-bed-at-noon, noonflower. **DC** (H&S), **MD:** Baltimore Co., Prince George's Co. (B&B 1984), **VA:** Fairfax Co. (Atlas). Escape.

pratensis L. - yellow goat's-beard, showy goat's-beard. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999). Waif.

Tridax

accedens S.F. Blake - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from Mexico.

Tussilago

farfara L. - coltsfoot. **DC, MD, VA** (Atlas). Naturalized.

Verbesina

alternifolia (L.) Britton ex Kearney - wingstem, yellow-ironweed. (*Actinomeris alternifolia* (L.) DC., *Ridan alternifolia* (L.) Britton) **DC, MD, VA.**

encelioides (Cav.) Benth. & Hook. - golden crownbeard. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.

occidentalis (L.) Walter - yellow crownbeard, southern flatseed-sunflower. (*Phaethusa occidentalis* Britton, *V. siegesbeckia* Michx.) **DC, MD, VA.**

Vernonia

gigantea (Walter) Trel. - tall ironweed. (*V. altissima* Nutt.) **VA** (Atlas).

glauca (L.) Willd. - broad-leaved ironweed, Appalachian ironweed. **DC, MD, VA.**

noveboracensis (L.) Michx. - New York ironweed. **DC, MD, VA.**

Xanthium

spinosum L. - spiny cocklebur. **DC, MD, VA.** Naturalized.

Xanthium - cont.

strumarium L. - common cocklebur. (*X. americanum* Walter, *X. canadense* Mill., *X. chinense* Mill., *X. commune* Britton, *X. echinatum* Murray, *X. italicum* Moretti, *X. pensylvanicum* Wallr., *X. pungens* Wallr., *X. saccharatum* Wallr., *X. xshullii* Widder (holotype (US) from Harford Co.), *X. speciosum* Kearney) **DC, MD, VA.**

Youngia

japonica (L.) DC. - Asiatic hawk's-beard. (*Crepis japonica* (L.) Benth.) **DC, MD, VA:** Fairfax Co. (Atlas).

BALSAMINACEAE *The Touch-me-not Family***Impatiens**

balsamina L. - garden balsam, balsam. **VA:** Arlington Co. (*W.L. McAtee 2854*, 1917). Escape.
"Spontaneous in my yard...for years" (McAtee 1930, p. 30).

capensis Meerb. - spotted touch-me-not, orange touch-me-not, orange jewelweed. (*I. biflora* Walter)
DC, MD, VA.

pallida Nutt. - pale touch-me-not, yellow touch-me-not, yellow jewelweed. **DC, MD, VA.**

walleriana Hook. f. - Zanzibar balsam, patient-Lucy, patience-plant, sultana. (*I. sultanii* Hook. f.) **DC:** Rock Creek Park (*P. Fleming 975*, 1988). Escape.

BERBERIDACEAE *The Barberry Family***Berberis**

thunbergii DC. - Japanese barberry. **DC, MD:** Montgomery Co., Plummers Island; Prince George's Co., Beltsville (Terrell et al. 1999), **VA:** Escape.

vulgaris L. - common barberry. **MD:** Frederick Co., Point of Rock (*L.F. Ward 1187*, 1878), **VA** (Atlas). Escape.

Caulophyllum

thalictroides (L.) Michx. - blue cohosh. **MD, VA.**

Jeffersonia

diphylla (L.) Pers. - twinleaf. **DC, MD, VA.** The three DC specimens, all collected before 1900, may have come from nearby MD or VA (see McAtee 1930, p. 50)

Podophyllum

peltatum L. - mayapple, mandrake. **DC, MD, VA.**

BETULACEAE *The Birch Family***Alnus**

glutinosa (L.) Gaertn. - black alder, European alder. **DC:** Rock Creek Park (*P. Fleming 790*, 1988-89). Planted or escaped?

Alnus - cont.

serrulata (Aiton) Willd. - common alder, smooth alder, hazel alder. (*A. rugosa* (Du Roi) Spreng., misapplied) **DC, MD, VA.**

Betula

alleghaniensis Britton - yellow birch. (*B. lutea* F. Michx.) **MD:** Frederick Co. (*F.J. Hermann 13751*, 1957, as *B. lutea*).

lenta L. - black birch, sweet birch, cherry birch. **MD, VA.**

nigra L. - river birch, red birch. (*Betula rubra* F. Michx.) **DC, MD, VA.**

pendula Roth - European weeping birch. **VA:** Fairfax Co. (Atlas). Occasional escape.

populifolia Marshall - gray birch. **MD:** Baltimore Co. (*Fessenden & Baltars 1425*, 1957).

Carpinus

caroliniana Walter - American hornbeam, ironwood, blue-beech, musclewood. **DC, MD, VA.**

Corylus

americana Walter - American hazelnut. **DC, MD, VA.**

cornuta Marshall - beaked hazelnut. **MD** (FJH 1946), **VA** (Atlas).

Ostrya

virginiana (Mill.) K. Koch - hop hornbeam, ironwood. **DC, MD, VA.**

BIGNONIACEAE *The Trumpet-creepers Family***Bignonia**

capreolata L. - crossvine. (*Anisostichus capreolata* (L.) Bureau) **VA** (Atlas).

Campsis

radicans (L.) Seem. ex Bureau - trumpet-creepers. (*Bignonia radicans* L., *Tecoma radicans* (L.) Juss.) **DC, MD, VA.**

Catalpa

bignonioides Walter - common catalpa, southern catalpa, Indian-bean. (*C. catalpa* (L.) H. Karst.) **DC, MD:** Prince George's Co., Beltsville (Terrell et al. 1999), **VA.** Native of SE; escape in our area.

ovata G. Don - Chinese catalpa. (*C. kaempferi* Siebold & Zucc.) **DC, MD** (inferred from B&B 1972). Escape.

speciosa (Warder) Warder ex Engelm. - northern catalpa, western catalpa, catawba-tree. **DC, MD** (inferred from B&B 1972), **VA** (Atlas). Native of central U.S.; escape in our area.

BORAGINACEAE *The Borage Family***Amsinckia**

intermedia Fisch. & C.A. Mey. - rancher's-fireweed, fiddleneck. **VA:** Fairfax Co. (*E.S. Steele* 54, 1920). Waif.

Anchusa

arvensis (L.) M. Bieb. - small bugloss. (*Lycopsis arvensis* L.) **DC, MD:** Montgomery Co. (*D. Foreman* s.n., 1875), **VA:** Loudoun Co. (Atlas). Waif.

azurea Mill. - bugloss. (*A. italicica* Retz.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Escape.

Asperugo

procumbens L. - madwort. **DC:** Waif. Two 1898 specimens.

Borago

officinalis L. - borage. **DC** (*A.L. Schott* s.n., 1885), **MD** (inferred from B&B 1984), **VA:** Fairfax Co. (Atlas). Waif.

Cynoglossum

officinale L. - hound's-tongue. **DC, MD, VA:** Naturalized.

virginianum L. - wild comfrey. **DC, MD, VA:**

Echium

italicum L. - bugloss. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

vulgare L. - viper's bugloss, blueweed, blue-devil, blue-thistle. **DC, MD, VA:** Naturalized.

Hackelia

virginiana (L.) I.M. Johnst. - beggar's-llice, stickseed. (*Lappula virginiana* (L.) Greene) **DC, MD, VA:**

Heliotropium

amplexicaule Vahl - clasp-leaved heliotrope. **DC** (*D.F. Dennison* s.n., 1960). Waif.

curassavicum L. - seaside heliotrope. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

europaeum L. - European heliotrope. **DC, MD, VA:** Naturalized.

indicum L. - turn-sole, Indian heliotrope. W-B Area (FJH 1946, basis of record?), **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

procumbens Mill. - heliotrope. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

Lappula

squarrosa (Retz.) Dumort. - stickseed, two-row stickseed, beggar's-llice. (*L. echinata* Gilib., *L. lappula* (L.) H. Karst.) **DC** (*G.G. Street* s.n., 1920), **MD** (*Bro. Arsène* s.n., 1916). Waif.

Lithospermum

arvense L. - corn gromwell. (*Buglossoides arvensis* (L.) I.M. Johnst.) **DC, MD, VA.** Naturalized.

canescens (Michx.) Lehm. - hoary puccoon, orange puccoon, Indian-paint. **DC (H&S), MD (B&B 1984), VA.**

latifolia Michx. - American gromwell. **VA:** Loudoun Co., Furnace Mt. (*E.C. Leonard 2668*, 1924).

Mertensia

virginica (L.) Pers. ex Link - Virginia bluebells, eastern bluebells, bluebells, Virginia-cowslip. **DC, MD, VA.**

Myosotis

arvensis (L.) Hill. - field scorpion-grass, mouse-ear scorpion-grass. **DC (H.D. House 849, 1905), MD, VA:** Fairfax Co. (*H.G. Deignan 965*, 1946). Waif.

discolor Pers. - yellow-and-blue scorpion-grass. (*M. versicolor* (Pers.) Sm.) **VA:** King George Co. (Atlas). Waif.

laxa Lehm. - smaller forget-me-not. (*M. palustris* (L.) Hill., misapplied) **DC, MD, VA.**

macroisperma Engelm. - big-seed scorpion-grass. (*M. arvensis* (L.) Hill, misapplied) **DC, MD, VA.** Sometimes combined with *M. verna*.

scorpioides L. - forget-me-not, true forget-me-not, common forget-me-not, water scorpion-grass. (*M. palustris* (L.) Hill.) **DC (T.H. Kearney, Jr., s.n., 1897), MD, VA (Atlas).** Naturalized.

stricta Link ex Roem. & Schult. - blue scorpion-grass. (*M. micrantha* Pall. ex Lehm., misapplied) **DC, MD:** Anne Arundel Co. (*E. Baltars 587*, 1955), **VA.** Waif.

verna Nutt. - spring forget-me-not, early scorpion-grass, spring scorpion-grass. (*M. virginica* (L.) B.S.P., misapplied) **DC, MD, VA.**

Onosmodium

virginianum (L.) A. DC. - false gromwell, eastern false gromwell. **DC, MD:** Montgomery Co. (*E.C. Leonard 1344*, 1919), **VA.**

Symphytum

officinale L. - common comfrey, comfrey. **DC, MD.** Escape.

BRASSICACEAE *The Mustard Family***Alliaria**

petiolata (M. Bieb.) Cavara & Grande - garlic-mustard. (*A. officinalis* Andrz. ex M. Bieb.) **DC, MD, VA.** Naturalized, very invasive.

Alyssum

alyssoides (L.) L. - yellow alyssum. **MD:** Prince Georges Co. (McAtee 1930, p. 27), **VA (Atlas).** Waif.

Arabidopsis

thaliana (L.) Heynh. - mouse-ear cress. (*Sisymbrium thalianum* J. Gay & Monnier) **DC, MD, VA.**
Naturalized.

Arabis

canadensis L. - sickle-pod. **DC, MD, VA.**

caucasica Willd. - wall rockcress. **VA:** Arlington Co. (*D.H. Nicolson s.n.*, 1974). Waif.

hirsuta (L.) Scop. - hairy rockcress. (*A. pycnocarpa* M. Hopkins) **MD** (H&S; B&B 1984).

laevigata (Muhl ex Willd.) Poir. - smooth rockcress. **DC, MD, VA.**

lyrata L. - lyre-leaved rockcress. **DC, MD, VA.**

missouriensis Greene - Missouri rockcress. **MD:** Baltimore Co. (*E. Baltars* 2092, 1958); Montgomery Co. (B&B 1984).

patens Sull. - spreading rockcress. **MD, VA.**

shortii (Fernald) Gleason - Short's rockcress. (*A. dentata* (Torr.) Torr. & A. Gray., *A. perstellata* E.L. Braun var. *shortii* Fernald) **DC, MD, VA.**

Armoracia

lacustris (A. Gray) Al-Shehbaz & V.M. Bates - lake-cress. (*A. aquatica* (Eaton) Wiegand, *Neobeckia aquatica* (Eaton) Greene) **MD:** Collected only by L.F. Ward at Great Falls, (1879, 1880, 1882), as *Nasturtium lacustre* A. Gray.

rusticana P. Gaertn., B. Mey. & Schreb. - horseradish. (*A. lapathifolia* Gilib.) **DC, MD.** Escape.

Barbara

verna (Mill.) Asch. - early winter-cress. (*Campe verna* (Michx.) Heller) **DC, MD, VA.** Naturalized.

vulgaris W.T. Aiton - common winter-cress, yellow-rocket. (*Campe barbarea* (L.) W. Wight ex Piper, *C. stricta* (Andrz.) W. Wight ex Piper) **DC, MD, VA.** Naturalized.

Bertero

incana (L.) DC. - hoary alyssum. **MD:** Baltimore (B&B 1984); Prince Georges Co. (*Maxon* 6463, 1919). Escape.

Brassica

hirta Moench - white mustard. (*B. alba* L., misapplied, *Sinapis alba* L.) **DC** (H&S), **MD:** Baltimore City, Canton (Reed 1964). Escape. Treated by some recent authors as *Sinapis alba*.

juncea (L.) Czern. - Indian mustard, Chinese mustard, brown mustard. **DC, MD, VA.** Naturalized.

kaber (DC.) L.C. Wheeler - charlock. (*Sinapis arvensis* L.) **DC, MD, VA.** Naturalized. Treated by some recent authors as *Sinapis arvensis*.

Brassica - cont.

nigra (L.) W.D.J. Koch - black mustard. **DC, MD, VA.** Naturalized.

oleracea L. - cabbage, cauliflower, broccoli, Brussel sprouts. **DC, MD.** Escape.

rapa L. - turnip, bird's rape, field mustard. (*B. campestris* L.) **DC, MD, VA.** Naturalized.

Cakile

edentula (Bigelow) Hook. - **MD, VA** (Atlas).

maritima Scop. - European sea-rocket. **MD:** Baltimore City, Canton (Reed 1964). Waif.

Camelina

microcarpa DC. - small-fruited false flax. **DC, MD, VA.** Naturalized.

Capsella

bursa-pastoris (L.) Medik. - shepherd's-purse. (*Bursa bursa-pastoris* (L.) Britton) **DC, MD, VA.** Naturalized.

Cardamine

bulbosa (Schreb. ex Muhl.) B.S.P. - spring cress, bulbous cress. (*C. rhomboidea* (Pers.) DC.) **DC, MD, VA.**

douglassii Britton - purple cress, pink spring cress. **DC ?, MD, VA:** Fairfax Co. (Atlas). L.F. Ward's specimen (1874) from Eastern Branch Marsh probably from DC but possibly MD.

hirsuta L. - hairy bittercress. **DC, MD, VA.** Naturalized.

parviflora L. - small-flowered cress. (*C. arenicola* Britton, *C. hirsuta* var. *sylvatica* (Link) Hook. & Arn., misapplied) **DC, MD, VA.** American plants of species treated as var. *arenicola* (Britton) O.E. Schulz.

pensylvanica Muhl. ex Willd. - Pennsylvania bittercress. (*C. hirsuta*, misapplied) **DC, MD, VA.**
pratensis L. - cuckoo-flower. **VA:** Lancaster Co. (Atlas).

rotundifolia Michx. - mountain-watercress, trailing bittercress. **MD:** Frederick Co. (FJH 1946), Harford Co. (*E. Baltars 2015, 1958*).

Cardaria

draba (L.) Desv. - hoary cress, heart-podded hoary cress. (*Lepidium draba* L.) **DC, MD.** Waif.

Coincya

monensis (L.) Greuter & Burdet - (*Rhynchosinapis cheiranthos* (Vill.) Dandy) **MD:** Anne Arundel Co. (*E. Baltars 2809, 1960*). Waif.

Conringia

orientalis (L.) Andrz. - hare's-ear mustard. **DC** (*G.G. Street s.n.*, 1920), **MD:** Prince Georges Co. (*E.C. Leonard 19847, 1944*), **VA:** Culpeper Co. (Atlas). Waif.

Coronopus

didymus (L.) Sm. - wart-cress, swine-cress. **DC, MD:** Baltimore City, Canton, chrome ore piles (Reed 1964), **VA.** Waif.

Dentaria

heterophylla Nutt. - slender toothwort, Appalachian toothwort. (*Cardamine angustata* O.E. Schulz.) **DC, MD, VA.** Placed in *Cardamine* by some recent authors.

laciniata Muhl. ex Willd. - cut-leaved toothwort, cut-leaved pepperroot, five-parted toothwort. (*Cardamine concatenata* (Michx.) Sw.) **DC, MD, VA.** Placed in *Cardamine* by some recent authors.

Descurainia

pinnata (Walter) Britton - tansy-mustard. (*Sophia pinnata* (Walter) T.J. Howell) **MD** (McAtee 1930, p. 27), **VA** (McAtee 1930, p. 27). Waif.

siifolia Kuntze - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

sophia (L.) Webb ex Prantl - herb-sophia, tansy-mustard. **DC** (*A. Goldberg s.n.*, 1985), **MD:** Baltimore City (*C.C. Plitt 264*, 1900), **VA** (Atlas). Waif.

Diplotaxis

muralis (L.) DC. - **DC** (*G. Vasey s.n.*, 1874), **VA:** Fairfax Co. (Atlas). Waif.

siifolia Kuntze - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

tenuifolia (L.) DC. - slim-leaved wall-rocket, wall-rocket. **MD:** Baltimore Co. [City] (B&B 1984). Waif.

Draba

ramosissima Desv. - rocktwist. **VA:** Loudoun Co. (Atlas).

verna L. - whitlow-grass. **DC, MD, VA.** Naturalized.

Eruca

sativa Mill. - garden-rocket. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999). Escape.

Erucastrum

gallicum (Willd.) O.E. Schulz - garden-rocket, dog-mustard. **DC** (*G. Vasey s.n.*, 1887, as "Diplotaxis?"), **MD:** Baltimore Co. (B & B 1984). Waif.

Erysimum

asperum (Nutt.) DC. - western wallflower. (*Cheirinia aspera* (Nutt.) Britton) **MD:** Prince George's Co., Beltsville (Terrell et al. 1999). Waif, from west.

cheiranthoides L. - wormseed mustard. (*Cheirinia cheiranthoides* (L.) Link) **DC, MD, VA.** Naturalized.

repandum L. - (*Cheirinia repanda* (L.) Link.) **MD:** Anne Arundel Co. (B&B 1984); Baltimore City, Canton (Reed 1964); Harford Co. (*E. Baltars 4046*, 1967), **VA** (Atlas). Waif.

Hesperis

matronalis L. - dame's-rocket, dame's-violet. **DC, MD, VA.** Naturalized.

Isatis

tinctoria L. - dyer's woad. **DC, VA.** Naturalized.

Lepidium

campestre (L.) W.T. Aiton - field-cress, cow-cress. **DC, MD, VA.** Naturalized.

densiflorum Schrad. - dense-flowered peppergrass, prairie pepperweed. **DC, VA.** Status in region doubtful; not reported in Atlas, despite many VA specimens in US; perhaps all specimens really apetalous *L. virginicum*, as concluded by H&S.

graminifolium L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

hyssopifolium Desv. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

ruderale L. - stinking pepperweed. **VA:** Fairfax Co. (Atlas). Waif.

virginicum L. - wild peppergrass, poor-man's-pepper. **DC, MD, VA.**

Lobularia

maritima (L.) Desv. - sweet alyssum. (*Koniga maritima* (L.) R. Br.) **DC, MD** (B&B 1984), **VA.** Escape.

Lunaria

annua L. - honesty. **DC, VA** (Atlas). Frequent escape, not persisting.

Nasturtium

officinale W.T. Aiton - watercress. (*Rorippa nasturtium-aquaticum* (L.) Hayek., *Sisymbrium nasturtium-aquaticum* L.) **DC, MD, VA.** Naturalized. Treated by some as a *Rorippa*.

Raphanus

raphanistrum L. - wild radish, jointed charlock. **MD, VA.** Waif.

sativus L. - radish. **DC, VA.** Escape.

Rorippa

palustris (L.) Besser - common yellow-cress, marsh yellow-cress. (*Nasturtium obtusum* Nutt., *N. palustre* (L.) DC., *Radicula hispida* (Desv.) Britton, *R. obtusa* (Nutt.) Greene, misapplied, *R. palustris* (L.) Moench, *Rorippa hispida* (Desv.) Britton, *R. islandica* (Oeder) Borbás, misapplied, *R. obtusa* (Nutt.) Britton, misapplied) **DC, MD, VA.**

sessiliflora (Nutt.) Hitchc. - southern yellow-cress. (*Radicula sessiliflora* (Nutt.) Greene) **DC** (H&S, B&B 1984), **MD:** Montgomery Co., Plummers Island (A.S. Hitchcock s.n., 1917), **VA:** Loudoun Co. (L.B. Smith 5489, 1951).

sinuata (Nutt.) Hitchc. - spreading yellow-cress. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.

sylvestris (L.) Besser - creeping yellow-cress. (*Radicula sylvestris* (L.) Druce) **DC, MD, VA.** Naturalized.

Sibara

virginica (L.) Rollins - Virginia cress. **DC, MD:** Anne Arundel Co. (B&B 1984), **VA:** Fairfax Co. (Atlas).

Sisymbrium

altissimum L. - tumble mustard. (*Norta altissima* (L.) Britton) **DC, MD, VA.** Naturalized.

officinale (L.) Scop. - hedge mustard. (*Erysimum officinale* L.) **DC, MD, VA.** Naturalized.

Teesdalia

nudicaulis (L.) R. Br. - shepherd's cress. **MD:** Calvert Co. (*S.F. Blake 11654*, 1933), **VA** (Atlas).

Waif.

Thlaspi

alliaceum L. - **MD:** Howard Co. (*E. Cohen 1*, 1993). Waif.

arvense L. - field pennycress. **DC, MD, VA.** Naturalized.

perfoliatum L. - perfoliate pennycress. **DC, MD, VA.** Naturalized.

BUDDLEJACEAE *The Butterfly-bush Family***Buddleja**

davidii Franch. - orange-eye butterfly-bush. **MD:** Montgomery Co. (*E.P. Killip 36704*, 1945). Escape.

Polypteron

procumbens L. - **DC** (*E.S. Steele s.n.*, 1898), **MD, VA.**

BUXACEAE *The Boxwood Family***Pachysandra**

terminalis Siebold & Zucc. - Asiatic pachysandra. **DC:** Rock Creek Park (*P. Fleming 238*, 1986), **VA:** Fairfax Co. (Atlas). Escape.

CABOMBACEAE *The Water-shield Family***Brasenia**

schreberi J.F. Gmel. - water-shield, purple wen-dock. (*B. peltata* Pursh, *B. purpurea* Heller) **DC, MD,** **VA** (Atlas). Sometimes included in Nymphaeaceae.

Cabomba

caroliniana A. Gray - fanwort. **DC, MD:** W-B area (B&B 1984), **VA.** Fish Ponds in Potomac Park before they were filled in. Genus sometimes included in Nymphaeaceae.

CACTACEAE *The Cactus Family***Opuntia**

humifusa (Raf.) Raf. - eastern prickly-pear. (*O. calcicola* Wherry, *O. compressa* (Salisb.) J.F. Macbr., *O. opuntia* (L.) H. Karst., *O. vulgaris* Mill., misapplied) **MD, VA.**

CALLITRICHACEAE *The Water-starwort Family***Callitrichie**

heterophylla Pursh - larger water-starwort. (*C. autumnalis* L., misapplied.) **DC, MD, VA.**

palustris L. - vernal water-starwort, water-fennel. (*C. verna* L.) **MD** (*F.V. Coville s.n.*, 1894; *G.H. Shull 405*, 1902; as *C. verna* L.), **VA** (Atlas). Status in W-B Area uncertain. According to Atlas, in three counties in VA, as *C. verna*, but Fairfax and Loudoun records perhaps based in part on misidentified US specimens.

stagnalis Scop. - European water-starwort. **MD, VA:** Fairfax Co. (Atlas). Naturalized.

terrestris Raf. - Austin's water-starwort. (*C. austini* Engelm., *C. deflexa* A. Braun) **DC, MD, VA.**

CAMPANULACEAE *The Bellflower Family***Campanula**

americana L. - tall bellflower. (*Campanulastrum americanum* (L.) Small) **MD, VA** (Atlas).

aparinoides Pursh - marsh bellflower. (*Campanula uliginosa* Rydb.) **DC, MD, VA.**

divaricata Michx. - southern bellflower, Appalachian bellflower, southern harebell. **VA:** Fauquier Co. (Atlas).

rapunculoides L. - rover bellflower, European bellflower. **DC, MD:** Prince George's Co. (*P.C. Standley 11790*, 1915), **VA** (Atlas). Naturalized.

rotundifolia L. - harebell, bluebells-of-Scotland, bluebells. **MD:** Harford Co., Bald Hill (*Reed & Shetler 88124*, 1970; see also Shetler 1982, p. 182).

Triodanis

perfoliata (L.) Nieuw. - Venus's-looking-glass, round-leaved triodanis. (*Legousia perfoliata* (L.) Britton, *Specularia biflora* (Ruiz & Pavón) Fisch. & C.A. Mey., *S. perfoliata* (L.) DC., *T. biflora* (Ruiz & Pavón) Greene) **DC, MD, VA.**

CANNABACEAE *The Hemp Family***Cannabis**

sativa L. - hemp, marijuana, pot, grass. **DC, MD:** Montgomery Co., Plummers Island (*S.F. Blake s.n.*, 1931; see also B&B 1984). Escape, once common, now rare.

Humulus

japonicus Siebold & Zucc. - Japanese hop. (*H. scandens* (Lour.) Merr., misapplied (Small 1997)) **DC, MD, VA.** Escape.

lupulus L. - common hop, hops. (*H. americanus* Nutt.) **DC, MD, VA.** Native and naturalized varieties in W-B Area (see US specimens; Small 1997).

CAPPARACEAE *The Caper Family***Cleome**

hassleriana Chodat - spider-flower. (*C. spinosa* Jacq., misapplied.) **DC, MD, VA.** Escape.

ornithopodioides L. - **MD:** Baltimore Co. (*E. Baltars* 3561, 1964). Waif. Appears to be this species, but there is some question about the name (Kartesz 1994, vol. 1, p. 192)

viscosa L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Polanisia

dodecandra (L.) DC. - clammy-weed. (*P. trachysperma* Torr. & A. Gray) **MD:** Anne Arundel Co. (B&B 1984).

CAPRIFOLIACEAE *The Honeysuckle Family***Diervilla**

lonicera Mill. - bush-honeysuckle. **MD.** Included by FJH 1946 as a waif, but probably indigenous in W-B Area.

Lonicera

x bella Zabel - (*L. morrowii* x *L. tatarica*) **VA.** Escape.

fragrantissima Lindl. & Paxton - early bush honeysuckle, fragrant honeysuckle. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999). Escape.

japonica Thunb. - Japanese honeysuckle. **DC, MD, VA.** Naturalized.

maackii (Rupr.) Maxim. - Maack's honeysuckle. **DC, MD, VA.** Escape, but widely naturalized.

morrowii A. Gray - Morrow's honeysuckle, hairy-leaved honeysuckle. **DC, MD:** Prince George's Co., Beltsville (Terrell et al. 1999), **VA** (Atlas). Escape. DC specimens perhaps from planted shrubs (see Fleming & Kanal 1995).

sempervirens L. - trumpet honeysuckle. **DC, MD, VA.**

standishii Jacques - Standish honeysuckle. **MD:** Montgomery Co. (*Fosberg & Rainey* 55578, 1974). Escape; specimen identification tentative.

tatarica L. - Tatarian honeysuckle, Tartarian honeysuckle. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999), **VA:** Loudoun Co. (Atlas). Escape.

xylosteum L. - European fly honeysuckle. **DC, VA:** King George Co. (Atlas). Escape. At least one of DC specimens perhaps planted (see Fleming & Kanal 1995, p. 302).

Sambucus

canadensis L. - common elder, black elderberry, elder, elderberry. **DC, MD, VA.**

racemosa L. - red-berried elder, red elderberry, stinking elderberry. (*S. pubens* Michx.) **MD:** Frederick Co. (FJH 1946), **VA** (Atlas). North American plants treated as *S. racemosa* ssp. *pubens* (Michx.) House or var. *pubens* (Michx.) Koehne.

Symporicarpos

albus (L.) S.F. Blake - snowberry. (*S. racemosus* Michx., *S. rivularis* Suksd.) **DC, MD:** Anne Arundel Co., Piney Point (*Vasey s.n.*, 1874). Perhaps only an escape from cultivation in W-B Area (see B&B 1972).

orbiculatus Moench - coralberry, Indian-currant, blackbrush. **DC, MD, VA.** Perhaps mainly an escape from cultivation in W-B Area (see B&B 1972).

Triosteum

angustifolium L. - narrow-leaved horse-gentian, lesser horse-gentian, feverwort. **DC, MD, VA.**

aurantiacum E.P. Bicknell - horse-gentian, wild-coffee. **DC:** Reno (*Van Eseltine & Moseley 238*, 1914), **MD:** Calvert Co. (*G.P. Van Eseltine 83*, 1913).

perfoliatum L. - perfoliate horse-gentian, tinker's-weed, wild-coffee. **MD, VA.**

Viburnum

acerifolium L. - maple-leaved viburnum, dockmackie, maple-leaved arrow-wood. **DC, MD, VA.** *Viburnum* is placed by some in the Adoxaceae.

cassinoides L. - withe-rod, wild-raisin. **DC** (*L.F. Ward s.n.*, 1878), **MD.** Probably should be included in *V. nudum* (cf. Gleason & Cronquist 1991, p. 513; Kartesz 1994, vol. 1, p. 195).

dentatum L. - arrow-wood, southern arrow-wood, roughish arrow-wood. (*V. pubescens* (Aiton) Pursh, *V. recognitum* Fernald, *V. scabrellum* Torr. & A. Gray ex Chapm., *V. venosum* Britton) **DC, MD, VA.**

dilatatum Thunb. - linden viburnum, linden arrow-wood. **DC, MD:** Prince George's Co., Beltsville (Terrell et al. 1999). Escape.

lentago L. - nannyberry. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999). A questionable record, according to Terrell et al.

nudum L. - possum-haw, swamp-haw, smooth withe-rod, naked withe-rod. **DC, MD, VA.**

prunifolium L. - black-haw. **DC, MD, VA.**

rafinesqueanum Schult. - downy arrow-wood. (*V. affine* Bush ex C.K. Schneid., *V. pubescens* (Aiton) Pursh, misapplied) **MD, VA.**

sieboldii Miq. - Siebold's viburnum. **DC** (*P. Fleming 2051*, 1989, planted ?), **MD:** Baltimore Co. (*E. Baltars 622*, 1955). Escape.

CARYOPHYLLACEAE *The Pink Family***Agrostemma**

githago L. - corn-cockle, purple-cockle. **DC, MD, VA.** Naturalized.

Arenaria

lateriflora L. - grove sandwort. (*Moehringia lateriflora* (L.) Fenzl) **VA:** Fairfax Co. (Atlas).

serpyllifolia L. - sandwort, thyme-leaved sandwort. **DC, MD, VA.** Naturalized.

Cerastium

arvense L. - field chickweed. (*C. velutinum* Raf.) **DC, MD, VA.**

brachypetalum N.H.F. Desp. - **VA** (Atlas; Fernald 1943, p. 400). Waif.

nutans Raf. - nodding chickweed. (*C. longipedunculatum* Muhl. ex Britton) **DC, MD, VA.**

pumilum W. Curtis - dwarf mouse-eared chickweed. **MD:** Baltimore Co. (*L.L. Jansen s.n.*, 1958; see also B&B 1984). Waif.

semidecandrum L. - **DC** (H&S), **VA** (Atlas). Waif.

viscosum L. - clammy chickweed. (*C. glomeratum* Thuill. (perhaps the correct name)) **DC, MD, VA.** Naturalized.

vulgatum L. - common mouse-eared chickweed. (*C. fontanum* Baume. (perhaps the correct name)) **DC, MD, VA.** Naturalized.

Dianthus

armeria L. - deptford pink. **DC, MD, VA.** Naturalized.

barbatus L. - sweet-William. **MD.** Escape.

deltoides L. - maiden pink. **DC** (*L.F. Ward s.n.*, 1886), **MD:** Montgomery Co. (FJH 1946). Escape.

plumarius L. - garden pink. **MD:** Harford Co. (*E. Baltars 512*, 1953). Escape.

Gypsophila

pilosa Huds. - (*G. porrigens* (L.) Boiss., *Saponaria porrigens* L.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Herniaria

glabra L. - burstwort. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

hirsuta L. - burstwort. (*H. cinerea* DC.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Holosteum

umbellatum L. - jagged chickweed. **VA** (Atlas; McAtee 1940, p. 141). Waif.

Lychnis

coronaria (L.) Desr. - mullein-pink. **MD:** Baltimore Co. (*E. Baltars 2115*, 1958), **VA** (Atlas). Waif.

flos-cuculi L. - ragged-robin, cuckoo-flower. **DC** (*H. Brummel s.n.*, 1869). Waif.

Paronychia

canadensis (L.) Wood - forked-chickweed, smooth forked-chickweed. (*Anychia canadensis* (L.) B.S.P.) **DC, MD, VA.**

Paronychia - cont.

fastigiata (Raf.) Fernald - forked-chickweed, hairy forked-chickweed. (*Anychia polygonoides* Raf.) **DC, MD, VA.**

virginica Spreng.- Appalachian whitlow-wort. (*P. dichotoma* (L.) Nutt.) **DC, MD, VA:** Arlington Co. (Atlas).

Petrorhagia

prolifera (L.) P.W. Ball & Heywood - proliferous pink, childing pink. (*Dianthus prolifer* L., *Tunica prolifer* (L.) Scop.) **MD, VA.** Waif.

saxifraga (L.) Link - (*Tunica saxifraga* (L.) Scop.) **DC** (McAtee 1940, p. 141). Waif.

Sagina

decumbens (Elliott) T. & G. - pearlwort. **DC, MD, VA.**

procumbens L. - bird's-eye, pearlwort. **DC, MD.**

Saponaria

officinalis L. - bouncing-bet, soapwort. (*Lychnis saponaria* Jess.) **DC, MD, VA.** Naturalized.

Scleranthus

annuus L. - knawel. **DC, MD, VA** (Atlas). Naturalized.

Silene

antirrhina L. - sleepy catchfly. **DC, MD, VA.**

armeria L. - sweet-william catchfly, garden catchfly, none-so-pretty. **DC, MD, VA:** Fairfax Co. (Atlas). Escape.

caroliniana Walter - wild pink. (*S. pennsylvanica* Michx.) **DC, MD, VA.**

csereii Baumg. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Escape.

dichotoma Ehrh. - forked catchfly. **MD, VA.** Naturalized.

dioica (L.) Clairv. - red campion. (*Lychnis dioica* L.) **MD, VA.** Waif.

drummondii Hook. - Drummond campion. (*Lychnis drummondii* (Hook.) S. Watson) **MD:** Carroll Co. (B&B 1984).

latifolia Poir. - white campion, white-cockle, evening lychnis. (*Lychnis alba* Mill., *S. pratensis* (Rafn.) Godr. & Gren.) **DC, MD, VA.** Naturalized.

nivea (Nutt.) Muhl. ex Otth - snowy campion. (*S. alba* Muhl.) **DC, MD, VA.**

noctiflora L. - night-flowering catchfly, sticky-cockle. **DC, MD.** Naturalized.

stellata (L.) Aiton - starry campion, widow's-frill. **DC, MD, VA.**

vulgaris (Moench) Garcke - bladder campion, maiden's-tears. (*S. cucubalus* Wibel, *S. latifolia* (Mill.) Britton & Rendle) **MD, VA.** Naturalized.

Spergula

arvensis L. - spurry, corn spurrey. **DC** (*J.B.S. Norton s.n.*, 1915), **MD**: Prince George's Co. (*G. Arsene 412*, 1916; Terrell et al. 1999, Beltsville), **VA** (Atlas). Waif.

Spergularia

marina (L.) Griseb. - salt-marsh sand-spurrey. (*S. salina* J. & C. Presl [perhaps the correct name]) **MD**, **VA**: Richmond Co. (Atlas).

rubra (L.) J. & C. Presl - red sand-spurrey. (*Tissa rubra* (L.) Britton) **DC, MD, VA**. Naturalized.

Stellaria

alsine Grimm - bog stitchwort. (*Alsine uliginosa* (Murray) Britton, *S. uliginosa* Murray) **MD**: Prince George's Co., Hollywood Swamp (*Strong & Simmons 1795*, 1998).

aquatica (L.) Scop. - giant chickweed. (*Alsine aquatica* (L.) Britton, *Myosoton aquaticum* (L.) Moench) **DC, MD, VA** (Atlas). Adventive.

graminea L. - common stitchwort. (*Alsine graminea* (L.) Britton) **DC, MD, VA**. Naturalized.

longifolia Muhl. ex Willd. - long-leaved stitchwort. (*Alsine longifolia* (Muhl. ex Willd.) Britton) **DC, MD, VA**.

longipes Goldie - long-stalked stitchwort. **MD**: Baltimore Co. (*E. Baltars 715*, 1956). Apparent range outlier.

media (L.) Vill. - common chickweed. (*Alsine media* L., *S. neglecta* Weihe) **DC, MD, VA**. Naturalized.

pubera Michx. - star chickweed. (*Alsine pubera* (Michx.) Britton) **DC, MD, VA**.

Vaccaria

hispanica (Mill.) Rauschert - cow-herb. (*Saponaria vaccaria* L., *V. vaccaria* Britton, *V. vegetalis* Garck ex Asch., *V. vulgaris* Host) **DC, MD**: Baltimore City, Canton, chrome ore piles (Reed 1964), **VA**: Rosslyn. Waif.

CELASTRACEAE The Staff-tree Family**Celastrus**

orbiculatus Thunb. - Oriental bittersweet. **DC, MD, VA**. Naturalized. Very invasive.

scandens L. - American bittersweet. **DC, MD, VA**.

Euonymus

alatus (Thunb.) Siebold - winged burning-bush, winged euonymus. **DC, MD, VA** (Atlas). Escape.

americanus L. - strawberry-bush. **DC, MD, VA**.

atropurpureus Jacq. - wahoo, burning-bush. **DC, MD, VA**.

Euonymus - cont.

europaeus L. - European spindle-tree. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999). Possibly planted, according to Terrell et al.

fortunei (Turcz.) Hand.-Mazz. - climbing euonymus. **DC:** Rock Creek Park, **MD:** Plummers Island (Wells, Brown & Murthy 5150, 1997). Escape.

CERATOPHYLLACEAE *The Hornwort Family****Ceratophyllum***

demersum L. - coontail, hornwort. **DC, MD, VA.**

echinatum A. Gray - hornwort, coontail. (*C. muricatum* Cham., misapplied) **MD, VA:** Fairfax Co. (Atlas).

CHENOPodiACEAE *The Goosefoot Family****Atriplex***

arenaria Nutt. - seabeach orach. **MD:** St. Mary's Co., **VA:** Lancaster Co. (Atlas). Perhaps belongs under tropical *A. pentandra* (Jacq.) Standl.

elegans (Moq.) D. Dietr. - (*A. elegans* var. *thornberi* M.E. Jones, *A. thornberi* (M.E. Jones) Standl.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

hortensis L. - orache, garden orache, mountain-spinach. (*A. nitens* Schkuhr) **MD:** Baltimore City & County (Reed 1964). Waif.

patula L. - spearscale. (*A. hastata* of H&S (= ?*A. prostrata* Boucher ex DC.)) **DC, MD, VA.**

rosea L. - red orache. **MD:** Canton, Baltimore City (*C.C. Plitt s.n.*, 1901). Waif.

Chenopodium

album L. - lamb's-quarters, pigweed. (*C. lanceolatum* Muhl. ex Willd.) **DC, MD, VA.** Naturalized.

ambrosioides L. - Mexican-tea, wormseed. **DC, MD, VA.** Naturalized.

berlandieri Moq. - pitseed goosefoot, village goosefoot. (*C. album* L., in part, *C. boscianum* Moq., *C. bushianum* Aellen, *C. paganum* Rchb., misapplied, *C. standleyanum*, in part, of B&B 1984 and ?Atlas, not Aellen.) **DC, MD.**

bonus-henricus L. - Good-King Henry. **MD:** Prince Georges Co. (B&B 1984). Waif.

botrys L. - Jerusalem-oak, feather-geranium. **DC** (Ward 1881, p. 107), **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

carnulosum Moq. - pigweed. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

Chenopodium - cont.

glaucum L. - oak-leaved goosefoot. (*C. salinum* Standl.) **MD:** Baltimore City, Canton, manganese ore piles (Reed 1964); Montgomery Co. (C.V. *Piper s.n.*, 1920), **VA:** Alexandria (Vasey & Coville *s.n.*, 1888). Waif.

leptophyllum (Moq.) Nutt. ex S. Watson - narrow-leaved goosefoot. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999); St. Mary's Co., Piney Point (Vasey *s.n.*, 1874). Waif.

macrospermum Hook. f. - pigweed. (*C. farinosum* (S. Watson) Standl.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

murale L. - nettle-leaved goosefoot. **DC, MD** (inferred from B&B 1984), **VA:** Alexandria (Vasey & Coville *s.n.*, 1888). Waif.

opulifolium Schrad. ex Koch & Ziz - maple-leaved pigweed. (*C. viride* L.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

simplex (Torr.) Raf. - maple-leaved goosefoot. (*C. gigantospermum* Aellen, *C. hybridum* L., misapplied, *C. hybridum* var. *gigantospermum* (Aellen) Rouleau) **VA:** Fairfax Co. (Atlas).

standleyanum Aellen - woodland goosefoot, Standley's goosefoot. (*C. boscianum* Moq., misapplied, *C. hybridum* L. var. *standleyanum* (Aellen) Fernald) **DC** (A.S. Hitchcock 15787, 1917), **VA:** See also *C. berlandieri*, which probably passes under this species in the Atlas.

vulvaria L. - stinking goosefoot. **DC:**"USDA" (*C.F. Wheeler s.n.*, 1903), **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Dysphania

plantaginella F. Muell. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from Australia.

Kochia

scoparia (L.) Schrader - summer-cypress. **VA** (Atlas). Naturalized.

Polychnemum

majus A. Braun - **MD:** Baltimore City, Canton, manganese ore piles (Reed 1964). Waif.

Salicornia

bigelovii Torr. - dwarf saltwort, dwarf glasswort. **VA:** Westmoreland Co. (FJH 1946). No specimens: status?

europaea L. - samphire, chickenclaws, pigeonfoot. (*S. herbacea* (L.) L.) **MD, VA:** Northumberland Co. (Atlas). Some American diploids of this species have been described as separate species, *S. maritima* S.L. Wolff and Jefferies (Wolff & Jefferies 1987).

virginica L. - perennial glasswort, woody glasswort. **VA:** Lancaster Co. (*L.B. Smith 5571*, 1951).

Salsola

kali L. - saltwort, Russian-thistle. **DC, MD, VA** (Atlas).

Suaeda

linearis (Elliott) Moq. - tall sea-blite, southern sea-blite. **VA:** King George Co. (Atlas).

CISTACEAE *The Rockrose Family***Helianthemum**

bicknellii Fernald - frostweed. **MD, VA.**

canadense (L.) Michx. - frostweed. **DC, MD, VA.**

dumosum (E.P. Bicknell) Fernald - frostweed. **VA:** "Ft. Munroe" [Washington area?] (*L.F. Ward s.n.*, 1877). Two specimens on one sheet: (1) *H. dumosum*, (2) *H. canadense*; as annotated in 1960 by H.S. Daoud. A doubtful record for *H. dumosum*.

propinquum E.P. Bicknell - **MD, VA.**

Hudsonia

tomentosa Nutt. - wooly beach-heath, wooly hudsonia, wooly false heather. **VA:** Lancaster Co. (*L.F. Ewing 1378*, 1941); Northumberland Co. (Atlas).

Lechea

maritima Legg. - beach pinweed. **MD, VA.**

minor L. - thyme-leaved pinweed. **MD:** Montgomery Co. (*T.H. Kearney, Jr., s.n.*, 1897); Prince George's Co., Beltsville (Terrell et al. 1999), **VA:** Lancaster Co. (Atlas).

mucronata Raf. - hairy pinweed. (*L. villosa* Elliott) **MD:** Anne Arundel Co. (B&B 1984), **VA:** Lancaster Co. (Atlas).

pulchella Raf. - Leggett's pinweed. (*L. leggettii* Britton & Hollick) **DC, MD, VA.**

racemulosa Michx. - pinweed. **DC, MD, VA.**

tenuifolia Michx. - narrow-leaved pinweed. **MD, VA** (Atlas).

CLETHRACEAE *The White-alder Family***Clethra**

alnifolia L. - sweet-pepperbush, coast white-alder. **MD, VA** (Atlas).

CONVOLVULACEAE *The Bindweed Family***Calystegia**

hederacea Wall. - Japanese bindweed, California-rose. (*Calystegia japonica* (Thunb.) Choisy, misapplied, *C. pellita* (Ledeb.) G. Don, *C. pubescens* Lindl., *Convolvulus japonicus* Thunb., *C. pellitus* Ledeb.) **DC** (*Ward & Holm s.n.*, 1888), **MD:** Prince George's Co. (*C.L. Pollard s.n.*, 1895), **VA:** Loudoun Co. (*P.C. Standley 13139*, 1916). Escape. Only double-flowered form is reported. Said to be quite common in Carroll Co. (B&B 1984).

Calystegia - cont.

sepium (L.) R. Br. - hedge bindweed, wild morning-glory. (*Convolvulus repens* L., *C. sepium* L.) **DC, MD, VA.**

spithameus L. - low bindweed, upright bindweed. **DC, MD, VA.**

Convolvulus

arvensis L. - field bindweed. **DC, MD, VA** (Atlas). Naturalized.

Evolvulus

filipes Mart. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

Ipomoea

coccinea L. - red morning-glory, scarlet creeper. (*Quamoclit coccinea* (L.) Moench) **DC, MD, VA.**
Escape.

hederacea Jacq. - ivy-leaved morning-glory. **DC, MD, VA.** Naturalized.

lacunosa L. - small-flowered morning-glory, white morning-glory. **DC, MD, VA.**

nil (L.) Roth. - Japanese imperial morning-glory. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Escape.

pandurata (L.) G. Mey. - wild potato-vine, wild sweet-potato. **DC, MD, VA.**

purpurea (L.) Roth - common morning-glory. **DC, MD, VA.** Naturalized.

quamoclit Choisy - cypress-vine. (*Quamoclit quamoclit* (L.) Britton, *Q. vulgaris* Choisy, *I. "vulgaris* Choisy") **DC** (*E.S. Steele s.n.*, 1899), **MD** (inferred from B&B 1984 - see "*Ipomoea vulgaris*"). Persisting from cultivation and escaping.

CORNACEAE *The Dogwood Family***Cornus**

alternifolia L. f. - alternate-leaved dogwood, pagoda dogwood, green osier. **MD, VA.**

amomum Mill. - silky dogwood, silky cornel, red-willow, knob-styled dogwood. (*C. obliqua* Raf., *C. purpusii* Koehne, *C. sericea* L., misapplied, *C. stolonifera* Michx., misapplied, as in H&S) **DC, MD, VA.**

florida L. - flowering dogwood. **DC, MD, VA.** State Tree and Flower of Virginia.

foemina Mill. - southern swamp dogwood, stiff dogwood. (*C. stricta* Lam.) **VA** (Atlas).

racemosa Lam. - paniced dogwood, gray-stemmed dogwood, northern swamp dogwood. (*C. foemina* Mill., misapplied, *C. paniculata* L'Her.) **MD, VA** (Atlas).

rugosa Lam. - round-leaved dogwood. (*C. circinata* L'Her.) **DC**: "Dodge's Mills" (W.P. Conant, 1893).

sericea L. - red-osier dogwood. (*C. alba* L., *C. stolonifera* Michx.) **VA** (Atlas).

CRASSULACEAE *The Stonecrop Family***Crassula**

aquatica (L.) Schönl. - pigmyweed. (*Tillaea aquatica* L.) **MD:** Charles Co..

Penthorum

sedoides L. - ditch stonecrop, Virginia stonecrop. **DC, MD, VA.** Placed in Saxifragaceae by some recent authors.

Sedum

acre L. - golden-carpet, mossy stonecrop. **VA:** Culpeper Co. (Atlas). Escape.

x alboroseum Baker - garden orpine. (*S. x erythrostictum* Miq., misapplied.) **VA:** Culpeper & Loudoun cos. (Atlas). Escape.

sarmentosum Bunge - **MD** (inferred from B&B 1984), **VA** (Atlas). Escape.

telephioides Michx. - wild live-ever. **MD, VA.**

telephium L. - live-ever, garden orpine. (*S. purpureum* (L.) Schult.;, *S. triphyllum* (Haw.) Gray **MD** (inferred from B&B 1984). Escape. Included by FJH 1946 without reference to localities. Status of *S. telephium* vis-à-vis *S. telephioides* in area needs study.

ternatum Michx. - three-leaved stonecrop, wild stonecrop. **DC, MD, VA.**

CUCURBITACEAE *The Gourd Family***Citrullus**

lanatus (Thunb.) Matsum. & Nakai - watermelon. (*C. vulgaris* Schrad.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964), **VA:** Fauquier Co. (H.A. Allard 7473, 1939). Escape.

Ctenolepis

cerasiformis (Stocks) Naudin - (*Blastania fimbriatipulis* Kotschy & Peyr.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Cucumis

melo L. - muskmelon, cantaloupe. **DC:** Rock Creek (W.P. Stern s.n., 1930), **VA:** Fairfax Co. (Atlas). Escape.

Cucurbita

foetidissima Kunth - wild pumpkin, Missouri gourd, fetid wild pumpkin. W-B Area (FJH 1946). Waif.

pepo L. - pumpkin. **VA** (Atlas). Escape.

Echinocystis

lobata (Michx.) Torr. & A. Gray - wild cucumber, prickly-cucumber, balsam-apple, wild balsam-apple. (*Micrampelis lobata* (Michx.) Greene) **DC, MD, VA.**

Melothria

pendula L. - creeping-cucumber. **DC** (*J. Kadir s.n.*, 1968), **MD**: Prince George's Co. (B&B 1984), **VA** (Atlas).

Sicyos

angulatus L. - bur-cucumber, one-seeded bur-cucumber, star-cucumber. **DC, MD, VA.**

CUSCUTACEAE *The Dodder Family***Cuscuta**

cephalanthi Engelm. - buttonbush dodder. **DC**: Little Falls (*C. Mohr s.n.*, 1894), **VA**: Arlington Co. (*G.P. Van Eseltine 143*, 1914).

compacta Juss. ex Choisy - compact dodder. **DC, MD, VA.**

coryli Engelm. - hazel dodder. **DC, MD, VA.**

gronovii Willd. ex Schult. - common dodder, Gronovius dodder. **DC, MD, VA.**

indecora Choisy - dodder. **MD**: Anne Arundel Co. (*E. Baltars 4008*, 1966), **VA**: Fauquier Co. (Atlas).

pentagona Engelm. - five-angled dodder, field dodder. (*C. arvensis* Beyr. ex Engelm., *C. campestris* Yunck.) **DC, MD, VA.**

polygonorum Engelm. - smartweed dodder. (*C. chlorocarpa* Engelm.) **DC, MD, VA**: Fairfax Co., Langley (*W. Palmer s.n.*, 1902).

DIAPENSIACEAE *The Diapensia Family***Galax**

urceolata (Poir.) Brummitt - galax, wandflower, beetleweed. (*G. aphylla* L., misapplied) **VA**: Lancaster and Northumberland cos. (Atlas).

DIPSACACEAE *The Teasel Family***Dipsacus**

fullonum L. - fullers' teasel. (*D. fullonum* ssp. *fullonum*) **MD**: Prince George's Co., Beltsville (Terrell et al. 1999). Escape.

laciniatus L. - cut-leafteasel, lacinate wild teasel. **VA**: Loudoun and Fauquier cos. (Atlas). Escape.

sylvestris Huds. - common teasel, wild teasel, teasel. (*D. fullonum* ssp. *sylvestris* (Huds.) A.R. Clapham) **DC, MD, VA.** Naturalized. Combined by some (Kartesz 1994, p. 250) with the European *D. fullonum*.

DROSERACEAE *The Sundew Family***Drosera**

filiformis Raf. - thread-leaved sundew, dew-thread. **MD:** Prince George's Co., Suitland Bog. Introduced to Suitland Bog, but native on coastal plain of MD and possibly elsewhere in P.G. Co. (see B&B 1984).

intermedia Hayne - spatula-leaved sundew. **MD, VA:** Fairfax Co. (*H.G. Deignan* 788, 1945).

rotundifolia L. - round-leaved sundew. **DC:** Kenilworth (*E.S. Steele s.n.*, 1897), **MD, VA:** Prince William Co. (Atlas).

EBENACEAE *The Ebony Family***Diospyros**

virginiana L. - persimmon, common persimmon. **DC, MD, VA:**

ELAEAGNACEAE *The Oleaster Family***Elaeagnus**

angustifolia L. - oleaster, wild olive, Russian-olive. (*E. hortensis* M. Bieb., in part) **MD:** Prince George's Co., Beltsville (Terrell et al. 1999); see also B&B 1972, **VA:** Fairfax Co. (Atlas). Escape.

commutata Bernh. ex Rydb. - silverberry. (*E. argentea* Pursh, not Moench) **MD:** Montgomery Co. (B & B 1972). Escape, south of range.

multiflora Thunb. - **MD:** Montgomery Co. (McAtee 1930, p. 30). Escape.

pungens Thunb. - thorny elaeagnus. **DC:** Rock Creek Park (Fleming & Kanal 1995, p. 303). Escape.

umbellata Thunb. - autumn-olive. (*E. hortensis* M. Bieb., in part.) **DC, MD, VA:** Escape.

ELATINACEAE *The Waterwort Family***Elatine**

americana (Pursh) Arn. - mud-purslane, waterwort. (*E. triandra* Schkuhr) **VA:** Arlington Co., Chain Bridge (H&S); also Atlas.

minima (Nutt.) C.A. Mey. - waterwort. **VA:** Alexandria (Fernald 1917, p. 15); also Atlas.

ERICACEAE *The Heath Family***Chamaedaphne**

calyculata (L.) Moench - leatherleaf. **MD:** Anne Arundel Co..

Epigaea

repens L. - trailing-arbutus, mayflower. **DC, MD, VA.**

Gaultheria

procumbens L. - wintergreen, teaberry, checkerberry, mountain-tea. **DC, MD, VA.**

Gaylussacia

baccata (Wangenh.) K. Koch - black huckleberry. (*G. resinosa* (Aiton) Torr. & A. Gray) **DC, MD, VA.**

brachycera (Michx.) A. Gray - box huckleberry. **MD:** Anne Arundel Co..

dumosa (Andrews) Torr. & A. Gray - dwarf huckleberry. **DC, MD, VA** (Atlas).

frondosa (L.) Torr. & A. Gray ex Torr. - blue huckleberry, dangleberry. **DC, MD, VA:** Arlington Co. (*E.S. Steele s.n.*, 1911).

Kalmia

angustifolia L. - sheep-laurel, lambkill, dwarf-laurel. **DC** (*E.S. Steele s.n.*, 1913), **MD.**

latifolia L. - mountain-laurel, ivy-laurel, calico-bush. **DC, MD, VA.** State Flower of Pennsylvania.

Leucothoë

fontanesiana (Steud.) Sleumer - dog-hobble, mountain dog-laurel. (*L. axillaris* (Lam.) D. Don, misapplied, *L. catesbaei* (Walter) A. Gray, misapplied, *L. editorum* Fernald & B.G. Schub., *L. walteri* (Willd.) N.C. Melvin, misapplied) **MD:** Frederick Co., Sugarloaf Mt. (*J.W. Roller* 971, 1948). Questionably native.

racemosa (L.) A. Gray - fetterbush, deciduous swamp fetterbush, swamp leucothoe. (*Eubotrys racemosa* (L.) Nutt.) **DC, MD, VA.**

Lyonia

ligustrina (L.) DC. - maleberry. (*Xolisma ligustrina* (L.) Britton) **DC, MD, VA.**

mariana (L.) D. Don - staggerbush. (*Andromeda mariana* L., *Neopieris mariana* (L.) Britton, *Pieris mariana* (L.) Benth. & Hook.) **DC, MD, VA.**

Oxydendrum

arboreum (L.) DC. - sourwood, sorrel-tree. **VA:** near Falls Church (*J. Shaw*, 1960; ?native); see also Atlas.

Rhododendron

arborescens (Pursh) Torr. - smooth azalea, sweet azalea, white azalea. (*Azalea arborescens* Pursh) **VA:** Fairfax Co., Great Falls (*F.V. Coville s.n.*, 1921); Fauquier Co. (Atlas).

atlanticum (Ashe) Rehder - dwarf azalea, coastal azalea. (*Azalea atlanticum* Ashe) **DC:** Takoma Park (Wilson & Rehder 1921, p. 148). Only this one old report, based on *T.A. Williams s.n.*, 1900, presumably in collections of Arnold Arboretum.

maximum L. - rhododendron, great laurel, big laurel, white laurel, rosebay. **DC, MD:** Montgomery Co. (*E.E. Terrell 4031*, 1967), **VA.** State Flower of West Virginia.

Rhododendron - cont.

periclymenoides (Michx.) Shinners - pinxter-flower, pink azalea, pink-honeysuckle. (*Azalea nudiflora* Pursh, *R. nudiflorum* (L.) Torr.) **DC, MD, VA.**

prinophyllum (Small) Millais - rose azalea, rosebud azalea, mountain azalea. (*A. prinophyllum* Small, *A. rosea* Loisel., *R. nudiflorum* (L.) Torr. var. *roseum* (Loisel.) Wiegand, *R. roseum* (Loisel.) Rehder) **MD:** Montgomery Co., Sugarloaf Mt. (*E.C. Leonard* 2657, 1924, as *Azalea lutea* L.), **VA:** Fairfax Co. (*E.P. Killip* 7026, 1920). Despite the improbable misidentification, the *Leonard* specimen appears to be this species and not *R. calendulaceum* (Michx.) Torr. (*Azalea lutea*).

viscosum (L.) Torr. - swamp azalea, clammy azalea, white swamp azalea, swamp-honeysuckle, white swamp-honeysuckle. (*Azalea serrulata* Small, *A. viscosa* L., *R. serrulatum* (Small) Millais) **DC, MD, VA.**

Vaccinium

angustifolium Aiton - common lowbush blueberry, low sweet blueberry, sweet blueberry, early low blueberry. (*V. lamarckii* Camp, *V. pensylvanicum* Lam.) **MD:** Lemon's Bridge on Patuxent River, probably Anne Arundel Co. (*E.C. Leonard* 6557, 1928; see also McAtee, 1930, p. 32).

corymbosum L. - highbush blueberry, swamp blueberry. (*V. atrococcum* (A. Gray) A. Heller, *V. caesariense* Mack., *V. fuscum* Aiton) **DC, MD, VA.**

macrocarpon Aiton - large cranberry. (*Oxycoccus macrocarpus* (Aiton) Pursh) **MD:** Anne Arundel Co., Fresh Pond (*N. Hotchkiss* 7295, 1950).

pallidum Aiton - lowbush blueberry, late lowbush blueberry, hillside blueberry, upland blueberry. (*V. serum* Ashe, *V. vacillans* Kalm ex Torr.) **DC, MD, VA.**

stamineum L. - deerberry, squaw-huckleberry, buckberry. (*Polycodium neglectum* (L.) Greene, *P. stamineum* Small, *V. neglectum* (Small) Fernald) **DC, MD, VA.**

EUPHORBIACEAE *The Spurge Family***Acalypha**

gracilens A. Gray - slender three-seeded-mercury, short-stalk copperleaf. **DC, MD, VA.**

ostryifolia Riddell - rough-pod three-seeded-mercury, rough-pod copperleaf. **VA:** Culpeper Co. (Atlas).

rhomboidea Raf. - common three-seeded-mercury, rhombic copperleaf. (*A. virginica* L., misapplied.) **DC, MD, VA.**

virginica L. - Virginia three-seeded-mercury, Virginia copperleaf. (*A. digynia* Raf.) **DC, MD, VA.**

Chrozophora

tinctoria A. Juss. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Croton

bonplandianus Baill. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

capitatus Michx. - woolly croton, hogwort. **DC, MD, VA** (Atlas).

glandulosus L. - croton, tooth-leaved croton. **MD, VA.**

monanthogynus Michx. - prairie-tea. **MD:** Montgomery Co. (*E.T. Wherry s.n.*, 1924; see also B&B 1984), **VA:** Fairfax Co. (Atlas). Waif, from west.

willdenowii G.L. Webster - rushfoil. (*Crotonopsis elliptica* Willd., *C. linearis* Michx., misapplied.) **MD:** Prince George's Co. (*J.B.S. Norton s.n.*, 1929), **VA:** Fairfax Co. (*S.F. Blake 11085*, 1929).

Euphorbia

commutata Engelm. - wood spurge, tinted spurge. (*Tithymalus commutatus* (Engelm.) Klotzsch & Garcke.) **DC, MD, VA.**

corollata L. - flowering spurge. (*E. marilandica* Greene, misapplied, *E. pubentissima* Michx., *E. zinniiflora* Small, *Tithymalopsis arundelana* (Bartlett) Small, misapplied, *T. corollata* (L.) Klotzsch & Garcke, *T. marilandica* (Greene) Small, misapplied, *T. paniculata* (Ell.) Small, *T. zinniiflora* (Small) Small) **DC, MD, VA.**

cyathophora Murray - fire-on-the-mountain. (*E. heterophylla* L., misapplied.) **MD:** Prince Georges Co. (*F.J. Hermann 19352*, 1963). Escape, from south.

cyparissias L. - cypress spurge, graveyard-weed. (*Tithymalus cyparissias* (L.) Hill) **DC, MD, VA** (Atlas). Naturalized.

dentata Michx. - toothed spurge. (*Poinsettia dentata* (Michx.) Klotsch & Garcke) **MD, VA.**

esula L. - leafy spurge. (*E. intercedens* Podp.) **MD:** Baltimore City, Canton (Reed 1964), W-B Area (FJH 1946). Waif.

falcata L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

helioscopia L. - wartweed. **DC** (*F.L. Hunnewell*, 1920), **MD:** Montgomery Co. (*T. Ulke s.n.*, 1937). Naturalized.

herniarifolia Willd. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

hirta L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

humistrata Engelm. - spreading spurge. (*Chamaesyce humistrata* (Engelm.) Small.) **VA:** Fauquier Co. (Atlas). Escape.

hypericifolia L. - (*Chamaesyce glomerifera* Millsp., *E. glomerifera* (Millsp.) L.C. Wheeler) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from south.

hyssopifolia L. - (*Chamaesyce hyssopifolia* (L.) Small) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from south.

Euphorbia - cont.

ipecacuanhae L. - wild ipecac, ipecac spurge. (*E. arundelana* Bartlett (US syntype: *H.H. Bartlett* 1955, 1910, Laurel, MD), *E. marilandica* Greene, *Tithymalopsis arundelana* (Bartlett) Small, *T. ipecacuanhae* (L.) Small, *T. marilandica* (Greene) Small) **DC, MD.**

lathyris L. - caper spurge, mole-plant. **MD, VA:** Fauquier Co. (Atlas). Escape.

maculata L. - spotted spurge, milk-purslane. (*Chamaesyce maculata* (L.) Small, *C. supina* (Raf.) Moldenke, *E. nutans* Lag., misapplied., *E. supina* Raf.) **DC, MD, VA.**

marginata Pursh - snow-on-the-mountain. (*Dicrophyllum marginatum* (Pursh) Klotsch & Garske) **DC ?** (*T. Ulke s.n.*, 1932, Decatur Street dump), **MD:** Montgomery Co., Little Falls (*D.L. Topping s.n.*, 1895), **VA** (Atlas). Escape.

nutans Lag. - eyebane. (*Chamaesyce hypericifolia* (L.) Millsp., misapplied, *C. maculata* L., misapplied, *C. nutans* (Lag.) Small, *C. preslii* (Guss.) Arthur, *E. hypericifolia* L., misapplied, *E. maculata* L., misapplied, *E. preslii* Guss.) **DC, MD, VA.**

polygonifolia L. - seaside spurge. (*Chamaesyce polygonifolia* (L.) Small) **MD, VA.**

prostrata Aiton - (*Chamaesyce prostrata* (Aiton) Small, *E. chamaesyce* L., misapplied.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964), **VA:** Fauquier Co. (Atlas). Waif, from south.

purpurea (Raf.) Fernald - glade spurge, purple spurge. (*E. darlingtonii* A. Gray) **MD:** Carroll Co. (*L.P. Ditman s.n.*, 1929); Baltimore Co. (B&B 1984).

spathulata Lam. - blunt-leaved spurge, prairie spurge, wolf's-milk. (*E. dictyosperma* Fisch. & C.A. Mey., *E. obtusata* Pursh, *Tithymalus dictyosperma* of authors, *T. obtusatus* (Pursh) Klotsch & Garecke) **DC, MD, VA.**

vermiculata Raf. - hairy spurge. (*Chamaesyce vermiculata* (Raf.) House) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964).

Mercurialis

annua L. - herb-mercury. **DC** (*E.S. Steele s.n.*, "About 1900" [1916, see H&S]), **MD:** Baltimore City (*D.B. Sollers s.n.*, 1890). Waif.

Phyllanthus

carolinensis Walter - Carolina leaf-flower. **DC, MD, VA.**

Ricinus

communis L. - castor-bean, castor-oil-plant. **DC.** Escape, not persisting.

FABACEAE The Legume Family**Acacia**

constricta Benth. - mescat acacia. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

Aeschynomene

americana L. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

virginica (L.) BSP. - sensitive joint-vetch, northern joint-vetch. **MD, VA.**

Albizia

julibrissin Durazz. - mimosa, silk-tree. **DC, MD, VA** (Atlas). Escape. Genus *Albizia* placed in Mimosaceae by some.

Amorpha

fruticosa L. - false indigo. **DC, MD**: Baltimore Co. (W.D. Longbottom 3129, 1992); Prince George's Co., Beltsville (Terrell et al. 1999), **VA**: Fairfax Co., Mason Neck (*Nicolson et al. 4025*, 1967).

Also in cultivation and apparently is only an escape in MD (B&B 1972).

Amphicarpa

bracteata (L.) Fern. - hog-peanut. (*A. pitcheri* T. & G., *Falcata comosa* (L.) Kuntze, *F. pitcheri* (T. & G.) Kuntze) **DC, MD, VA.**

Apios

americana Medik. - common groundnut, wild bean. (*Glycine apios* L.) **DC, MD, VA.**

Arachis

hypogaea L. - peanut. **DC**. Occasional escape, not persisting.

Astragalus

canadensis L. - Canada milk-vetch, rattle-vetch. (*Astragalus carolinianus* L.) **DC, MD, VA.**

distortus T. & G. - bent milk-vetch, Ozark milk-vetch. **MD**: Montgomery Co. (*O.M. Freeman s.n.*, 1939).

hamosus L. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Baptisia

australis (L.) R. Br. - blue false indigo. **DC, MD, VA.**

tinctoria (L.) R. Br. ex W. T. Aiton - wild indigo, yellow wild indigo, rattleweed. **DC, MD, VA.**

Cajanus

cajan (L.) Millsp. - cajan, catjang, catjang pea, pigeon pea, Congo pea. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

scarabaeoides (L.) Thouars - (*Cantharospermum scarabaeoides* (L.) Baill.) **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Centrosema

virginianum (L.) Benth. - spurred butterfly-pea. **MD, VA.**

Cercis

canadensis L. - redbud, Judas-tree. **DC, MD, VA.** Genus *Cercis* placed in Caesalpiniaceae by some.

Chamaecrista

fasciculata (Michx.) Greene - partridge-pea. (*Cassia chamaecrista* L. misapplied(?), *C. fasciculata* Michx.) **DC, MD, VA.** Genus *Chamaecrista* placed in Caesalpiniaceae by some.

nictitans (L.) Moench - sensitive-pea, small-flowered partridge-pea. (*Cassia nictitans* L.) **DC, MD, VA.**

Cicer

arietinum L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Clitoria

mariana L. - butterfly-pea. **DC, MD, VA.**

Coronilla

cretica (L.) Millsp. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

varia L. - crown-vetch. **DC, MD, VA.** Escape. Only DC specimen (*P. Fleming* 285, 1986) is from a planting, but species undoubtedly has escaped in DC also.

Crotalaria

pumila Ortega - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from south.

sagittalis L. - rattlebox. **DC, MD, VA.**

spectabilis Roth. - showy rattlebox. **VA:** Stafford Co. (Atlas). Waif.

Cytisus

scoparius (L.) Link - Scotch-broom **DC, MD** (Reed 1964; B&B 1972), **VA** (Atlas). Escape.

Dalea

brachystachya A. Gray - (*D. lemmontii* Parry ex A. Gray, *Parosela brachystachya* (Parry ex A. Gray) A. Heller) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

carthagenaensis (Jacq.) F. MacBr. - (*Parosela floridana* Rydb.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Desmanthus

illinoensis (Michx.) MacMill. - bundleflower, prairie-mimosa, prickle-weed. **DC** (*P. Fleming* 981, 1988). Waif, from west. Genus *Desmanthus* placed in Mimosaceae by some.

Desmodium

canadense (L.) DC. - Canada tick-trefoil. (*Meibomia canadensis* (L.) Kuntze) **MD, VA.**

canescens (L.) DC. - hoary tick-trefoil. (*Meibomia canescens* (L.) Kuntze) **DC, MD, VA.**

ciliare (Muhl. ex Willd.) DC. - hairy small-leaved tick-trefoil. (*D. lineatum* DC, misapplied in FJH 1946., *D. obtusum* (Muhl. ex Willd.) DC., misapplied, *Meibomia arenicola* Vail, misapplied, *M. ciliaris* (Muhl. ex Willd.) Blake, *M. obtusa* (Muhl. ex Willd.) Vail, misapplied) **DC, MD, VA.**

Desmodium - cont.

cuspidatum (Muhl. ex Willd.) DC. ex Loudon - big tick-trefoil. (*D. bracteosum* (Michx.) DC., *D. grandiflorum* (Walter) DC., *Meibomia bracteosa* (Michx.) Kuntze, *M. grandiflora* (DC.) Kuntze) **DC, MD, VA.**

fernaldii B.G. Schub. - Fernald's tick-trefoil. (*D. rhombifolium* Vail, in part) **MD:** Prince George's Co. (*L.B. Smith 5124, 1950*), **VA:** Fauquier Co. (*H.A. Allard 1027, 1935*).

glabellum (Michx.) DC. - (*D. dillenii* Darl., in large part, *D. humifusum* (Muhl. ex Bigelow) Beck, misapplied in FJH 1946., *D. perplexum* B.G. Schub., *Meibomia dillenii* (Darl.) Kuntze, in large part, *M. glabella* (Michx.) Kuntze) **DC, MD, VA.** Sometimes included in *D. paniculatum* along with *D. dillenii* and *D. perplexum*.

glutinosum (Muhl. ex Willd.) Wood - pointed-leaved tick-trefoil, cluster-leaf tick-trefoil. (*D. acuminatum* (Michx.) DC., *D. grandiflorum* (Walter) DC., *Meibomia acuminata* (Michx.) Blake, *M. grandiflora* (Walter) Blake) **DC, MD, VA.**

laevigatum (Nutt.) DC. - smooth tick-trefoil. (*Meibomia laevigata* (Nutt.) Kuntze) **DC, MD, VA.**

marilandicum (L.) DC. - small-leaved tick-trefoil, Maryland tick-trefoil. (*Meibomia marilandica* (L.) Kuntze) **DC, MD, VA.**

nudiflorum (L.) DC. - naked-flowered tick-trefoil. (*Meibomia nudiflora* (L.) Kuntze) **DC, MD, VA.**

obtusum (Muhl. ex Willd.) DC. - stiff tick-trefoil. (*D. rigidum* (Elliott) DC., *Meibomia rigida* (Elliott) Kuntze) **DC, MD, VA.** Not all recent authors are convinced *D. obtusum* and *D. rigidum* are same species (e.g., Gleason & Cronquist 1991).

ochroleucum M.A. Curtis ex Canby - white tick-trefoil. (*Meibomia ochroleuca* (M.A. Curtis ex Canby) Kuntze) **DC.** Three 1882 specimens.

paniculatum (L.) DC. - paniced tick-trefoil. (*Meibomia paniculata* (L.) Kuntze) **DC, MD, VA.**
pauciflorum (Nutt.) DC. - few-flowered tick-trefoil. (*Meibomia pauciflora* (Nutt.) Kuntze) **DC:** Pierce Mill (*L.F. Ward s.n., 1878*), **MD:** Harford Co., Conowingo (B&B 1984), **VA:** Ward's specimen, cited by H&S, is doubtfully this species; identity of both VA specimens also debatable.

rotundifolium DC. - prostrate tick-trefoil, round-leaved tick-trefoil. (*Meibomia michauxii* Vail, *M. rotundifolia* (DC.) Kuntze) **DC, MD, VA.**

sessilifolium (Torr.) Torr. & A. Gray - sessile-leaved tick-trefoil. (*Meibomia sessilifolia* (Torr.) Kuntze) **MD:** Baltimore Co. (B&B 1984), **VA** (*Freeman & Freeman s.n., 1921*).

strictum (Pursh) DC. - stiff tick-trefoil, pine barrens tick-trefoil. (*Meibomia stricta* (Pursh) Kuntze) **VA:** King George Co. (Atlas).

Desmodium - cont.

tenuifolium Torr. & A. Gray - narrow-leaved tick-trefoil. (*Meibomia tenuifolia* (Torr. & A. Gray) Kuntze) **VA**: King George Co. (Atlas).

viridiflorum (L.) DC. - velvety tick-trefoil. (*D. nuttallii* (Schindl.) B.G. Schub., *Meibomia nuttallii* Schindl., *M. viridiflora* (L.) Kuntze) **DC, MD, VA**.

Dolichos

lablab L. - hyacinth-bean, Egyptian bean. **DC, MD**: Baltimore and ?Montgomery cos. (B&B 1984). Escape, not persisting.

Galactia

regularis (L.) Britton - trailing milk-pea. **DC, MD, VA** (Atlas).

volubilis (L.) Britton - hairy milk-pea. **DC, MD, VA**.

Galega

officinalis L. - goat's-rue. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Genista

tinctoria L. - dyer's greenweed. **DC** (*E.S. Steele s.n.*, 1913). Escape.

Gleditsia

triacanthos L. - honey-locust. **DC, MD, VA**. Often planted and widely escaped. Probably many of US specimens from planted trees. Genus *Gleditsia* placed in Caesalpiniaceae by some.

Glycine

max (L.) Merr. - soybean. (*Glycine soja* Siebold & Zucc.) **MD**: Baltimore City, Canton, ore piles (Reed 1964), **VA**: Fairfax Co. (*H.G. Deignan 1134*, 1946). Escape, not persisting.

Indigofera

trifoliata L. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Lathyrus

aphaca L. - yellow vetchling. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

hirsutus L. - singletary pea, rough pea. **VA** (Atlas). Waif.

inconspicuus L. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

latifolius L. - everlasting pea, perennial pea. **DC, MD, VA**. Escape.

palustris L. - vetchling, marsh pea. (*Lathyrus myrtifolius* Muhl. ex Willd.) **DC** ?: Eastern Branch (3 pre-1900 specimens), **MD**: Harford Co. (*B.W. Steury 980807.2*, 1998), **VA**: Stafford Co. (Atlas).

sativus L. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

venosus Muhl. ex Willd. - veiny pea, forest pea. **DC, MD, VA**.

Lens

culinaris Medik. - lentil. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Lespedeza

angustifolia (Pursh) Elliott - narrow-leaved bush-clover. **MD:** Prince George's Co. (*E.S. Steele s.n.*), **VA** (Atlas).

bicolor Turcz. - Japanese bush-clover. **MD, VA.** Escape.

capitata Michx. - bush-clover, round-headed bush-clover. **DC, MD, VA.**

cuneata (Dum. Cours) G. Don - Chinese lespedeza. **DC, MD, VA.** Naturalized.

hirta (L.) Hornem. - hairy bush-clover. (*L. x oblongifolia* (Britton) W. Stone) **DC, MD, VA.**

intermedia (S. Watson) Britton - (*L. frutescens* (L.) Elliott, misapplied) **DC, MD, VA.**

x nuttallii Darl. - Nuttall's bush-clover. (*L. hirta x intermedia.*) **DC, MD, VA.**

procumbens Michx. - trailing bush-clover. **DC, MD, VA.**

repens (L.) Barton - creeping bush-clover. **DC, MD, VA.**

stipulacea Maxim. - Korean clover, Korean lespedeza. (*Kummerowia stipulacea* (Maxim.) Makino) **DC, MD, VA.** Naturalized.

striata (Thunb.) Hook. & Arn. - Japanese clover, Japanese bush-clover, Japanese lespedeza. (*Kummerowia striata* (Thunb.) Schindl.) **DC, MD, VA.** Naturalized.

stuevei Nutt. - Stueve's bush-clover, velvety lespedeza. **DC, MD, VA** (Atlas).

thunbergii (DC.) Nakai - Japanese bush-clover. (*L. sieboldii* Miq.) **MD:** Prince George's Co., Riverdale (*H.D. House 1616*, 1905), **VA:** Fauquier Co., Wildcat Mountain Preserve (*R.B. Peacock 425*, 1962). Escape. Identification of VA specimen somewhat doubtful; possibly *L. bicolor*.

violacea (L.) Pers. - violet bush-clover. **DC, MD, VA.**

virginica (L.) Britton - Virginia bush-clover, slender bush-clover. **DC, MD, VA.**

Lotus

corniculatus L. - birdsfoot-trefoil. **DC, MD, VA.** Escape.

Lupinus

perennis L. - wild lupine, sundial lupine. **DC, MD, VA.**

polyphyllus Lindl. - large-leaved lupine. **MD:** Prince Georges Co. (*W.W. Eggleston 21401*, 1927). Waif.

Medicago

arabica (L.) Huds. - spotted medick. **DC** (H&S). Waif.

lupulina L. - black medick. **DC, MD, VA.** Widely naturalized.

Medicago - cont.

minima (L.) L. - downy bur-clover. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

orbicularis (L.) Bartal. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

sativa L. - alfalfa. **DC, MD, VA.** Escape.

scutellata (L.) Mill. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Melilotus

albus Medik. - white sweet-clover. **DC, MD, VA.** Naturalized. United with *M. officinalis* (L.) Lam. by some (Kartesz 1994, vol. 1, p. 300).

indicus (L.) All. - **VA:** Westmoreland Co. (Atlas). Waif.

officinalis (L.) Lam. - yellow sweet-clover. **DC, MD, VA.** Naturalized.

Mimosa

pudica L. - sensitive-plant, touch-me-not, action-plant. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif. Genus placed in Mimosaceae by some.

Ononis

campestris G. Koch & Ziz - rest-harrow. (*O. spinosa* L., misapplied.) **MD:** "Collected in Southern Maryland in 1696 or 97."; Baltimore City, Canton (Reed 1964). Waif. Early specimen now in British Museum of Natural History (B&B 1984). The two C.C. Plitt specimens cited by Reed under *O. spinosa* may be in fact *O. repens*.

repens L. - rest-harrow. **MD:** Baltimore City (*C.C. Plitt s.n.*, 1898, *B. Sollers s.n.*, 1890). Waif.

Orbexilum

pedunculatum (Mill.) Rydb. - Sampson's-snakeroot. (*Psoralea psoraliooides* (Walter) Cory) **MD:** "Collected in Southern Maryland before 1700". "Specimen...in British Museum of Natural History" (B&B 1984).

Phaseolus

polystachyos (L.) Britton - wild bean. **DC, MD, VA.**

vulgaris L. - **DC:** garbage dump (*J.B.S. Norton s.n.*, 1915). Escape, not persisting.

Pisum

fulvum Sibth. & Sm. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Pueraria

lobata (Willd.) Ohwi - kudzu-vine. (*P. thunbergiana* (Siebold & Zucc.) Benth.) **DC, MD** (inferred from B&B 1984), **VA.** Naturalized. Spreading and very invasive.

Rhynchosia

difformis (Elliott) DC. - (*R. tomentosa* (L.) Hook. & Arn., misapplied) **VA:** Lancaster Co. (Atlas).

Rhynchosia - cont.

tomentosa (L.) Hook. & Arn. - (*Dolicholus erectus* (Walter) Vail, *R. erecta* (Walter) DC.) **DC, MD:** Prince George's Co. (G.H. Shull 263, 1902).

Robinia

hispida L. - bristly locust, rose-acacia. **MD:** Prince George's Co. (E.T. Wherry s.n., 1928), **VA.** Escape.

pseudoacacia L. - black locust. **DC, MD, VA.**

Schrankia

nuttallii (DC.) Standl. - cat-claw. (*Leptoglottis nuttallii* DC., *S. microphylla* (Dryand.) J.F. Macbr., misapplied, *S. uncinata* Willd., misapplied) **DC:** Benning (R.F. Griggs s.n., 1936). Waif.

Senna

bauhinoides (A. Gray) H.S. Irwin & Barneby - two-leaved senna. (*Cassia bauhinoides* A. Gray) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

hebecarpa (Fernald) H.S. Irwin & Barneby - northern wild senna. (*Cassia hebecarpa* Fernald, *C. marilandica* L., misapplied, *C. nictitans* var. *hebecarpa* Fernald) **DC, MD, VA.** Genus *Senna* placed in Caesalpiniaceae by some.

italica Mill. - two-leaved senna. (*Cassia obovata* Collad.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

marilandica (L.) Link - southern wild senna. (*Cassia marilandica* L., *C. medsgeri* Shafer) **DC, MD,** **VA.**

obtusifolia (L.) H.S. Irwin & Barneby - sickle-pod. (*Cassia tora* L., misapplied, *Senna tora* (L.) Roxb., misapplied) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964, as *Cassia tora*), **VA** (Atlas). Waif. MD specimens may be closely related to *S. tora*.

Sesbania

exaltata (Raf.) Ryd. ex A.W. Hill - sesban, Colorado River hemp. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from south or southwest.

Strophostyles

helvula (L.) Elliott - annual wooly-bean, trailing wild bean. **DC, MD, VA.**

leiosperma (T. & G.) Piper - small-flowered wooly-bean. **MD:** Prince George's Co., Bladensburg (3 collections, 1944-46).

umbellata (Muhl. ex Willd.) Britton - perennial wooly-bean. **DC, MD, VA.**

Stylosanthes

biflora (L.) B.S.P. - pencil-flower. (*S. elatior* Sw., *S. riparia* Kearney) **DC, MD, VA.**

Tephrosia

purpurea (L.) Pers. - (*Cracca purpurea* L.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif. Possibly, this should be *T. acutissima* Shuttlew. ex Chapman, to which *T. purpurea* has been misapplied.

spicata (Walter) T. & G. - southern goat's-rue. (*Cracca spicata* (Walter) Kuntze) **VA:** Lancaster Co. (Atlas).

virginiana (L.) Pers. - goat's-rue, catgut. (*Cracca virginiana* L.) **DC, MD, VA.**

Thermopsis

villosa (Walter) Fernald & B.G. Schub. - Blue Ridge-buckbean. (*T. caroliniana* M.A. Curtis) **MD:** Prince George's Co., Beltsville (*F.J. Hermann 11837*, 1954). Escape.

Trifolium

arvense L. - rabbit-foot clover. **DC, MD, VA.** Widely naturalized.

aureum Pollich - hop clover, palmate hop clover, yellow clover. (*T. agrarium* L., in part, perhaps misapplied) **DC, MD, VA.** Widely naturalized.

campestre Schreb. - low hop clover, pinnate hop clover. (*T. procumbens* L., misapplied) **DC, MD, VA.** Widely naturalized.

dubium Sibth. - small hop clover, low hop clover. **DC, MD, VA.** Widely naturalized.

hybridum L. - alsike clover. **DC, MD, VA.** Widely naturalized.

incarnatum L. - crimson clover. **DC, MD, VA.** Escape.

medium L. - zigzag clover. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999). Escape.

pratense L. - red clover. **DC, MD, VA.** Widely naturalized.

reflexum L. - buffalo clover. **DC, MD, VA.**

repens L. - white clover. **DC, MD, VA.** Widely naturalized.

resupinatum L. - reversed clover. **DC** (*C.H. Marvin, Jr. s.n.*, 1932), **MD:** Prince George's Co. (B&B 1984), **VA:** Fairfax Co. (*F.R. Fosberg 19006*, 1942), Fauquier Co. (*F.R. Fosberg 65441*, 1988). Waif.

virginicum Small ex Small & Vail - Kate's Mountain clover, shale-barren clover. **VA** (Atlas).

Trigonella

caerulea (L.) Ser. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

foenum-graecum L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

monspeliaca L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

polycarpa Boiss. ex Heldr. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Vicia

caroliniana Walter - pale vetch, wild vetch, wood vetch. **DC, MD, VA.**

Vicia - cont.

cracca L. - bird vetch, tufted vetch, Canada-pea. **MD:** Baltimore Co. (?), Oakland (*J.D. Smith s.n.*, 1884), **VA** (Atlas). Naturalized.

ervilia (L.) Willd. - Locality? (FJH 1946). Waif. Basis of record in FJH unknown.

faba L. - broad-bean. **MD:** Prince George's Co., Hyattsville (*Mrs. E.S. Steele s.n.*, 1907). Waif.

grandiflora Scop. - bigflower vetch. **MD, VA** (Atlas). Waif.

hirsuta (L.) Gray - tiny vetch. **DC, VA** (Atlas). Waif.

lathyroides L. - spring vetch. **VA** (Atlas). Waif.

narbonensis L. - narbonne vetch, French vetch. **DC:** Chevy Chase Circle (*A.K. Fisher s.n.*, 1900), **MD:** Chevy Chase Lake (*Maxon & Standley 299*, 1916). Waif. Both specimens as *V. onobrychoides* L.; see also B&B (1984).

peregrina L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

sativa L. - common vetch, spring vetch. (Including *V. angustifolia* L.) **DC, MD, VA.** Naturalized.

tetrasperma (L.) Schreb. - four-seed vetch. **DC, MD, VA.** Naturalized.

villosa Roth - hairy vetch. (Including *V. dasycarpa* Ten.) **DC, MD, VA.** Naturalized.

Vigna

mungo (L.) Hepper - urd, black gram. (*Phaseolus mungo* L.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

unguiculata (L.) Walp. - cow-pea, black-eyed-pea. (*V. catjang* (L.) Walp. ex L., *V. sinensis* (L.) Savi ex Hassk.) **DC, MD** (inferred from B&B 1984), **VA.** Escape, not persisting.

Wisteria

floribunda (Willd.) DC. - Japanese wisteria. (*Rehsonia floribunda* (Willd.) Stritch) **DC** (*P. Fleming 227*, 1986), **VA** (Atlas). Escape.

macrostachya (T. & G.) Nutt. ex B.L. Rob. & Fernald - Mississippi wisteria. **MD:** Prince George's Co. (*F.J. Hermann 14333*, 1958), **VA:** Fairfax Co. Escape. Sometimes included in southern *W. frutescens* (L.) Poir.

sinensis (Sims) DC. - Chinese wisteria. (*Rehsonia sinensis* (Sims) Stritch) **DC** (*P. Fleming 1373*, 1992), **VA** (Atlas). Escape.

FAGACEAE The Beech Family**Castanea**

dentata (Marshall) Borkh. - chestnut, American chestnut. **DC, MD, VA.**

Castanea - cont.

pumila Mill. - chinquapin. **DC, MD, VA.** *C. x neglecta* Dode (*P.G. Russell s.n.*, 1916 (MD); *H.A. Allard 12367*, 1947 (VA); see also Nixon 1997) is *C. dentata* *x pumila*.

Fagus

grandifolia Ehrh. - beech, American beech. **DC, MD, VA.**

Quercus

acutissima Carruth. - saw-tooth oak. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999). Escape.

alba L. - white oak. **DC, MD, VA.** Including *Q. x fernowii* Trel. (*Q. x bernardiensis* in sense of FJH, not W. Wolf - *Q. alba* *x stellata*) and *Q. x saulei* C.K. Schneid. (*Q. alba* *x montana*); both hybrids collected in DC, MD, VA. State Tree of Maryland.

bicolor Willd. - swamp white oak. **DC, MD, VA.**

coccinea Münchh. - scarlet oak. **DC, MD, VA.** State Tree of District of Columbia.

falcata Michx. - Spanish oak, southern red oak. (*Q. rubra* in sense of H&S, some other authors.) **DC, MD, VA.** Including *Q. x incomita* Palmer (*Q. falcata x marilandica*) in W-B Area according to FJH (1946), but there are no US specimens.

ilicifolia Wangenh. - scrub oak, bear oak. **MD, VA.**

imbricaria Michx. - shingle oak. **DC, MD, VA.** Frequently hybridizes with *Q. velutina* to form *Q. x leana* Nutt., collected in DC, MD, VA.

lyrata Walter - overcup oak. **MD, VA.**

macrocarpa Michx. - bur oak, mossy-cup oak. **DC** (Steele 1901, p. 60), **VA:** Cameron Run (Ward 1881a). Old literature reports not documented by specimens. Sometimes planted (as noted by H&S) but doubtful if naturalized in the area.

marilandica (L.) Münchh. - blackjack oak. **DC, MD, VA.** Including *Q. x bushii* Sarg. (*Q. marilandica x velutina*) (Simmons et al. 1995) and *Q. x rudkinii* Britton (*Q. marilandica x phellos*) (see US collections), both known from VA. Many US specimens appear to be hybrids with other species.

michauxii Nutt. - swamp chestnut oak, basket oak. (*Q. prinus* L., in part (cf. *Q. montana*)) **MD, VA.** Difficult to distinguish from *Q. montana* without acorns and often confused with it.

montana Willd. - chestnut oak, mountain chestnut oak, rock chestnut oak. (*Q. x bernardiensis* W. Wolf. (*Q. montana x stellata*)) **DC, MD, VA.** Often called *Q. prinus*, a confused name (Nixon & Muller 1997).

muhlenbergii Engelm. - yellow oak, chestnut oak, chinquapin oak. (*Q. acuminata* (Michx.) Sarg., *Q. prinoides* var. *acuminata* (Michx.) Gleason) **DC, MD, VA.**

nigra L. - water oak. **DC** (*P. Fleming 2513*, 1991), **VA:** Lancaster Co. (*L.B. Smith 5531*, 1951).

Quercus - cont.

pagoda Raf. - swamp Spanish oak, cherrybark oak. (*Q. falcata* var. *pagodifolia* Elliott) **VA**: King George Co. (Simmons et al. 1995).

palustris Münchh. - pin oak. **DC, MD, VA**.

phellos L. - willow oak. **DC, MD, VA**. Frequently hybridizes with *Q. rubra* to form *Q. x heterophylla* F. Michx., known from DC, MD, VA.

prinoides Willd. - chinquapin oak, dwarf chestnut oak, scrub chestnut oak. **DC, MD, VA** (Atlas).

rubra L. - northern red oak. (*Q. borealis* F. Michx., *Q. maxima* (Marshall) Ashe) **DC, MD, VA**.

shumardii Buckley - Shumard oak. **MD** (inferred from B&B 1972), **VA** (Atlas).

stellata Wangenh. - post oak. (*Q. minor* (Marshall) Sarg., *Q. obtusiloba* Michx.) **DC, MD, VA**.

velutina Lam. - black oak. **DC, MD, VA**.

FUMARIACEAE *The Fumitory Family***Adlumia**

fungosa (Aiton) Greene ex B.S.P. - climbing fumitory, Allegheny-vine. **MD**: Baltimore Co. (B&B 1984).

Corydalis

flavula (Raf.) DC - yellow fumewort, pale corydalis, yellow corydalis, short-spurred corydalis. (*Capnoides flavulum* (Raf.) Kuntze) **DC, MD, VA**.

semperflorens (L.) Pers. - pink corydalis, pale corydalis, tall corydalis. **MD**: Frederick Co. (*E. Baltars* 360, 1957), **VA**: Fauquier Co. (*H.A. Allard* 7415, 1939).

Dicentra

canadensis (Goldie) Walp. - squirrel-corn. (*Bicuculla (Bikukulla) canadensis* (Goldie) Millsp.) **MD, VA**.

cucullaria (L.) Bernh. - Dutchman's-breeches. (*Bicuculla (Bikukulla) cucullaria* (L.) Millsp.) **DC, MD, VA**.

eximia (Ker-Gawl.) Torr. - eastern wild bleeding-heart. (*Bicuculla (Bikukulla) eximia* (Goldie) Millsp.) **VA** (Atlas).

Fumaria

officinalis L. - fumitory. **DC, MD, VA** (Atlas). Waif.

Hypocotyl

pendulum L. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

GENTIANACEAE *The Gentian Family***Bartonia**

paniculata (Michx.) Muhl. - screw-stem. **DC, MD, VA.**

virginica (L.) B.S.P. - yellow bartonia. **DC, MD, VA** (Atlas).

Centaurium

erythraea Rafn - centaury, forking centaury. (*C. umbellatum* Gilib., misapplied, *Erythraea centaurium* (L.) Pers., misapplied) **VA**: Arlington Co.. Escape.

pulchellum (Sw.) Druce - branching centaury. (*Erythraea pulchella* (Sw.) Hayek) **MD**: St. Mary's Co. (*E. Cohen 3*, 1994). Naturalized.

Gentiana

andrewsii Griseb. - closed gentian, bottle gentian, prairie closed gentian, prairie bottle gentian. **MD** (B&B 1984), **VA**. Relationship to *G. clausa* Raf. in Washington-Baltimore Area needs study.

catesbaei Walter - Catesby's gentian, coastal plain gentian. **MD**: Prince George's Co. (*E.C. Leonard 20244*, 1946). Probable identification by James S. Pringle, 1963.

clausa Raf. - closed gentian, bottle gentian, meadow closed gentian, meadow bottle gentian. (*G. andrewsii* Griseb., in part, of H&S (see McAtee 1930, p. 32)) **DC**: Bennings (*F. Blanchard s.n.*, 1891), **MD**: Montgomery Co., Garrett Park (*D.L. Topping s.n.*, 1896), **VA**.

saponaria L. - soapwort gentian. **DC, MD, VA.**

villosa L. - striped gentian, Sampson's-snakeroot. (*G. ochroleuca* Froel.) **DC, MD, VA.**

Gentianopsis

crinita (Froel.) Ma - fringed gentian. (*G. crinita* Froel.) **MD**: Baltimore Co., Soldier's Delight.

Obolaria

virginica L. - pennywort. **DC, MD, VA.**

Sabatia

angularis (L.) Pursh - common marsh-pink, rose-pink, bitter-bloom. **DC, MD, VA.**

campanulata (L.) Torr. - slender marsh-pink. **VA**: Arlington and Fairfax cos..

dodecandra (L.) B.S.P. - large sea-pink, large marsh-pink, perennial sea-pink. **MD, VA**: Prince William Co. (*T. Ulke s.n.*, 1910).

stellaris Pursh - annual sea-pink, marsh-pink. **MD, VA.**

GERANIACEAE *The Geranium Family***Erodium**

cicutarium (L.) L'Her. ex Aiton - heron's-bill, stork's-bill, red-stem filaree. **DC, MD, VA.** Naturalized.

Geranium

bicknellii Britton - Bicknell's cranesbill. **VA:** Arlington Co. (McAtee 1930, p. 29).

carolinianum L. - Carolina cranesbill. **DC, MD, VA.**

columbinum L. - long-stalked cranesbill, dove's-foot. **DC, MD, VA.** Naturalized.

dissectum L. - cut-leaved cranesbill. **DC:** "Waste land" (*S.F. Blake* 4926, 1913), **MD:** Montgomery Co. (*J.B.S. Norton s.n.*, 1916), **VA** (Atlas). Waif.

ibericum Cav. - Iberian cranesbill. (*G. nepalense* Sweet var. *thunbergii* (Lindl. & Paxton) Kudo, misapplied.) **MD:** Baltimore Co. (B&B 1984). Waif.

maculatum L. - wild geranium, wild cranesbill. **DC, MD, VA.**

molle L. - dove's-foot cranesbill. **DC, MD, VA** (Atlas). Naturalized.

pusillum L. - small-flowered cranesbill. **DC** (1878, collector?), **MD:** Prince Georges Co., Bladensburg (5 old collections); Beltsville (Terrell et al. 1999), **VA:** Fairfax Co. (Atlas). Waif.

rotundifolium L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

sibiricum L. - Siberian cranesbill. **MD:** Baltimore Co. (1952, 1956). Waif.

HALORAGACEAE *The Water-milfoil Family*

Myriophyllum

aquaticum (Vell.) Verdc. - parrot's-feather. (*M. brasiliense* Cambess., *M. proserpinacoides* Gillies ex Hook. & Arn.) **DC** (H&S), **MD, VA** (Atlas). Escape. Reported as introduction in DC by H&S.

heterophyllum Michx. - variable water-milfoil. **VA:** Deep Creek, King George or Lancaster Co.? (*E.B. Harger s.n.*, 1900).

sibiricum Kom. - common water-milfoil. (*M. exalbescens* Fernald, *M. spicatum* L., misapplied, *M. spicatum* var. *exalbescens* (Fernald) Jeps.) **MD:** Baltimore Co. (*G.H. Shull* 327, 1902), **VA:** *M. spicatum* in part? (Atlas). Local status? Not distinguished as separate species from *M. spicatum* by B&B or Atlas.

spicatum L. - European water-milfoil, Eurasian water-milfoil. (*M. exalbescens* Fernald, misapplied, *M. spicatum* var. *exalbescens* (Fernald) Jepson, misapplied.) **MD, VA.** Naturalized.

Proserpinaca

palustris L. - mermaid-weed. **DC, MD, VA.**

pectinata Lam. - coastal plain mermaid-weed, cut-leaved mermaid-weed. **MD:** Calvert or Carroll Co., Chesapeake Beach (*F.W. Pennell* 2526, 1910), **VA:** King George Co. (Atlas).

HAMAMELIDACEAE *The Witch-hazel Family***Hamamelis****virginiana** L. - witch-hazel. **DC, MD, VA.****Liquidambar****styraciflua** L. - sweet-gum, red-gum. **DC, MD, VA.**HIPPOCASTANACEAE *The Horse-chestnut Family***Aesculus****flava** Aiton - sweet buckeye. (*A. octandra* Marshall) **DC, MD.** Escape. Saplings and seedlings near planted trees.HYDROPHYLACEAE *The Waterleaf Family***Ellisia****nyctelea** L. - water-pod, ellisia (*Nyctelea ambigua* (Nutt.) Standl.) **DC, MD, VA.****Hydrophyllum****canadense** L. - broad-leaved waterleaf, maple-leaved waterleaf. **MD, VA.****virginianum** L. - Virginia waterleaf, eastern waterleaf. **DC, MD, VA.****Nama****hispidum** A. Gray - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.**Nemophila****aphylla** (L.) Brummitt - nemophila. (*N. microcalyx* (Nutt.) Fisch. & C.A. Mey., *N. triloba* (Raf.) Thieret) **MD:** Prince George's Co. (Fleming, Lobstein & Tufty 1995, p. 104, 109), **VA:** Stafford Co. (*L.B. Smith et al. 4740*, 1949).**Phacelia****dubia** (L.) Trel. - small-flowered phacelia, Appalachian phacelia. **DC, MD, VA.****purshii** Buckley - Miami-mist, Pursh's phacelia. **DC** (*T.H. Kearney s.n.*, 1897), **MD, VA:** Arlington Co. (*T. Holm s.n.*, 1890). Many specimens from MD.**ranunculacea** (Nutt.) Constance - Coville's phacelia, buttercup phacelia. (*P. covillei* S. Watson (Isotype: *F.V. Coville s.n.*, 1889, Larkspur Island [Montgomery Co., MD], US42482)) **DC, MD, VA.**HYPERICACEAE *The St. John's-wort Family***Hypericum****canadense** L. - Canadian St. John's-wort. (*H. x dissimilatum* E.P. Bicknell) **DC, MD, VA.**

Hypericum - cont.

crux-andreae L. - St. Peter's-wort. (*Ascyrum crux-andreae* L., *A. stans* Michx. ex Willd., *H. stans* (Michx. ex Willd.) P.B. Adams & N. Robson) **DC, MD, VA:** Northumberland Co. (Atlas).

densiflorum Pursh - glade St. John's-wort. **DC, MD, VA.**

denticulatum Walter - coppery St. John's-wort. **MD** Prince George's Co., Laurel (McAtee 1930, p. 30).

gentianoides (L.) B.S.P. - orange-grass, pineweed. (*Sarothra gentianoides* L.) **DC, MD, VA.**

gymnanthum Engelm. & A. Gray - hidden-flower St. John's-wort. **MD:** St. Mary's Co. (*Leonard & Leonard* 6708, 1928), **VA** (Atlas).

hypericoides (L.) Crantz - St. Andrew's-cross. (*Ascyrum hypericoides* L., *H. stragulum* P.B. Adams & N. Robson) **DC, MD, VA.**

mutilum L. - small-flowered St. John's-wort, dwarf St. John's-wort. (*H. majus* (Gray) Britt.) **DC, MD,** **VA.**

perforatum L. - common St. John's-wort. **DC, MD, VA.** Naturalized.

prolificum L. - shrubby St. John's-wort. (*H. spathulatum* (Spach) Steud.) **DC, MD, VA.**

punctatum Lam. - dotted St. John's-wort, spotted St. John's-wort. (*H. denticulatum* Walter, misapplied) **DC, MD, VA.**

Triadenum

virginicum (L.) Raf. - marsh St. John's-wort. (*Elodea virginica* Nutt. ex T. & G., *H. virginicum* L.) **DC, MD, VA.**

walteri (J.F. Gmel.) Gleason - larger marsh St. John's-wort. (*H. petiolatum* Walter, not L., *H. tubulosum* Walter var. *walteri* (J.F. Gmel.) Lott, *Triadenum petiolatum* (Walter) Britton, *Triadenum tubulosum* (Walter) Gleason var. *walteri* (J.F. Gmel.) Cooper.) **MD, VA.**

JUGLANDACEAE The Walnut Family**Carya**

cordiformis (Wangenh.) K. Koch - bitternut, bitternut hickory. (*C. amara* Nutt., *C. minima* (Marshall) B.S.P., *Hicoria cordiformis* (Wangenh.) Britton, *H. minima* (Marshall) Britton) **DC, MD, VA.**

glabra (Mill.) Sweet - pignut, pignut hickory, sweet pignut, false shagbark. (*C. microcarpa* Nutt., *C. ovalis* (Wangenh.) Sarg., *C. porcina* Nutt., *Hicoria glabra* (Mill.) Britton, *H. microcarpa* (Nutt.) Britton, *H. odorata* (Marshall) Sarg., *H. ovalis* (Wangenh.) Ashe) **DC, MD, VA.**

laciniosa (F. Michx.) Loudon - shellbark hickory, kingnut. (*Hicoria laciniosa* (F. Michx.) Sarg.) **DC:** Rock Creek Park (*P. Fleming* 1253, 1989), **VA:** Fairfax Co. (Atlas). DC tree possibly planted.

Carya - cont.

ovata (Mill.) K. Koch - shagbark hickory. (*C. alba* K. Koch, in part (confused name), *Hicoria ovata* (Mill.) Britton) **DC**: Rock Creek Park (*P. Fleming* 1267, 1989), **MD** (inferred from B&B 1972), **VA**. Some DC trees probably planted (*P. Fleming* 671, 1987). W-B Area plants var. *ovata* (Stone 1997).

pallida (Ashe) Engl. & Graebn. - pale hickory, sand hickory. (*Hicoria pallida* Ashe) **MD** (inferred from B&B 1972), **VA** (Atlas).

tomentosa (Poirer) Nutt. - mockernut, mockernut hickory. (*C. alba* (L.) K. Koch, in part (confused name, see Stone 1997), *Hicoria alba* (L.) Britton) **DC, MD, VA**.

Juglans

cinerea L. - butternut, white walnut. **DC, MD, VA**.

nigra L. - black walnut. **DC, MD, VA**.

LAMIACEAE *The Mint Family***Agastache**

nepetoides (L.) Kuntze - yellow giant-hyssop, catnip giant-hyssop. **DC, MD, VA**.

scrophulariifolia (Willd.) Kuntze - purple giant-hyssop. **DC** (*E.T. Wherry s.n.*, 1922), **MD** (B&B 1984), **VA** (Atlas).

Ajuga

chamaepitys (L.) Schreb. - yellow bugleweed, ground-pine. **VA**: Westmoreland Co. (Atlas). Escape.

genevensis L. - bugleweed, standing bugle. **MD**: Prince George's Co. (*J.B.S. Norton s.n.*, 1915). Escape.

reptans L. - carpet bugle, creeping bugleweed, bugleweed, bugle. **DC, MD, VA** (Atlas). Escape.

Ballota

nigra L. - black-horehound. **MD**: Baltimore City, Canton (Reed 1964); Calvert Co. (*J.M. Turpin* 258, 1941). Waif.

Blephilia

hirsuta (Pursh) Benth. - woodmint, hairy woodmint. **VA**: Fairfax Co. (Atlas).

Collinsonia

canadensis L. - richweed, horse-balm, citronella. **DC, MD, VA**.

Cunila

origanoides (L.) Britton - dittany. (*C. mariana* L.) **DC, MD, VA**.

Dracocephalum

parviflorum Nutt. - purple lion's-heart, American dragonhead. (*Moldavica parviflora* (Nutt.) Britton) **DC** (*E.S. Steele s.n.*, 1896). Escape.

Glechoma

hederacea L. - gill-over-the-ground, ground-ivy. **DC, MD, VA.** Naturalized.

Hedeoma

hispida Pursh - rough pennyroyal. **VA:** Fauquier Co. (*H.A. Allard 19552*, 1949). Waif, from west.

pulegioides (L.) Pers. - American pennyroyal, pennyroyal. **DC, MD, VA.**

Isanthus

brachiatus (L.) B.S.P. - false pennyroyal. (*Trichostema brachiatum* L.) **DC** (*L.F. Ward s.n.*, 1877), **MD:** Frederick Co. (*E. Baltars 182*, 1949), **VA.**

Lamiastrum

galeobdolon (L.) Ehrend. & Polatschek - yellow archangel. (*Lamium galeobdolon* (L.) L.) **VA:** Fairfax Co. (Atlas). Escape.

Lamium

amplexicaule L. - henbit. **DC, MD, VA.** Naturalized.

maculatum L. - spotted dead-nettle. **MD:** Baltimore Co. (B&B 1984). Escape.

purpureum L. - purple dead-nettle, red dead-nettle. (*L. hybridum* Vill., misapplied) **DC, MD, VA.** Naturalized.

Leonurus

cardiaca L. - common motherwort, motherwort. **DC, MD, VA.** Naturalized.

marrubiastrum L. - horehound motherwort. **DC** (*P. Fleming 1236*, 1989), **VA:** Loudoun Co. (Atlas). Waif.

Lycopus

americanus Muhl. - water-horehound, American water-horehound, cut-leaved water-horehound. **DC, MD, VA.**

amplectens Raf. - sessile-leaved water-horehound. **MD** (inferred from B&B 1984).

europaeus L. - marsh horehound, European water-horehound. **MD.** Naturalized.

rubellus Moench - stalked water-horehound. **DC, MD:** Montgomery Co., Plummers Island (E.P. Killip 32156, 1937), **VA.**

x sherardii E.S. Steele (=*Lycopus virginicus* x *L. uniflorus*) - Sherard's water-horehound. **DC, MD, VA.**

uniflorus Michx. - northern bugleweed, northern water-horehound. **DC** ?: "Kenilworth Swamp" (*E.S. Steele s.n.*, 1897), **MD, VA.**

virginicus L. - bugleweed, Virginia bugleweed, Virginia water-horehound. **DC, MD, VA.**

Marrubium

vulgare L. - horehound, common horehound. **DC** (*L.F. Ward s.n.*, 1876), **MD.** Escape.

Melissa

officinalis L. - common-balm, garden-balm, lemon-balm. **DC, MD, VA.** Escape.

Mentha

aquatica L. - water mint. **MD:** Baltimore City (*E. Baltars* 791, 1956). Escape.

arvensis L. - field mint, wild mint. (*M. canadensis* L.) **DC, MD, VA.** American plants perhaps should be treated as *M. canadensis* L. (see Kartesz 1994, p. 347).

x citrata Ehrh. - lemon mint. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999), **VA:** Fauquier Co. (Atlas). Escape. A sterile derivative of *M. aquatica* x *M. spicata*. Probably should be combined with *M. aquatica*.

x gracilis Sole (=*M. arvensis* x *M. spicata*) - small-leaved mint, red mint, Scotch mint. (*M. cardiaca* J. Gerard ex Baker, *M. x gentilis* L., misapplied) **DC, MD, VA.** Escape.

longifolia (L.) Huds. - horsemint. (*Mentha silvestris* L.) **DC** (*P. Fleming* 1226, 1981), **MD:** Baltimore City, Canton (Reed 1964); Calvert Co. (*E.S. Steele* s.n., 1902). Escape.

x piperita L. (=*M. aquatica* x *M. spicata*) - peppermint. (*M. crispa* L.) **DC, MD, VA.** Naturalized.

pulegium L. - pennyroyal. **MD:** Prince George's Co., College Park (*J.B.S. Norton* s.n., 1932). Waif.

x rotundifolia (L.) Huds. (=*M. longifolia* x *M. suaveolens* Ehrh.) - roundleaf mint. **DC** (*E.S. Steele* 1901, p. 77), **MD:** Baltimore City (*E. Baltars* 636, 1955; see also Reed 1964), **VA:** Fauquier Co. (Atlas). Waif. Perhaps this hybrid and *M. longifolia* belong to *M. suaveolens* Ehrh.

spicata L. - spearmint. (*M. viridis* L.) **DC, MD, VA.** Naturalized.

Monarda

clinopodia L. - basil-balm, basil bee-balm. **DC, MD, VA.**

didyma L. - Oswego-tea, bee-balm. **MD:** Calvert Co., Chesapeake Beach (*C.V. Morton* 2078b, 1930), **VA:** Fairfax Co., Little Falls (*Vasey* s.n., 1873). Doubtful if truly native in W-B Area.

fistulosa L. - wild bergamot. (*M. mollis* L.) **DC, MD, VA.**

media Willd. - purple bergamot. **MD:** Prince George's Co., Ammendale (*Bro. F. Hyacinth* 1654, 1918). Possibly introduced.

punctata L. - horsemint. **DC, MD, VA.**

Nepeta

cataria L. - catnip. **DC, MD, VA.** Naturalized.

Ocimum

basilicum L. - basil. **VA:** Fairfax Co. (*B.G. Fraser* 488, 1941). Escape.

Origanum

vulgare L. - wild marjoram. **MD.** Waif.

Perilla

frutescens (L.) Britton - perilla, beefsteak-plant, perilla-mint. **DC, MD, VA.** Naturalized.

Physostegia

purpurea (Walter) S.F. Blake - purple false dragon-head. (*Dracocephalum denticulatum* Aiton, misapplied, *D. leptophyllum* (Small) Small, *D. purpureum* (Walter) E.M. McClint. ex Gleason, *D. virginianum* L., misapplied, *P. denticulata* (Aiton) Britton, misapplied, *P. leptophylla* Small, *P. virginiana* (L.) Benth., misapplied) DC & vicinity (McAtee 1930, p.51, as *Dracocephalum denticulatum*).

virginiana (L.) Benth. - obedient-plant, obedience. (*Dracocephalum denticulatum* Aiton, *D. virginianum* L., *P. denticulata* (Aiton) Britton, *P. speciosa* (Sweet) Sweet) **DC, MD, VA.** Regarded by Brown & Brown 1984 as an escape in Maryland.

Prunella

laciniata (L.) L. - **DC** (*F.V. Coville s.n.*, 1890). Waif.

vulgaris L. - heal-all, selfheal, carpenter-weed. **DC, MD, VA.**

Pycnanthemum

clinopodioides Torr. & A. Gray - basil mountain-mint. (*Koellia clinopodioides* (Torr. & A. Gray) Kuntze) **DC, MD, VA:** Arlington Co. (*H.W. Henshaw s.n.*, 1886). Only one specimen (*F.H. Sargent 7055*, 1954) since 1900. The only VA specimen was verified by Asa Gray.

flexuosum (Walter) B.S.P. - narrow-leaved mountain-mint. (*Koellia flexuosa* (Walter) MacMill.) **VA:** Fairfax Co. (Atlas).

incanum (L.) Michx. - hoary mountain-mint. (*Koellia incana* (L.) Kuntze, *P. loomisii* Nutt., misapplied, *P. pycnanthemooides* (Leavenw.) Fernald, misapplied) **DC, MD, VA.**

muticum (Michx.) Pers. - blunt mountain-mint. (*Koellia mutica* (Michx.) Kuntze) **DC, MD, VA** (Atlas).

setosum Nutt. - awned mountain-mint. (*Koellia aristosa* (Michx.) Kuntze, *P. aristatum* Michx.) W-B Area (H&S, FJH 1946). Probably not in area (see H&S).

tenuifolium Schrad. - narrow-leaved mountain-mint. (*Koellia flexuosa* (Walter) MacMill., misapplied, *P. flexuosum* (Walter) B.S.P., misapplied, *P. linifolium* Pursh) **DC, MD, VA.**

torreyi Benth. - Torrey's mountain-mint. (*P. verticillatum* (Michx.) Pers., misapplied) **DC, MD, VA** (*P. Dowell 6305*, 1910). One VA specimen.

verticillatum (Michx.) Pers. - verticillate mountain-mint. (*Koellia verticillata* (Michx.) Kuntze) **MD:** Montgomery Co., Plummer's I. (*E.P. Killip 41367*, 1951), **VA:** Fairfax Co. (*H.G. Deignan 1490*, 1947; Atlas).

virginianum (L.) T. Durand & B.D. Jacks. ex B.L. Rob. & Fernald - Virginia mountain-mint. (*Koellia virginiana* (L.) MacMill.) **MD, VA.**

Salvia

lyrata L. - lyre-leaved sage, wild sage. **DC, MD, VA.**

pratensis L. - meadow sage. **MD:** Prince George's Co. (B&B 1984). Waif.

reflexa Hornem. - lance-leaved sage. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.

urticifolia L. - nettle-leaved sage. **DC, MD** (B&B 1984), **VA.** B&B inclusion of W-B Area probably based on FJH 1946, leaving presence of this species in the MD sector unconfirmed.

verbenacea L. - wild sage. **MD:** Prince George's Co. (*Bro. Arsène* 225, 1916). Waif.

Satureja

calamintha (L.) Scheele - basil-thyme. (*Calamintha nepeta* (L.) Savi, *Clinopodium nepeta* (L.) Kuntze, *S. nepeta* (L.) Scheele) **DC, MD, VA.** Naturalized.

vulgaris (L.) Fritsch. - basil, wild basil, field basil. (*Clinopodium vulgare* L.) **DC, MD, VA.**

Scutellaria

elliptica Muhl. ex Spreng. - hairy skullcap. (*S. ovalifolia* Pers., *S. pilosa* Michx., misapplied) **DC, MD, VA.**

galericulata L. - marsh skullcap, common skullcap. (*S. epilobiifolia* A. Ham.) **MD** (B&B 1984). FJH 1946 and B&B reports perhaps based only on Brereton's list (1830), mentioned by H&S; locality unspecified.

incana Biehler - downy skullcap. **MD:** Montgomery Co., Glen Echo. Two old collections (1892, 1896).

integrifolia L. - large-flowered skullcap, larger skullcap, hyssop skullcap. **DC, MD, VA.**

lateriflora L. - mad-dog skullcap. **DC, MD, VA.**

nervosa Pursh - veined skullcap. **DC, MD, VA.**

ovata Hill - heart-leaved skullcap, forest skullcap. **VA:** Fairfax Co.. Two old collections (1915, 1916).

parvula Michx. - small skullcap, little skullcap. (*S. ambigua* Nutt., *S. australis* (Fassett) Epling, *S. leonardii* Epling) **DC, MD, VA.**

saxatilis Riddell - rock skullcap. **MD, VA.**

serrata Andrews - showy skullcap, Allegheny skullcap. **DC, MD, VA.**

Stachys

aspera Michx. - rough hedge-nettle. (*S. ambigua* (Gray) Britton) **DC, MD, VA.** Sometimes united with *S. hyssopifolia*, as, apparently, in Atlas.

clingmanii Small - Clingman's hedge-nettle. **DC:** Potomac Flats (*A. Ruth s.n.*, 1912), **MD, VA?** (Atlas). Included in *S. nuttallii* in Atlas.

Stachys - cont.

eplingii J.B. Nelson - Epling's hedge-nettle. (*S. nuttallii* Shuttlew. ex Benth., misapplied) **VA**. Type locality: Bull Run Mts., Fauquier Co., VA. Type collection: *H.A. Allard 8985, 1941* (US3295375, isotype).

floridana Shuttlew. ex Benth. - **VA**: Fairfax Co. (Atlas). Waif.

hyssopifolia Michx. - hyssop hedge-nettle, hyssop-leaved hedge-nettle. **MD**: Baltimore Co. (*C.C. Plitt s.n.*, 1902), **VA** (Atlas).

longispicata Boiss. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

nuttallii Shuttlew. ex Benth. - Nuttall's hedge-nettle. (*S. cordata* Riddell, *S. latidens* Small ex Britton) **MD** (B&B 1984), **VA** (Atlas). Atlas includes *S. clingmanii* in this species.

palustris L. - woundwort, marsh woundwort, hedge-nettle. **DC, MD**.

recta L. - **DC** (*C.F. Wheeler s.n.*, 1908). Waif.

tenuifolia Willd. - common hedge-nettle, smooth hedge-nettle. (*S. hispida* Pursh) **DC, MD, VA**.

Teucrium

canadense L. - American germander, American wood-sage. **DC, MD, VA**.

laciniatum Torr. - cutleaf germander. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.

Thymus

serpyllum L. - wild thyme, creeping thyme. **MD, VA**: Fauquier Co., Roland (*F.R. Fosberg 65729, 1989*). Escape. Probably not this species (see Kartesz 1994, vol. 1, p. 355).

Trichostema

dichotomum L. - blue-curls. **DC, MD, VA**.

setaceum Houtt. - narrow-leaved blue-curls. (*T. lineare* Walter) **DC** (*D. Foreman s.n.*, 1875), **MD**: Anne Arundel Co., Glen Burnie (*F.H. Knowlton s.n.*, 1897), **VA**: Fauquier Co. (Atlas).

LARDIZABALACEAE *The Lardizabala Family***Akebia**

quinata (Houtt.) Decne. - five-leaf akebia, chocolate-vine. **DC, MD** (B&B 1972), **VA** (Atlas). Escape.

LAURACEAE *The Laurel Family***Lindera**

benzoin (L.) Blume - spicebush. (*Benzoin aestivale* (L.) Nees) **DC, MD, VA**.

Sassafras

albidum (Nutt.) Nees - sassafras, white sassafras. (*S. variifolium* (Salisb.) Kuntze.) **DC, MD, VA.**

LENTIBULARIACEAE *The Bladderwort Family***Utricularia**

cornuta Michx. - horned bladderwort, naked bladderwort. **MD:** Anne Arundel Co. (*Hotchkiss & Leonard* 21298, 1960).

geminiscapa Benj. - hooded milfoil, mixed bladderwort. (*U. clandestina* Nutt.) **MD.**

gibba L. - humped bladderwort, creeping bladderwort. (*U. biflora* Lam.) **DC, MD, VA.**

juncea Vahl - rush bladderwort, rushlike bladderwort. (*Stomoisia juncea* (Vahl) Barnhart, *S. virgatula* (Barnhart) Barnhart, *U. virgatula* Barnhart) **MD:** Suitland Bog, Prince George's Co..

subulata L. - zig-zag bladderwort, slender bladderwort. (*Setiscapella cleistogama* (A. Gray) Barnhart, *S. subulata* (L.) Barnhart, *U. cleistogama* (A. Gray) Britton) **DC:** Reservoir (*E.S. Steele s.n.*, 1899), **MD.**

vulgaris L. - common bladderwort. (*U. macrorhiza* Leconte) **DC, MD:** coastal plain (inferred from B&B 1984), **VA.**

LIMNANTHACEAE *The Meadow-foam Family***Floerkea**

proserpinacoides Willd. - false mermaid. **MD, VA.**

LINACEAE *The Flax Family***Linum**

floridanum (Planch.) Trel. - coastal plain yellow flax, Florida yellow flax. **DC** (*G. Vasey s.n.*, 1884), **MD** (B&B 1984), **VA:** Fairfax Co. (*E.H. Walker 3554*, 1942).

intercursum E.P. Bicknell - Bicknell's yellow flax. **DC, MD:** Prince George's Co. (*C.M. Rogers 12205*, 1959), **VA.**

medium (Planch.) Britton - common yellow flax, stiff yellow flax. **DC, MD, VA.**

striatum Walter - ridged yellow flax. **DC, MD, VA.**

sulcatum Riddell - grooved yellow flax. **MD:** Baltimore Co., Soldier's Delight (*I.T. Isanogle 2*, 1949).

usitatissimum L. - common flax. **DC, MD, VA.** Waif.

virginianum L. - Virginia yellow flax, wild yellow flax. **DC, MD, VA.**

LOBELIACEAE *The Lobelia Family***Lobelia****cardinalis** L. - cardinal-flower. **DC, MD, VA.****inflata** L. - Indian-tobacco. **DC, MD, VA.****nuttallii** Schult. - Nuttall's lobelia. **MD, VA** (Atlas).**puberula** Michx. - downy lobelia. **DC, MD, VA.****siphilitica** L. - great lobelia, great blue lobelia, blue cardinal-flower. **DC, MD, VA.****spicata** Lam. - spiked lobelia, pale-spike lobelia. **DC, MD, VA.**LOGANIACEAE *The Logania Family***Gelsemium****semperflorens** (L.) J. St.-Hil. - yellow jessamine, evening-trumpet-flower. **VA**: Lancaster Co. (Atlas).**Spigelia****marilandica** (L.) L. - Indian-pink, pinkroot, wormgrass. **MD**: Montgomery Co. (McAtee 1930, p. 45),
VA: Fairfax Co., Mount Vernon (H&S).LYTHRACEAE *The Loosestrife Family***Ammannia****coccinea** Rottb. - tooth-cup. (*A. teres* Raf., in part) **MD, VA.****latifolia** L. - Koehne's ammannia. (*A. koehnei* Britton, *A. teres* Raf., in part.) **MD**: Charles Co. (N.C. Fassett 22319, 1945), **VA** (Atlas).**Cuphea****viscosissima** Jacq. - blue waxweed, clammy cuphea, tarweed. (*C. petiolata* (L.) Koehne, *Parsonsia petiolata* (L.) Rusby) **DC, MD, VA.****Decodon****verticillatus** (L.) Elliott - swamp loosestrife, water-willow, water-oleander. (*Nesaea verticillata* HBK.) **DC, MD, VA** (Atlas).**Lythrum****alatum** Pursh - winged loosestrife, wing-angled loosestrife. **DC, MD**: Montgomery Co., **VA.****lineare** L. - swamp loosestrife, narrow-leaved loosestrife. **MD, VA.****salicaria** L. - purple loosestrife. **DC, MD**: Baltimore City, Canton (Reed 1964); Baltimore Co. (B&B 1984), **VA**. Naturalized.**Rotala****ramosior** (L.) Koehne - tooth-cup. (*Ammannia humilis* Michx.) **DC, MD, VA.**

MAGNOLIACEAE *The Magnolia Family***Liriodendron**

tulipifera L. - tulip-tree, yellow-poplar, tulip-poplar. **DC, MD, VA.**

Magnolia

acuminata (L.) L. - cucumber-tree. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999).

macrophylla Michx. - bigleaf magnolia, umbrella-tree. **DC:** Rock Creek Park. Escape.

tripetala L. - umbrella-tree, umbrella magnolia. **DC:** Rock Creek Park, **MD:** Harford Co. (B&B 1972),

VA (Atlas). Probably an escape in Rock Creek Park, but possibly native (cf. McAtee 1930, p. 27; Fleming & Kanal 1995, p. 306).

virginiana L. - swamp magnolia, sweet-bay, swamp-bay. **DC, MD, VA** (Atlas).

MALVACEAE *The Mallow Family***Abelmoschus**

esculentus (L.) Moench - okra, gumbo. (*Hibiscus esculentus* L.) **DC** (*L.F. Ward s.n.*, 1882). Escape.
See also Ward (1884, p. 84).

Abutilon

theophrasti Medik. - velvet-leaf, Indian-mallow. (*A. abutilon* (L.) Rusby, *A. avicennae* Gaertn.) **DC,**
MD, VA. Naturalized.

Alcea

rosea L. - hollyhock. (*Althaea rosea* (L.) Cav.) **DC** (*C. Harrison s.n.*, 1896; see also McAtee 1930, p. 30), **VA** (Atlas). Escape.

Althaea

cannabina L. - **DC** (Holm 1892, p. 110). Escape.

officinalis L. - marshmallow. **MD:** Upper Patuxent Estuary (B&B 1984). Naturalized.

Anoda

cristata (L.) Schltdl. - spurred anoda. **DC** (*Rose & Hunter s.n.*, 1909), **VA:** Richmond Co. (Atlas).
Waif, east of range.

Gossypium

herbaceum L. - Levant cotton. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

hirsutum L. - upland cotton. **VA:** Alexandria (*J.B.S. Norton s.n.*, 1915). Waif.

Hibiscus

laevis All. - halberd-leaved rose-mallow, smooth rose-mallow. **DC, MD, VA.**

moscheutos L. - rose-mallow, swamp rose-mallow. (*H. palustris* L.) **DC, MD, VA.**

Hibiscus - cont.

syriacus L. - rose-of-Sharon. **DC, MD:** Prince George's Co., Beltsville (Terrell et al. 1999); see also B&B 1972, **VA.** Often persisting and sometimes escaping from cultivation. Most of the several US specimens apparently from persisting shrubs.

trionum L. - flower-of-an-hour. **DC, MD, VA.** Naturalized.

Kosteletzkya

virginica (L.) C. Presl ex A. Gray - seashore-mallow. **MD, VA.**

Malva

moschata L. - musk mallow. **DC** (*J.B.S. Norton s.n.*, 1915), **VA:** Fairfax Co. (Atlas). Waif.

neglecta Wallr. - common mallow, cheeses. (*M. rotundifolia*, misapplied) **DC, MD, VA.** Naturalized.

parviflora L. - little mallow. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Naturalized.

rotundifolia L. - dwarf mallow. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964), **VA:** Fauquier Co. (Atlas). Naturalized.

sylvestris L. - high mallow. **DC, MD, VA.** Escape.

verticillata L. - whorled mallow, curled mallow. (*M. crispa* (L.) L.) **DC** (*W. Hunter s.n.*, 1896). Waif.

Napaea

dioica L. - glade-mallow. **DC** (*Vasey s.n.*, 1875; *W.H. Seaman s.n.*, 2 specimens collected before 1915). Not clear whether US specimens were indigenous or introduced. McAtee's report (1930, p. 30) for Great Falls, VA, apparently based on mistaken identification of *Sida hermaphrodita* (L.) Rusby.

Sida

cordata (Burm. f.) Borss.-Waalk. - (*S. humilis* Cav. var. *veronicifolia* Lam.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

hermaphrodita (L.) Rusby - Virginia-mallow, Virginia sida. (*Napaea hermaphrodita* L., *S. napaea* Cav.) **DC, MD, VA:** Fairfax Co. (*Spooner, Thomas & Abercrombe 2166*, 1982).

rhomboifolia L. - arrowleaf sida. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

spinosa L. - false mallow, prickly-mallow, prickly sida. (*S. angustifolia* Lam., misapplied) **DC, MD, VA.**

Sphaeralcea

angustifolia (Cav.) G. Don - narrowleaf globe-mallow. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.

MELASTOMATACEAE *The Melastome Family***Rhexia**

mariana L. - meadow-beauty, Maryland meadow-beauty, dull meadow-pitchers. (*R. ventricosa* Fernald & Griscom) **DC, MD, VA.**

virginica L. - meadow-beauty, deer-grass, wingstem meadow-pitchers. **DC, MD, VA.**

MENISPERMACEAE *The Moonseed Family***Menispermum**

canadense L. - moonseed. **DC, MD, VA.**

MENYANTHACEAE

Menyanthes

trifoliata L. - buckbean, bogbean. **MD:** Baltimore Co. (FJH 1946).

Nymphoides

aquatica (J.F. Gmelin) Kuntze - big floating-heart. **MD:** Anne Arundel Co. (FJH 1946).

peltata (S.G. Gmel.) Kuntze - yellow floating-heart. **DC.** Escape. Well-established in fish ponds, Potomac Park, in 1890s, but site subsequently destroyed.

MOLLUGINACEAE *The Carpetweed Family***Mollugo**

verticillata L. - carpetweed. **DC, MD, VA.** Traditionally placed in Aizoaceae.

MONOTROPACEAE *The Indian-pipe Family***Monotropa**

hypopitys L. - pinesap. (*Hypopitys hypopitys* (L.) Small, *H. lanuginosa* (Michx.) Nutt., *M. hypopithys* as published) **DC, MD, VA.**

uniflora L. - Indian-pipe. **DC, MD, VA.**

Monotropsis

odorata Schwein. ex Elliott - sweet-pinesap, pygmy-pipes. **MD:** Anne Arundel and Baltimore cos., **VA:** Northumberland Co. (Atlas).

MORACEAE *The Mulberry Family***Broussonetia**

papyrifera (L.) Vent. - paper-mulberry. (*Papyrius papyrifera* (L.) Kuntze) **DC, MD, VA.** Naturalized.

Ficus

carica L. - common fig. **DC, VA:** Alexandria (*C.L. Pollard s.n.*, 1897). Long persisting from cultivation and escaping.

Maclura

pomifera (Raf.) C.K. Schneid. - Osage-orange. (*M. aurantica* Nutt., *Toxylon pomiferum* Raf. ex Sarg.) **DC, MD, VA:** Common escape; introduced from south-central states.

Morus

alba L. - white mulberry, silkworm mulberry. **DC, MD, VA:** Common escape.

rubra L. - red mulberry. **DC, MD, VA.**

MYRICACEAE *The Bayberry Family***Comptonia**

peregrina (L.) J.M. Coulter. - sweet-fern. **DC:** H&S (US specimens on loan), **MD:** Ann Arundel Co. (McAtee 1930, p. 43), **VA** (Atlas). Sometimes planted, as in Fisher Garden, "Mainland," Plummers Island, MD (*E.P. Killip 31269*, 1934).

Myrica

cerifera L. - wax-myrtle, candleberry. **MD, VA.**

heterophylla Raf. - evergreen bayberry, southern bayberry, myrtle. **VA:** King George Co. (Atlas).

pensylvanica Loisel. - northern bayberry, candleberry. (*M. carolinensis*, misapplied) **DC, MD.**

NELUMBONACEAE *The Lotus-lily Family***Nelumbo**

lutea (Willd.) Pers. - American lotus, American lotus-lily, yellow lotus, water-chinquapin. (*N. pentapetala* (Walter) Fernald) **MD, VA.** Sometimes included in Nymphaeaceae.

NYCTAGINACEAE *The Four-o'clock Family***Boerhavia**

coccinea Mill. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

erecta L. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

Mirabilis

jalapa L. - four-o'clock. **DC, VA** (Atlas). Escape.

nyctaginea (Michx.) MacMill. - heart-leaved umbrellawort. (*Allionia nyctaginea* Michx., *Oxybaphus nyctagineus* (Michx.) Sweet) **DC, MD, VA** (Atlas). Adventive, from west.

NYMPHAEACEAE *The Water-lily Family***Nuphar**

lutea (L.) Sm. - spatterdock, yellow pond-lily, yellow water-lily, bullhead-lily. (*Nuphar advena* (Aiton) W.T. Aiton, *N. variegata* Durand, *Nymphaea advena* Aiton) **DC, MD, VA.** Treatment of *Nuphar* remains problematic; some continue to recognize several species in this complex (Wiersema & Hellquist 1993).

Nymphaea

odorata Aiton - fragrant water-lily, white water-lily, pond-lily. (*Castelia odorata* (Aiton) Woodv. & Wood, *N. tuberosa* Paine) **DC, MD, VA.** According to Wiersema and Hellquist (1993), W-B Area plants are ssp. *odorata*, and ssp. *tuberosa* (Paine) Wiersema & Hellq. does not occur here.

NYSSACEAE *The Black-gum Family***Nyssa**

sylvatica Marshall - black-gum, sour-gum, pepperidge, black tupelo. (*N. multiflora* Wangenh.) **DC, MD, VA.**

OLEACEAE *The Olive Family***Chionanthus**

virginicus L. - fringe-tree, old-man's-beard. **DC, MD, VA.**

Forsythia

suspensa (Thunb.) Vahl - forsythia. **MD:** Prince Georges Co., Ammendale (*Bro. Hyacinth* 1985, 1919). Escape.

viridissima Lindl. - forsythia. **VA:** Fairfax Co. (Atlas). Escape.

Fraxinus

americana L. - white ash. (*F. biltmoreana* Beadle, *F. pubescens* Lam., misapplied) **DC, MD, VA.**

caroliniana Mill. - Carolina ash. **VA:** "Along Potomack River opposite Washington" (Ashe 1919, p. 226).

nigra Marshall - black ash. **DC** (*A.L. Schott s.n.*, 1885), **MD, VA** (Atlas). The only DC specimen may have been planted. See Allard 1945, p. 82-87.

pennsylvanica Marshall - red ash, green ash. (*F. lanceolata* Borkh., *F. pubescens* Lam., *F. viridis* Michx. f.) **DC, MD, VA.** Glabrous form is called green ash.

profunda (Bush) Bush - red ash, pumpkin ash. (*F. tomentosa* Michx. f.) **DC, MD:** Prince George's Co., mouth of Oxon Creek (*Uhler & Nelson s.n.*, 1933), **VA:** Alexandria (*J.H. Painter* 912, 1904).

Ligustrum

amurensis Carrière - Amur privet. **MD** (inferred from B&B 1972), **VA:** Fauquier Co. (*H.A. Allard* 20028, 1951 or 1952?). Escape.

Ligustrum - cont.

- japonicum** Thunb. - wax-leaf privet, Japanese privet. **VA:** Fairfax Co. (Atlas). Escape.
- obtusifolium** Siebold & Zucc. - border privet. **DC, MD, VA** (Atlas). Escape.
- ovalifolium** Hassk. - California privet. **DC, VA** (Atlas). Escape.
- quihoui** Carrière - sessile-flowered privet. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999), **VA:** Fairfax Co. (*H.A. Allard 11993*, 1946). Escape.
- sinense** Lour. - privet. **VA.** Widely naturalized in VA according to Atlas.
- tschonoskii** Decne. - Tschonosky privet. (*L. acuminatum* Koehne) **DC:** Rock Creek Park (*P. Fleming 541*, 1987). Escape.
- vulgare** L. - common privet. **DC, MD, VA.** Escape.

Syringa

- vulgaris** L. - lilac. **DC, MD, VA.** Widely persisting from cultivation. Escaping?

ONAGRACEAE *The Evening-primrose Family***Circaeae**

- alpina** L. - alpine enchanter's-nightshade. **DC** (*L.F. Ward s.n.*, 1879), **VA:** Fauquier Co. (Atlas). Ward specimen possibly depauperate *C. lutetiana*.
- lutetiana** L. - common enchanter's-nightshade. (*C. latifolia* Hill, *C. quadrisulcata* (Maxim.) Franch. & Savigny) **DC, MD, VA.** American plants are all treated as var. *canadensis* L. or ssp. *canadensis* (L.) Asch. & Magnus.

Epilobium

- angustifolium** L. - fireweed, great willow-herb. (*Chamaenerion angustifolium* (L.) Scop.) **DC** (*E.S. Steele s.n.*, 1912), **MD, VA:** Fauquier Co. (*H.A. Allard 6769*, 1939).

- ciliatum** Raf. - American willow-herb, northern willow-herb. (*E. adenocaulon* Hausskn., *E. glandulosum* Lehm. var. *adenocaulon* (Hausskn.) Fernald) **DC** ?(*L.F. Ward s.n.*, 18__, vicinity of DC), **MD** (inferred from B&B 1984), **VA** (Atlas). Ward specimen determined by P.C. Hoch, 1996.

- coloratum** Biehler - eastern willow-herb, purple-leaved willow-herb. **DC** (*L.F. Ward 721*, 1874), **MD, VA.**

- hirsutum** L. - hairy willow-herb. **MD:** Baltimore City (*E. Baltars 635*, 1955; see also Reed 1964); Harford Co. (*E. Baltars 2735*, 1960). Naturalized.

- leptophyllum** Raf. - American marsh willow-herb, linear-leaved willow-herb. **MD:** Frederick Co. (*E. Baltars 2732*, 1960).

- strictum** Muhl. ex Spreng. - northeastern willow-herb, downy willow-herb. **VA:** Arlington Co. (Atlas).

Gaura

biennis L. - gaura, biennial gaura. **DC, MD, VA.**

Ludwigia

alternifolia L. - seedbox, square-pod water-primrose. **DC, MD, VA.**

decurrens Walter - upright primrose-willow, wingstem water-primrose. (*Jussiaea decurrens* (Walter) DC.) **DC, VA.**

hirtella Raf. - hairy ludwigia, Rafinesque's water-primrose. **DC:** Holmead Swamp (Vasey s.n., 1881; L.F. Ward s.n., 1881), **MD:** Prince George's Co. (G.S. Miller s.n., 1898; McAtee 1930, p. 44).

leptocarpa (Nutt.) H. Hara - water-willow. **VA:** Stafford Co. (Strong, Kelloff & Horn 1255, 1994); Atlas.

palustris (L.) Elliott - common water-purslane, marsh-purslane. (*Isnardia palustris* L.) **DC, MD, VA.**

peploides (Kunth) P.H. Raven - creeping primrose-willow, creeping water-primrose. (*Jussiaea diffusa* Forssk., misapplied, *J. repens* L.) **MD:** Montgomery Co., Plummers Island (Wells, Brown & Murtha 4866, 1997), **VA** (Strong, Kelloff & Horn 1257, 1994; Atlas). Naturalized, from west.

uruguayensis (Cambess.) H. Hara - showy primrose-willow, showy water-primrose. (*Jussiaea uruguayensis* Cambess.) **DC** (F.J. Hermann 11721, 1957). Naturalized, from American tropics.

Oenothera

biennis L. - common evening-primrose. (*O. brevicapsula* Bartlett (type from DC area), *O. muricata* L., *O. pycnocarpon* G.F. Atk. & Bartlett, *O. ruderalis* Bartlett (type from DC area), *O. stenomeres* Bartlett (type from DC area)) **DC, MD, VA.**

fruticosa L. - sundrops, narrow-leaved sundrops, southern sundrops. (*Kneiffia fruticosa* (L.) Raim., *K. linearis* (Michx.) Spach, *K. longipedicellata* Small, *K. tetragona* (Roth) Pennell, *O. linearis* Michx., *O. longipedicellata* (Small) B.L. Rob., *O. tetragona* Roth) **DC, MD, VA.**

laciniata Hill - cut-leaved evening-primrose. (*Raimannia laciniata* (Hill) Rose) **DC, MD, VA.**

nutans G.F. Atk. & Bartlett - nodding evening-primrose. (*O. biennis* subsp. *austromontana* Munz, *O. biennis* var. *nutans* (G.F. Atk. & Bartlett) Wiegand) **DC, MD, VA.**

oakesiana (A. Gray) J.W. Robbins ex S. Watson & J.M. Coulter. - Oakes evening-primrose. (*O. parviflora* (A. Gray) Fernald var. *oakesiana* (A. Gray) Fernald) **MD:** St. Marys Co., Millstone Landing (I. Tidstrom 5151, 1911; Blake & Tidstrom 11966, 1935). Both specimens from type locality at Millstone Landing.

parviflora L. - small-flowered evening-primrose, northern evening-primrose. **DC, MD, VA** (Atlas).

perennis L. - sundrops, little sundrops. (*Kneiffia pumila* (L.) Spach, *O. pumila* L.) **DC, MD** (inferred from B&B 1984), **VA.**

Oenothera - cont.

pilosella Raf. - midwestern sundrops. **VA:** Alexandria (*G. Vasey s.n.*, 1884). Waif, from west.
speciosa Nutt. - white evening-primrose. **VA:** Fairfax Co. (Atlas). Escape, from west.

OROBANCHACEAE *The Broom-rape Family***Conopholis**

americana (L.f.) Wallr. - squaw-root, cancer-root. **DC, MD, VA.**

Epifagus

virginiana (L.) Barton - beechdrops. (*Leptamnium virginianum* (L.) Raf.) **DC, MD, VA.**

Orobanche

minor Sm. - lesser broom-rape. **DC, MD, VA.** Naturalized.

uniflora L. - one-flowered cancer-root, cancer-root, one-flowered broom-rape. (*Thalesia uniflora* (L.) Britton) **DC, MD, VA.**

OXALIDACEAE *The Wood-sorrel Family***Oxalis**

corniculata L. - creeping wood-sorrel. (*Xanthoxalis corniculata* (L.) Small) **DC, MD, VA.**
Naturalized.

dillenii Jacq. - southern wood-sorrel, slender wood-sorrel. (*O. filipes* Small, *O. florida* Salisb., *O. stricta* L., misapplied, *Xanthoxalis filipes* Small, *X. stricta* L., misapplied) **DC, MD, VA.**

grandis Small - great wood-sorrel, big wood-sorrel. (*Xanthoxalis grandis* (Small) Small) **DC, MD,**
VA: Fairfax Co., Langley (*W. Palmer s.n.*, 1902).

stricta L. - common wood-sorrel, upright wood-sorrel. (*O. cymosa* Small, *O. europaea* Jord., *O. fontana* Bunge, *Xanthoxalis cymosa* (Small) Small, *X. stricta* (L.) Small) **DC, MD, VA.**

violacea L. - violet wood-sorrel. (*Ionoxyalis violacea* (L.) Small) **DC, MD, VA.**

PAPAVERACEAE *The Poppy Family***Argemone**

albiflora Hornem. - white prickly-poppy. (*A. alba* T. Lestib.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Escape, from south.

mexicana L. - prickly-poppy, Mexican-poppy, Mexican thorn-poppy. **DC, MD, VA.** Escape, from south.

Chelidonium

majus L. - celandine, greater celandine. **DC, MD, VA.** Naturalized.

Glaucium

flavum Crantz - horned-poppy, sea-poppy. **MD:** Calvert Co. (*F.M. Uhler et al. s.n.*, 1946), **VA:** Fairfax Co. (Atlas). Waif.

Papaver

dubium L. - orange poppy, smooth-fruited poppy, long-headed poppy. **DC, MD, VA.** Escape.

rhoes L. - Shirley poppy, corn poppy. **DC** (*C.C. Parry s.n.*, 1869). Question whether Parry specimen was cultivated or escape.

somniferum L. - opium poppy, common poppy. **MD:** Harford Co. (B&B 1984). Escape.

Platystemon

californicus Benth. - cream-cups. **DC:** Potomac Park (McAtee 1930, p. 27). Waif. One record - along railroad tracks, 1921.

Sanguinaria

canadensis L. - bloodroot. **DC, MD, VA.**

Stylophorum

diphyllum (Michx.) Nutt. - celandine-poppy, wood-poppy. **DC:** Rock Creek Park (*P. Fleming 6*, 1986), **MD** (B&B 1984). Probably an escape at least in DC (Fleming & Kanal 1995).

PASSIFLORACEAE *The Passion-flower Family***Passiflora**

foetida L. - running-pop, love-in-a-mist, wild water-lemon. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

incarnata L. - maypops, passion-flower, apricot-vine. **DC, MD, VA.** Escape from cultivation in immediate DC area; native southward (cf. Atlas).

lutea L. - yellow passion-flower. **DC, MD, VA.**

PEDALIACEAE *The Pedaliaceae Family***Proboscidea**

louisianica (Mill.) Thell. - unicorn-plant, devil's-claw, proboscis-flower, ram's-horn. (*Martynia louisianica* Mill., *M. proboscidea* Gloxin) **DC** (*A.W. Schott s.n.*, 1885, ?planted), **MD** (inferred from B&B 1984), **VA:** Arlington Co. (*L.F. Ward s.n.*, 1893). Planted or escaped. Often placed in Martyniaceae.

PHRYMACEAE *The Lopseed Family***Phryma**

leptostachya L. - lopseed. **DC, MD, VA.** Placed in Verbenaceae by Gleason & Cronquist (1991, p. 431).

PHYTOLACCACEAE *The Pokeweed Family***Phytolacca**

americana L. - pokeweed, pokeberry, poke. (*P. decandra* L.) **DC, MD, VA.**

bogotensis Kunth - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

octandra L. - (*P. icosandra* L.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

PLANTAGINACEAE *The Plantain Family***Plantago**

aristata Michx. - bracted plantain, buckhorn, bottle-brush plantain. **DC, MD, VA.** Naturalized, from the west.

cordata Lam. - heart-leaved plantain, king-root. **DC, MD:** opposite Alexandria (*C.S. Sheldon s.n.*, 1881), **VA:** Alexandria. No collections since 1918.

lanceolata L. - English plantain, narrow-leaved plantain, ribgrass, buckhorn. **DC, MD, VA.** Naturalized.

major L. - common plantain, broad-leaved plantain, great plantain, Whiteman's-foot. **DC, MD, VA.** Naturalized.

pusilla Nutt. - little plantain, small plantain, slender plantain. **DC:** Soldier's Home (*L.F. Ward s.n.*, 1883); "near Washington, DC" (*F. Tweedy s.n.*, 1886), **MD** (inferred from B&B 1984).

rugelii Decne. - common plantain, broad-leaved plantain, American plantain. **DC, MD, VA.**

virginica L. - dwarf plantain, hoary plantain, pale-seed plantain. **DC, MD, VA.**

PLATANACEAE *The Plane-tree Family***Platanus**

occidentalis L. - sycamore, buttonwood, American plane-tree. **DC, MD, VA.**

PLUMBAGINACEAE *The Leadwort Family***Limonium**

carolinianum (Walter) Britton - sea-lavender. **MD, VA.**

PODOSTEMACEAE *The Riverweed Family***Podostemum**

ceratophyllum Michx. - riverweed, riffleweed, threadfoot. **DC, MD, VA.**

POLEMONIACEAE *The Phlox Family***Leptodactylon**

pungens (Torr.) Torr. ex Nutt. - prickly-phlox. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

Phlox

carolina L. - thick-leaf phlox. **VA:** Fairfax Co. (Atlas).

divaricata L. - wild blue phlox, forest phlox. **DC, MD, VA.**

drummondii Hook. - Drummond's phlox. **MD** (inferred from B&B 1984). Waif in W-B Area, according to FJH 1946, but no specimens or bona fide records cited.

glaberrima L. - smooth phlox. **MD:** Frederick Co. (B&B 1984).

maculata L. - wild sweet-William, meadow phlox. **DC, MD, VA.**

paniculata L. - summer phlox, garden phlox, fall phlox, perennial phlox. **DC, MD, VA.** Also often escaping from cultivation.

pilosa L. - downy phlox, prairie phlox. **DC, MD:** Montgomery Co., Cabin John (*E.T. Wherry s.n.*, 1929), **VA:** Fairfax Co., Herndon (*J.W. Chickering, Jr., s.n.*, 1878).

subulata L. - moss-pink, moss phlox. (*P. brittonii* Small) **MD, VA.**

Polemonium

repans L. - Greek-valerian, spreading Jacob's-ladder. **DC, MD, VA** (Atlas).

POLYGALACEAE *The Milkwort Family***Polygala**

cruciata L. - cross-leaved milkwort. **DC:** Brightwood Swamp (*E.S. Steele s.n.*, 1897), **MD.**

curtissii A. Gray - Curtiss' milkwort, Appalachian milkwort. **DC, MD, VA.**

incarnata L. - pink milkwort. **DC, MD, VA.**

lutea L. - orange milkwort. **MD, VA:** "Sander" (*P. Bartsch s.n.*, 1899). Sander possibly not in VA.

marianna Mill. - Maryland milkwort. **DC, MD, VA.**

nuttallii Torr. & A. Gray. - Nuttall's milkwort. **MD.** The two specimens but one collection (*E.S. Steele s.n.*, 1899) from "Barren opp. Alexandria" probably from MD side of Potomac R.; reported also for Beltsville, Prince George's Co. (Terrell et al. 1999). Not reported by Atlas for VA sector of W-B Area.

paucifolia Willd. - fringed polygala, flowering-wintergreen, gay-wings. **MD** (cf. H&S, B&B 1984). Probably extirpated in W-B Area.

Polygala - cont.

polygama Walter - racemed milkwort. **MD, VA.** Old collections from Great Falls area, MD and VA, and Notley Hall, Prince George's Co., MD.

sanguinea L. - purple milkwort, rose polygala, blood milkwort. (*P. viridescens*) **DC, MD, VA.**

senega L. - Seneca-snakeroot. **DC, MD, VA.**

verticillata L. - whorled milkwort. (*P. ambigua* Nutt.) **DC, MD, VA.**

POLYGONACEAE *The Smartweed Family***Fagopyrum**

esculentum Moench - buckwheat. **DC, MD, VA.** Occasionally escaping.

Polygonum

amphibium L. - water smartweed. (*Persicaria amphibia* (L.) S.F. Gray, *P. muhlenbergii* (Meisn. in DC.) Small, *Polygonum coccineum* Muhl. ex Willd., *P. emersum* (Michx.) Britton, *P. hartwrightii* A. Gray, *P. muhlenbergii* (Meisn. in DC.) S. Watson) **DC, MD, VA.**

arenastrum Jord. ex Boreau - oval-leafknotweed. (*P. aviculare* L., misapplied) **MD:** Prince George's Co., Beltsville (Terrell et al. 1999). Naturalized.

arifolium L. - halberd-leaved tearthumb. (*Tracaulon arifolium* (L.) Raf.) **DC, MD, VA.**

aviculare L. - knotweed. (*P. aequale* Lindm., *P. bellardii* All., *P. buxiforme* Small, *P. monspeliacum* Pers., *P. neglectum* Besser) **DC, MD, VA.** Naturalized.

careyi Olney - Carey's smartweed. **MD:** Anne Arundel Co. (B&B 1984).

cespitosum Blume - Asiatic water-pepper. (*P. longisetum* Bruijn) **DC, MD, VA.** Naturalized. Our plants var. *longisetum* (Bruijn) A. Steward.

cilinode Michx. - fringed bindweed. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964).

convolvulus L. - black bindweed. (*Bilderdykia convolvulus* (L.) Don) **DC, MD, VA.** Naturalized.

cuspidatum Siebold & Zucc. - Japanese knotweed. (*Pleuropteruzuccarinii* (Small) Small) **DC, MD, VA.** Escape.

densiflorum Meisn. - dense-flowered smartweed. **MD, VA** (Atlas).

douglasii Greene - Douglas knotweed. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964).

erectum L. - erect knotweed. **DC, MD, VA.**

glaucum Nutt. - seaside knotweed, seabeach knotweed. **MD** (Norton 1942), **VA:** Lancaster Co. (*L.B. Smith 5584*, 1951).

Polygonum - cont.

hydropiper L. - common smartweed, water-pepper. (*Persicaria hydropiper* (L.) Opiz.) **DC, MD, VA.**
Naturalized.

hydropiperoides Michx. - mild water-pepper, false water-pepper. (*Persicaria hydropiperoides* (Michx.) Small, *P. opelousana* (Riddell ex Small) Small, *Polygonum opelousanum* Riddell ex Small) **DC, MD, VA.**

lapathifolium L. - dock-leaved smartweed. (*Persicaria lapathifolia* (L.) S.F. Gray) **DC, MD, VA.**

orientale L. - prince's-feather. (*Persicaria orientalis* (L.) Spach) **DC, MD, VA.** Naturalized.

pensylvanicum L. - pinkweed, Pennsylvania smartweed. (*Persicaria pensylvanica* (L.) M. Gómez) **DC, MD, VA.**

perfoliatum L. - mile-a-minute, perfoliate tearthumb. **DC, MD, VA.** Naturalized, spreading rapidly.

persicaria L. - lady's-thumb. (*Persicaria mitis* Gilib., *Polygonum dubium* Stein, *P. puritanorum* Fernald) **DC, MD, VA.** Naturalized.

punctatum Elliott - water smartweed, dotted smartweed. (*Persicaria punctata* (Elliott) Small) **DC, MD, VA.**

ramosissimum Michx. - bushy knotweed. (*Polygonum atlanticum* (B.L. Rob.) E.P. Bicknell, *P. autumnale* Brenckle, *P. douglasii* of H&S, not Greene, *P. exsertum* Small, misapplied, *P. prolificum* (Small) B.L. Rob.) **DC, MD.**

robustius (Small) Fernald - coarse smartweed. (*P. punctatum* var. *robustius* Small) **MD:** "Near Mt. Vernon, Mattawoman Creek" (Norton 1942). Norton's record apparently based at least in part on Mattawoman Creek (MD) specimen (*I. Tidestrom* 7207, 1914) annotated by him in 1942 as questionable *P. robustius*.

sachalinense F. Schmidt ex Maxim. - giant knotweed. **DC** (McAtee 1940, p. 141), **MD:** Baltimore Co., Back River (*E. Baltars* 2534, 1959), **VA** (Atlas). Escape.

sagittatum L. - arrow-leaved tearthumb. (*Tracaulon sagittatum* (L.) Small) **DC, MD, VA.**

scandens L. - false buckwheat. (*Bilderdykia scandens* (L.) Greene, *Polygonum cristatum* Engelm. & A. Gray, *P. dumetorum*, misapplied) **DC, MD, VA.**

setaceum Baldwin - bristly smartweed. **VA** (Atlas 1992, Simmons et al. 1995). Found at Conowingo, Cecil Co., MD, just outside W-B Area, according to Norton (1942). Sometimes treated as var. *setaceum* (Baldwin) Gleason of *P. hydropiperoides* (Gleason & Cronquist 1991).

tenué Michx. - slender knotweed. **DC, MD, VA.**

virginianum L. - jumpseed. (*Tovara virginiana* (L.) Raf.) **DC, MD, VA.**

Rheum

rhabarbarum L. - rhubarb. (*R. rhabanticum* L., misapplied.) **DC** ?: "In vicinis Washington D.C." (*Ward s.n.*, 1876). Persists long from cultivation; doubtful escape.

Rumex

acetosella L. - sheep sorrel. **DC, MD, VA.** Naturalized.

altissimus A. Wood - pale dock, water dock. **DC, MD, VA.**

conglomeratus Murray - clustered dock. **VA:** King George Co. (*Hotchkiss & Uhler 7219*, 1948). Waif.

crispus L. - curly dock. **DC, MD, VA.** Naturalized.

obtusifolius L. - bitter dock, broad-leaved dock. **DC, MD, VA.** Naturalized.

patientia L. - patience dock. **DC** (*E.S. Steele s.n.*, 1901), **MD** (*E.S. Steele s.n.*, 1905). Naturalized.

pulcher L. - fiddle dock. **MD, VA.**

verticillatus L. - swamp dock, water dock. (*R. floridanus* Meisn.) **DC, MD, VA** (Atlas, Simmons et al. 1995).

PORTULACACEAE *The Purslane Family***Claytonia**

virginica L. - spring-beauty. **DC, MD, VA.**

Montia

linearis (Douglas ex Hook.) Greene - narrow-leaved montia, line-leaved Indian-lettuce. **MD:** Prince George's Co., Suitland (*M.A. Hershkovitz s.n.*, 1996). Waif, from west.

Portulaca

grandiflora Hook. - rose-moss, portulaca. . Cited as escape by H&S, FJH 1946, and B&B 1984, without reference to place.

oleracea L. - common purslane. **DC, MD, VA.** Naturalized.

Talinum

teretifolium Pursh - fameflower. **MD, VA.**

PRIMULACEAE *The Primrose Family***Anagallis**

arvensis L. - scarlet pimpernel, common pimpernel. **DC, MD, VA.** Naturalized.

monelli L. - pimpernel. **VA:** Fairfax Co. (Atlas). Waif.

Centunculus

minimus L. - chaffweed, false pimpernel. (*Anagallis minima* (L.) Krause) **MD:** Charles (E.P. Killip 12905, 1925) and Prince George's (E.S. Standley s.n., 1897) cos., **VA:** Fairfax Co. (W. Hunter s.n., 1886).

Dodecatheon

meadia L. - shooting-star. **DC, MD, VA.**

Lysimachia

ciliata L. - fringed loosestrife. (*Steironema ciliata* (L.) Raf.) **DC, MD, VA.**

clethroides Duby - gooseneck loosestrife. **DC** (*P.G. Russell* s.n., 1932). Escape.

hybrida Michx. - lowland loosestrife, Mississippi-valley loosestrife. (*L. lanceolata* ssp. *hybrida* (Michx.) J.D. Ray, *Steironema hybridum* (Michx.) Raf. ex B.D. Jacks., *S. lanceolatum* (Walter) A. Gray var. *hybridum* (Michx.) A. Gray) **MD, VA** (Atlas).

lanceolata Walter - lance-leaved loosestrife. (*Steironema lanceolatum* (Walter) A. Gray) **DC, MD, VA.**

nummularia L. - moneywort. **DC, MD, VA.** Naturalized.

× producta (A. Gray) Fernald- **DC** (*E.S. Steele* s.n., [?1897]), **MD:** Montgomery Co., High Island (*E.S. Steele* s.n., 1897), **VA:** Fauquier Co. (Atlas). Fertile hybrid of *L. quadrifolia* and *L. terrestris*.

quadriflora Sims - smooth loosestrife, four-flowered loosestrife. (*L. longifolia* Pursh, *Steironema quadriflorum* (Sims) Hitchc.) **DC:** Georgetown (*L.F. Ward* s.n., undated), **VA:** Little Falls, Fairfax Co. (*E.S. Steele* s.n., 1896).

quadrifolia L. - whorled loosestrife. **DC, MD, VA.**

terrestris (L.) B.S.P. - swamp loosestrife, swamp-candles, bulbous loosestrife. (*L. stricta* Aiton) **DC, MD, VA.**

vulgaris L. - garden loosestrife. **MD:** Harford Co. (*E. Baltars* 367, 630, 1951, 1955). Escape.

Samolus

parviflorus Raf. - water-pimpernel, brookweed. *S. floribundus* Kunth, *S. valerandi* L. ssp. *parviflorus* (Raf.) Hultén) **DC, MD, VA.**

Trientalis

borealis Raf. - star-flower. (*T. americana* Pursh) **DC:** Rock Creek Park (A.V. Smith s.n., 1939), **MD** (B&B 1984), **VA** (Atlas). DC specimen probably from introduction.

PYROLACEAE *The Shinleaf Family***Chimaphila**

maculata (L.) Pursh - spotted wintergreen. **DC, MD, VA.**

umbellata (L.) W.P.C. Barton - pipsissewa, prince's-pine. **DC, MD, VA.**

Pyrola

chlorantha Sw. - greenish-flowered pyrola, greenish-flowered wintergreen. (*P. virens* Schreb.) **DC, MD, VA.**

elliptica Nutt. - shinleaf, elliptic shinleaf. **DC:** Carroll Estate (*L.F. Ward s.n.*, 1877).

rotundifolia L. - round-leaved pyrola, round-leaved shinleaf, round-leaved American wintergreen. (*P. americana* Sweet) **DC, MD, VA.** American plants often treated as separate species or race, var. *americana* (Sweet) Fernald or ssp. *americana* (Sweet) R.T. Clausen.

secunda L. - one-sided pyrola, one-sided shinleaf. (*Orthilia secunda* (L.) House) **DC:** Carroll Estate (*L.F. Ward s.n.*, 1878), **MD, VA.**

RANUNCULACEAE *The Buttercup Family***Aconitum**

uncinatum L. - southern monkshood, blue monkshood, wild monkhood. **DC, MD, VA.**

Actaea

pachypoda Elliott - white baneberry, doll's-eyes. (*A. alba* (L.) Mill., misapplied) **MD:** Montgomery Co. (*E.C. Leonard 1345*, 1919; *T. Ulke*, 1933), **VA:** Richmond Co. (Atlas).

Anemone

blanda Schott & Kotschy - sapphire anemone. **VA:** Fauquier Co., Roland (*F.R. Fosberg 55416*, 1974). Escape.

canadensis L. - round-leaved anemone, Canada anemone, Canadian anemone. **MD** (*E.S. Steele s.n.*, 1898; see also B&B 1984), **VA:** Alexandria (*G.L.F. Flagg s.n.*, 1924).

quinquefolia L. - wood anemone, windflower. **DC, MD, VA.** W-B plants are var. *quinquefolia* (Dutton et al. 1997).

virginiana L. - thimblewood, tall anemone. **DC, MD, VA.** W-B plants are var. *virginiana* (Dutton et al. 1997).

Anemonella

thalictroides (L.) Spach - rue-anemone, windflower. (*Syndesmon thalictroides* (L.) Hoffmanns. ex Britton, *Thalictrum thalictroides* (L.) Eames & B. Boivin) **DC, MD, VA.** Now included by some in *Thalictrum* (Park & Festerling 1997).

Aquilegia

canadensis L. - wild columbine, Canadian columbine. **DC, MD, VA.**

Caltha

palustris L. - marsh-marigold, cowslip. **MD, VA** (Atlas).

Cimicifuga

racemosa (L.) Nutt. - black snakeroot, black cohosh, bugbane. **DC, MD, VA.**

Clematis

occidentalis (Hormem.) DC. - purple clematis, purple virgin's-bower. (*C. verticillaris* DC.) **VA:** Loudoun Co. (Atlas). Plants in W-B Area are var. *occidentalis* (Pringle 1997).

Clematis - cont.

ochroleuca Aiton - curly-heads, leather-flower. (*Viorna ochroleuca* (Aiton) Small) **MD** (B&B 1984), **VA** (*F. Peck s.n.*, undated; *T. Kearney s.n.*, 1895). The two old specimens attributed to DC probably were from nearby VA (see H&S, 1919, p. 160).

terniflora DC. - Japanese clematis, yam-leaved clematis, sweet autumn clematis. (*C. dioscoreifolia* H. Lév. & Vaniot, *C. maximowicziana* Franch. & Savigny, *C. paniculata* Thunb., misapplied) **DC, MD, VA**. Naturalized.

viorna L. - leather-flower, vase-vine. (*Viorna urnigera* Spach) **DC, MD, VA**.

virginiana L. - virgin's-bower. **DC, MD, VA**.

vitalba L. - traveler's-joy, old-man's-beard. **MD**: Baltimore (*E. Baltars 351*, 1951). Escape.

Consolida

ajacis (L.) Schur. - rocket larkspur. (*C. ambigua* (L.) P.W. Ball & Heywood, *Delphinium ajacis* L., *D. ambiguum* L., misapplied, *D. consolida* L., misapplied) **DC, MD, VA**. Escape.

regalis A. Gray - rocket larkspur, forked larkspur. (*Delphinium consolida* L., misapplied) **DC** (Warnock 1997). Some US specimens identified as *C. ajacis* may in fact be this species.

Coptis

trifolia (L.) Salisb. - goldthread, goldenroot. (*C. groenlandica* (Oeder) Fernald) **MD**: Prince George's Co. (*Bro. Hyacinth 1851*, 1919).

Delphinium

tricorne Michaux - dwarf larkspur. **DC ?**, **MD**: Montgomery Co., Potomac islands (?extirpated), **VA**: Fairfax Co. (Atlas). Old DC specimens probably from Potomac Islands in MD.

Enemion

bitternatum Raf. - false rue-anemone. (*Isopyrum biternatum* (Raf.) Torr. & A. Gray) **VA**: Fairfax Co. (Atlas). Record probably based on population in Scott's Run Nature Preserve, where it most likely was planted.

Eranthis

hyemalis (L.) Salisb. - winter-aconite. **DC** (*P. Fleming 313*, 1987), **VA**: Westmoreland Co. (Atlas). Escape.

Helleborus

orientalis Lam. - Lenten-rose, Easter-flower. **DC** (*P. Fleming 331*, 1987). Escape. Persisting?

Hepatica

americana (DC.) KerGawl. - hepatica, round-lobed hepatica. (*Anemone americana* (DC) H. Hara, *H. nobilis* Mill., misapplied) **DC, MD, VA**. Now included by some in *Anemone* (Dutton et al. 1997).

Hydrastis

canadensis L. - goldenseal, yellowroot. **MD**: Harford Co. (B&B 1984).

Myosurus

minima L. - mousetail. **VA**: Richmond Co. (Atlas).

Ranunculus

abortivus L. - kidney-leaved crowfoot, kidney-leaved buttercup, small-flowered crowfoot, aborted buttercup. (*R. ruderale* Greene) **DC, MD, VA.**

acris L. - tall buttercup, common buttercup, meadow buttercup. **DC, MD, VA.** Naturalized.

allegheniensis Britton - Allegheny crowfoot. **VA.**

ambigens S. Watson - spearwort, water-plantain spearwort. (*R. obtusiusculus* Raf.) **DC, MD, VA.**

aquatilis L. - white water crowfoot. (*R. longirostris* Godr.) **VA:** Fauquier Co. (H.A. Allard 8892, 1941).
Plants of W-B Area are var. *diffusus* With. (Whittemore 1997).

arvensis L. - corn crowfoot, field buttercup. **DC:** Smithsonian Grounds (*Vasey s.n.*, 1877). Waif, from west. Only record; perhaps a weed in early plantings. Identification verified by Lyman Benson in 1939.

bulbosus L. - bulbous buttercup, bulbous crowfoot. **DC, MD, VA.** Naturalized.

ficaria L. - lesser-celandine, pilewort. (*Ficaria verna* Huds.) **DC, MD, VA** (Atlas). Naturalized, very invasive.

flabellaris Raf. - yellow water crowfoot, yellow water buttercup. (*R. delphiniifolius* Torr. ex Eaton)
MD: Montgomery Co. (McAtee 1930, p. 26, B&B 1984).

hederaceus L. - ivy-leaved crowfoot. **MD, VA.**

hispidus Michaux - hispid buttercup, swamp buttercup. (*R. carolinianus* DC., *R. septentrionalis* Poir.) **DC, MD, VA.**

micranthus Nutt. - small-flowered crowfoot. (*R. holmii* Greene (type from local region)) **DC, MD,**
VA.

parviflorus L. - small-flowered crowfoot. **MD, VA.** Waif.

pennsylvanicus L. f. - bristly crowfoot. **DC ?:** swamp near Aqueduct Bridge (*T. Holm s.n.*, 1888), **MD:**
Baltimore (B&B 1984). Holm's specimen possibly from VA side of bridge.

pusillus Poir. - spearwort, low spearwort. **DC, MD, VA.**

recurvatus Poir. - hooked crowfoot. **DC, MD, VA.** North American plants are var. *recurvatus* (Whittemore 1997).

repens L. - creeping buttercup. **DC, MD, VA.** Naturalized.

sardous Crantz - **MD** (B&B 1984; Terrell et al. 1999), **VA.** Waif.

sceleratus L. - cursed crowfoot. **DC, MD, VA.** Eastern North American plants are var. *scleratus* (Whittemore 1997).

Thalictrum

clavatum DC. - mountain meadow-rue. **VA** (Atlas).

Thalictrum - cont.

coriaceum (Britton) Small - thick-leaved meadow-rue, leatherleaf meadow-rue.
(T. caulophylloides Small, *T. steeleanum* B. Boivin) **DC, MD, VA.** Regarding status of *T. steeleanum* as a species, see Park & Festerling (1997).

dasyarpum Fisch. & Avé-Lall. - purple meadow-rue. **MD** (B&B 1984).

dioicum L. - early meadow-rue. **DC, MD, VA.**

pubescens Pursh - tall meadow-rue, late meadow-rue. (*T. polygamum* Muhl. ex Spreng.) **DC, MD, VA.**

revolutum DC. - skunk meadow-rue, wax-leaved meadow-rue, purple meadow-rue. **DC, MD, VA.**

Trautvetteria

carolinensis (Walter) Vail - false bugbane, tassel-rue. **MD:** Montgomery Co. (B&B 1984), **VA.**

Xanthorhiza

simplicissima Marshall - yellowroot. **MD:** Baltimore, Gwynn Falls Park (*G.R. Fessenden & A.A. Brandenburg* 5505, 1954).

RESEDACEAE *The Mignonette Family***Reseda**

lutea L. - mignonette. **MD.** Escape.

luteola L. - dyer's-rocket, yellow-weed. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964).
 Waif.

RHAMNACEAE *The Buckthorn Family***Ceanothus**

americanus L. - New Jersey-tea, redroot. **DC, MD, VA.**

herbaceus Raf. - prairie redroot. (*C. ovatus* Desf., misapplied) **DC:** Chain Bridge Flats, **MD:** Montgomery Co., Little Falls.

Rhamnus

davurica Pall. - Asian buckthorn. **MD:** Prince George's Co., College Park (B&B 1972). Escape.

frangula L. - European alder-buckthorn. (*Frangula alnus* Mill.) **MD:** Baltimore Co.. Escape.

ROSACEAE *The Rose Family***Agrimonia**

gryposepala Wallr. - common tall agrimony. **MD, VA.**

microcarpa Wallr. - small-fruited agrimony. **MD, VA.**

Agrimonia - cont.

parviflora Aiton - small-fruited agrimony. **DC, MD, VA.**

pubescens Wallr. - downy agrimony, hairy agrimony. **DC, MD, VA.**

rostellata Wallr. - woodland agrimony. (*A. eupatoria* L., misapplied) **DC, MD, VA.**

striata Michx. - roadside agrimony, striate agrimony. **MD** (B&B 1984).

Alchemilla

microcarpa Boiss. & Reut. - parsley-piert, lady's-mantle. (*Alchemilla arvensis* (L.) Scop., misapplied, *Aphanes arvensis* L., misapplied, *A. microcarpa* (Boiss. & Reut.) Rothm.) **DC, VA.** Waif.

Amelanchier

arborea (F. Michx.) Fernald - common serviceberry, downy serviceberry, shadbush. (*A. canadensis* (L.) Medik., misapplied) **DC, MD, VA.**

canadensis (L.) Medik. - shadbush, eastern serviceberry. (*A. oblongifolia* (T. & G.) M. Roem.) **DC, MD, VA.**

x intermedia Spach - intermediate serviceberry. **MD:** Prince George's Co. (*W.L. McAtee* 3372, 1928), **VA:** Arlington Co. (*W.L. McAtee* 3371, 1928). Included in *A. oblongifolia* (=*A. canadensis*) by H&S.

laevis Wiegand - smooth serviceberry, Juneberry. **DC, MD, VA.** Status in area in need of study; species not included in Atlas; only record for DC (*Fleming* 1027, 1989) arguably is *A. arborea*.

obovalis (Michx.) Ashe - obovate serviceberry, coastal plain serviceberry. **VA:** Richmond Co. (Atlas).

sanguinea (Pursh) DC. - roundleaf serviceberry, New England serviceberry. (*A. humilis* Wiegand) **VA.**

spicata (Lam.) K. Koch - stoloniferous serviceberry, low serviceberry. (*A. stolonifera* Wiegand) **DC, MD, VA.**

Aronia

arbutifolia (L.) Pers. - red chokeberry. (*Pyrus arbutifolia* (L.) L. f., *Sorbus arbutifolia* (L.) Heynh.) **DC, MD, VA.**

melanocarpa (Michx.) Elliott - black chokeberry. (*Pyrus melanocarpa* (Michx.) Willd., *Sorbus melanocarpus* (Michx.) Heynh.) **MD:** Frederick Co. (*E. Baltars* 597, 1955); Prince George's, Beltsville (Terrell et al. 1999), **VA.**

x prunifolia (Marshall) Rehder - purple chokeberry. (*A. atropurpurea* Britton, *Pyrus floribunda* Lindl., *Sorbus arbutifolia* var. *atropurpurea* (Britton) C.K. Schneid.) **DC, MD, VA.**

Aruncus

dioicus (Walter) Fernald - goat's-beard. (*A. vulgaris* (Maxim.) Raf. ex Hara) **DC, MD, VA.**

Chaenomeles

speciosa (Sweet) Nakai - Japanese-quince, flowering-quince. (*C. lagenaria* (Loisel.) Koidz.) **DC**: Rock Creek Park (*Fleming* 384, 1987). Escaped or persisting from cultivation?

Crataegus

calpodendron (Ehrh.) Medik. - pear hawthorn. (*C. smithii* Sarg., *C. tomentosa* L., misapplied) **VA**.

crus-galli L. - cockspur, cockspur thorn, cockspur hawthorn. (*C. canbyi* Sarg., *C. pyracanthoides* (Aiton) Beadle) **DC, MD, VA**.

dodgei Ashe - fireberry hawthorn. **DC**: Tenleytown (Steele 1901, p. 66), **MD**: Prince George's Co., Riverdale (Steele l.c.). Steele reported *C. rotundifolia* (Ehrh.) Borkh., but, according to J.B. Phipps (correspondence, April 23, 1997), it probably was this species.

"**flava**" - yellow hawthorn. **VA**: Arlington Co. (Steele 1901, p. 66); Culpeper Co. (Harvill et al. 1992, p. 115). The correct name for this species has not been established. The species is not *C. flava* Aiton, according to J.B. Phipps (correspondence, April 23, 1997).

intricata Lange - Biltmore hawthorn. (*C. apposita* Sarg., *C. biltmoreana* Beadle, *C. coccinea* L., misapplied, *C. straminea* Beadle) **DC, MD, VA**.

macroisperma Ashe - variable hawthorn, large-seeded thorn. (*C. flabellata* (Bosc) K. Koch, misapplied, *C. stolonifera* Sarg.) **VA** (Atlas). True *C. flabellata* does not occur this far south, according to J.B. Phipps (correspondence, April 23, 1997). *C. flabellata* of Harvill et al. 1992 is probably this species, at least in part.

margareta Ashe - Margaret hawthorn. **VA**. *C. viridis* of Allard & Leonard 1943, p. 35, based on *H.A. Allard 3450*, 1957 (Fauquier Co.), is probably this species, according to J.B. Phipps (personal communication, July 8, 1996).

monogyna Jacq. - English hawthorn, one-seeded hawthorn. (*C. oxyacantha* L. (rejected name)) **DC**: Corcoran's Woods (Holm 1892, p. 112), **VA**: Alexandria (*L.F. Ward s.n.*, 1877). Escaped or persisting from cultivation?

phaenopyrum (L. f.) Medik. - Washington thorn, Washington hawthorn. (*C. cordata* Aiton) **DC, MD, VA** (Atlas). Escape.

pruinosa (J.C. Wendl.) K. Koch - waxy-fruited hawthorn. (*C. rugosa* Ashe) **MD, VA**. *C. rugosa* is sometimes treated as a separate species.

punctata Jacq. - dotted hawthorn, dotted thorn. **VA**: Fairfax Co. (Atlas).

rubella Beadle - (?*C. boyntonii* Beadle) **MD**: Prince Georges Co. (*N. Hotchkiss 5661*, 1937). Hotchkiss specimen apparently basis for including *C. "boytoni"* Beadle in FJH 1946. Perhaps both *C. boyntonii* and *C. rubella* belong in *C. intricata*.

succulenta Schrad. ex Link - fleshy hawthorn. **MD** ?: "Near DC" (*W.H. Seaman s.n.*, no date), **VA**: Fauquier Co..

tatnalliana Sarg. - Tatnall hawthorn. **VA**: Loudoun Co. (*H.A. Allard 20504*, 1952, as *C. pedicellata* Sarg.). Allard's specimen, of the affinity of *C. coccinea* L., tentatively placed in *C. tatnalliana* by J.B. Phipps (July 1996).

Crataegus - cont.

uniflora Muenchh. - one-flowered hawthorn, dwarf hawthorn. (*C. parviflora* (Sol.) Aiton) **DC, MD, VA** (Atlas).

viridis L. - green haw, green hawthorn, southern thorn. **MD**: southern MD (B&B 1984), **VA**: King George Co. (Atlas). *H.A. Allard 3450*, 1957 (Fauquier Co.) is probably *Crataegus margareta* Ashe, not *C. viridis* (see *C. margareta*).

Duchesnea

indica (Andrews) Focke - false strawberry, Indian-strawberry. **DC, MD, VA**. Naturalized.

Filipendula

rubra (Hill) B.L. Rob. - queen-of-the-prairie. **MD**: Baltimore Co. (*G.R. Fessenden 5252*, 1951), **VA**: Fauquier Co. (*H.A. Allard 8995, 11974*, 1941, 1946).

Fragaria

vesca L. - woodland strawberry. **VA**: Westmoreland Co. (Atlas).

virginiana Duchesne - wild strawberry. **DC, MD, VA**.

Geum

aleppicum Jacq. - yellow avens. (*G. strictum* Aiton) **MD**: Montgomery Co., Plummer's Island (*E.P. Killip 31074*, 1933), **VA**: Arlington Co. (*E.S. Steele s.n.*, 1899). American plants are var. *strictum* (Aiton) Fernald. Identification of both specimens doubtful.

canadense Jacq. - white avens. (*G. meyerianum* Rydb.) **DC, MD, VA**.

laciniatum Murray - rough avens. (*G. virginianum* L., misapplied) **DC, MD, VA**.

vernus (Raf.) T. & G. - spring avens. **DC, MD, VA**.

virginianum L. - rough avens, cream-colored avens. (*G. flavum* (Porter) E.P. Bicknell, *G. hirsutum* Muhl. ex Link) **DC, MD, VA**.

Kerria

japonica (L.) DC. - Japanese-rose. **VA** (Atlas). Escape.

Malus

angustifolia (Aiton) Michx. - wild crab, wild crabapple, southern crab, southern crabapple. (*Pyrus angustifolia* Aiton) **DC** (1884, as "Pyrus sp.", no collector), **MD**: Carroll Co. (*J.D. Smith 71*, 1881); Prince George's Co. (FJH 1946), **VA** (Atlas).

coronaria (L.) Mill. - wild crab, wild crabapple, sweet crab, wild sweet crab. (*M. glaucescens* Rehder, *M. lancifolia* Rehder, *Pyrus coronaria* L., *P. glaucescens* (Rehder) L.H. Bailey, *P. lancifolia* (Rehder in Sarg.) L.H. Bailey) **DC, MD, VA**. Some collections annotated by R. McVaugh in 1942 as *M. "platycarpa"*, a hybrid described by A. Rehder, but further study is needed.

floribunda Siebold ex Van Houtte - showy crabapple. **DC** (*J.B. Walker s.n.*, 1958). Planted or escaped?

x platycarpa Rehder - **VA**: Arlington Co. (*S.F. Blake 10831*, 1929 - det. by A. Rehder). See also *M. coronaria*.

Malus - cont.

prunifolia (Willd.) Borkh. - Chinese crab, Chinese crabapple. (*Pyrus prunifolia* Willd.) **DC** (*G. Vasey s.n.*, 1878), **VA**: Fairfax Co. (Atlas). Planted or escaped? A second old specimen (*W.H. Seaman s.n.*, no date) was collected "near Washington, D.C."

spectabilis (Aiton) Borkh. - Chinese flowering apple. **DC** (*T.H. Berger s.n.*, 1946, 1948). Escape; both collections from same, apparent volunteer shrub on Smithsonian Institution grounds.

sylvestris Mill. - apple. (*M. pumila* Mill., misapplied., *Pyrus malus* L.) **DC, MD, VA**. Escape.

toringo (Siebold) Siebold ex de Vriese - Toringo crab, Toringo crabapple. (*M. sieboldii* (Regal Rehder, *Pyrus sieboldii* Regel) **MD**: Prince George's Co., Beltsville (Terrell et al. 1999). Escape.

Physocarpus

opulifolius (L.) Maxim. - ninebark. (*Opulaster opulifolius* (L.) Kuntze) **DC, MD, VA**.

Porteranthus

trifoliatus (L.) Britton - false ipecac, bowman's-root, Indian-physic. (*Gillenia trifoliata* (L.) Moench) **DC, MD, VA**.

Potentilla

anserina L. - silverweed. (*Argentina anserina* (L.) Rydb.) **MD** (H&S). Status doubtful; not listed in B&B 1984.

argentea L. - silver cinquefoil (five-finger). **DC, MD**: Prince George's Co., Beltsville (Terrell et al. 1999), **VA**: Fauquier Co. (Atlas). Naturalized.

arguta Pursh - tall cinquefoil (five-finger). **MD**.

canadensis L. - common cinquefoil (five-finger), running cinquefoil. (*P. pumila* Poir.) **DC, MD, VA**.

intermedia L. - downy cinquefoil (five-finger). **MD**: Anne Arundel Co. (B&B 1984). Waif.

norvegica L. - rough cinquefoil (five-finger), strawberry-weed. (*P. monspeliensis* L.) **DC, MD, VA**. Native and introduced.

recta L. - rough-fruited cinquefoil (five-finger), sulphur cinquefoil. **DC, MD, VA**. Naturalized.

reptans L. - creeping cinquefoil (five-finger). **DC**: "Near Brightwood" [prob. DC] (Holm 1901, p. 11), **MD**. Naturalized.

simplex Michx. - old-field cinquefoil (five finger), common cinquefoil. (*P. canadensis* L., misapplied) **DC, MD, VA**.

Prunus

alleghaniensis Porter - Allegheny plum, Allegheny sloe. **VA**: Culpeper Co. (Atlas).

americana Marshall - wild plum. **DC, MD, VA**.

Prunus - cont.

angustifolia Marshall - chickasaw plum. (*P. chicasa* Michx.) **DC, MD, VA.**

armeniaca L. - apricot. **DC** (*L.F. Ward s.n.*, 1878), **MD**: Prince George's Co., Marlboro Rd. (*L.F. Ward s.n.*, 1879). Planted or escaped? Both specimens on same sheet.

avium L. - sweet cherry. **DC, MD, VA.** Persisting from planting and frequent escape.

cerasus L. - sour cherry, pie cherry. **DC** (*L.F. Ward 565*, 1876; planted?), **VA** (Atlas). Occasional escape.

hortulana L.H. Bailey - wild goose plum, hortulan plum. **VA**: Fairfax Co. (Atlas).

insititia L. - damson, damson plum. (*P. domestica* L. ssp. *insititia* (L.) C.K. Schneid.) **VA** (Atlas). Escape.

mahaleb L. - mahaleb, mahaleb cherry, perfumed cherry. **DC, MD, VA.** Persisting from planting or escape. All US specimens possibly from planted trees.

munsoniana Wight & Hedrick - wild goose plum. **VA**: Fauquier Co. (*H.A. Allard 1985*, 1936). Escape.

nigra Aiton - Canada plum. **VA** (Atlas).

pensylvanica L. f. - bird cherry, pin cherry, fire cherry. **MD**: Frederick Co. (FJH 1946).

persica (L.) Batsch - peach. **DC, MD, VA.** Escape. The peach blossom is the State Flower of Delaware.

pumila L. - sand cherry. (*P. cuneata* Raf., *P. susquehanae* Willd.) **MD, VA** (Atlas).

serotina Ehrh. - wild black cherry, wild cherry, black cherry. **DC, MD, VA.**

spinosa L. - sloe, blackthorn. **DC**? (*L.F. Ward s.n.*, 2 specimens, 1878, 1879), **MD**. Escape.

subhirtella Miq. - weeping Higan cherry, Japanese flowering cherry. **DC** (*P. Fleming 350, 720*, 1987, 1988). Escape. "Occasional" in Rock Creek Park (Fleming & Kanal 1995, p. 308).

virginiana L. - choke cherry. **DC**? : "in silva ad 'Aqueduct bridge'" (*T.H. Holm s.n.*, 1888; DC or VA?), **MD, VA.**

x **yedoensis** Matsum. - Yoshino cherry, Japanese flowering cherry. **DC**: Rock Creek Park (*P. Fleming 374, 722*, 1987, 1988). Said to be "widely escaped" in Rock Creek Park by Fleming and Kanal (1995, p. 308), but at least one voucher specimen (722) likely was from planted tree.

Pyracantha

coccinea M. Roem. - firethorn. (*Cotoneaster pyracantha* (L.) Spach) **DC** (*E.S. Steele s.n.*, 1899). Escape.

Pyrus

calleryana Decne. - Bradford pear. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999), **VA** ; FairfaxCo., Herndon (S.G. Shetler, personal observations, 1999). Escape, becoming invasive.

communis L. - common pear, pear. **DC, MD, VA.** Escape.

Rhodotypos

scandens (Thunb.) Makino - jetbead, white kerria. **DC, VA:** Loudoun Co. (Atlas). Escape.

Rosa

blanda Aiton - smooth rose. **VA:** Fauquier Co. (*H.A. Allard* 8658, 1941). Waif.

bracteata J.C. Wendl. - McCartney rose. **MD:** Harford Co. (*E. Baltars* 2452, 1959), **VA:** Westmoreland Co. (*E. Thorworth s.n.*, 1903). Escape.

canina L. - dog rose. **DC, MD, VA.** Escape.

carolina L. - pasture rose, low pasture rose. (*R. lucida* Ehrh., misapplied, *R. virginiana* Mill., misapplied (as in H&S)) **DC, MD, VA.**

eglantaria L. - sweetbrier, Eglantine. (*R. rubiginosa* L.) **DC, MD, VA.** Escape.

gallica L. - French rose. **VA** (Atlas). Escape. Presumably, Atlas record based on specimens other than single, Fairfax specimen in US (*H.G. Deignan* 1446, 1947), surely planted.

micrantha Borrer ex Sm. - sweetbrier, Eglantine. **DC, MD, VA:** Fairfax Co. (Atlas). Escape.

multiflora Thunb. - multiflora rose. **DC, MD, VA.** Naturalized.

palustris Marshall - swamp rose. (*R. carolina* L., misapplied) **DC, MD, VA.**

rugosa Thunb. - Japanese rose. **VA** (Atlas). Escape.

setigera Michx. - climbing rose, prairie rose. **DC, MD, VA:** Fauquier Co. (*H.A. Allard* 7804, 1940).

virginiana Mill. - pasture rose. (*R. lucida* Ehrh.) **DC, MD, VA.** In H&S, this name used for what is *R. carolina*. Seems to be confused and ill-defined species in W-B Area. Included by some (Radford et al. 1968, p. 552) in *R. palustris*.

wichuraiana Crép. - memorial rose. **VA** (Atlas). Status in wild?

Rubus

allegheniensis Porter - common blackberry. (*R. alumnus* L.H. Bailey) **DC, MD, VA.**

argutus Link - tall blackberry, southern blackberry. (*R. fatuus* L.H. Bailey, *R. frondosus* Bigelow, in part, *R. jugosus* L.H. Bailey, *R. louisianus* Berger, *R. miriflorus* L.H. Bailey, in part, *R. pauxillus* L.H. Bailey, *R. rhodophyllus* Rydb., *R. subtractus* L.H. Bailey) **MD, VA.** *Rubus argutus* of H&S is a confused name, including also *R. allegheniensis* and *R. pensylvanicus*.

Rubus - cont.

bifrons Vest. ex Tratt. - Himalayan-berry. (*R. ulmifolius* Schott.) **DC:** Rock Creek Park (*P. Fleming* 838, 1988), **VA:** Arlington Co. (McAtee 1940, p. 142); Fairfax Co. (Atlas). Escape.

cuneifolius Pursh - sand blackberry. (*R. longii* Fernald, *R. pascuus* L.H. Bailey) **DC, MD, VA.**

discolor Weihe & Nees - Himalayan blackberry. (*R. procerus* P.J. Müll.) **DC:** Kenilworth Park (*P. Fleming* 2192, 1989), **VA** (Atlas). Escape.

flagellaris Willd. - northern dewberry, dewberry. (*R. baileyanus* Britton, *R. camurus* L.H. Bailey, *R. canadensis* L. in part, misapplied, *R. celer* L.H. Bailey, *R. centralis* L.H. Bailey, *R. clarus* L.H. Bailey, *R. depavitus* L.H. Bailey, *R. enslenii* Tratt., *R. fecundus* L.H. Bailey, *R. fusus* L.H. Bailey (*R. fuscus*), *R. grimesii* L.H. Bailey, *R. invisus* (L.H. Bailey) Britton, *R. jaysmithii* L.H. Bailey, *R. leviculus* L.H. Bailey, *R. obvius* L.H. Bailey, *R. procumbens* Muhl., misapplied, *R. prosper* L.H. Bailey, *R. roribaccus* (L.H. Bailey) Rydb., *R. scambens* L.H. Bailey, *R. steelei* L.H. Bailey, *R. villosus* Aiton, misapplied) **DC, MD, VA.**

hispidus L. - dewberry, swamp dewberry, groundberry. (*R. trivialis* of Steele 1901 (p. 64), misapplied, *R. vigil* L.H. Bailey?) **DC, MD, VA.**

idaeus L. - red raspberry. (*R. strigosus* Michx.) "Near Washington, D.C." (*W.H. Seaman s.n.*, no date). Very old specimen -- escaped or planted?

laciniatus Willd. - evergreen blackberry, cut-leaved blackberry. **DC, MD, VA** (Atlas). Escape.

occidentalis L. - black raspberry. **DC, MD, VA.**

odoratus L. - flowering raspberry, purple-flowering raspberry, thimbleberry. **DC** (Holm 1892, p. 111), **MD:** Frederick Co. (*E. Baltars* 2669, 1960), **VA.**

pensylvanicus Poir. - blackberry, Pennsylvania blackberry. (*R. andrewsianus* Blanch., *R. argutus* of H&S, in part, *R. canadensis* L., in part, misapplied, *R. floricomus* Blanch., *R. floridus* Tratt., *R. frondosus* Bigelow, in part, *R. laudatus* Berger, *R. libratus* L.H. Bailey, *R. miriflorus* L.H. Bailey, in part, *R. ostryifolius* Rydb., *R. par* L.H. Bailey, *R. philadelphicus* Blanch., *R. rosarius* L.H. Bailey, *R. subsolanus* L.H. Bailey) **DC, MD, VA.**

phoenicolasius Maxim. - wineberry. **DC, MD, VA.** Naturalized.

trivialis Michx. - southern dewberry. **VA** (Atlas).

Sanguisorba

canadensis L. - American burnet, burnet. **DC, MD.**

minor Scop. - salad burnet, garden burnet. (*Poterium sanguisorba* L.) **MD.** Waif.

Spiraea

alba DuRoi - meadowsweet. (Including *S. latifolia* (Aiton) Borkh.) **DC, MD, VA.**

betulifolia Pall. - corymbbed spiraea, birch-leaved spiraea. (Including *S. corymbosa* Raf.) **MD:** Frederick Co., Sugar Loaf Mt. (*J.W. Roller* 641, 1946), **VA.**

Spiraea - cont.

japonica L. f. - Japanese spiraea. **VA:** Fairfax Co. (Atlas). Escape.

prunifolia Siebold & Zucc. - bridal-wreath. **DC:** Rock Creek Park (*P. Fleming* 753, 1988), **VA.** Escaped or planted? Included in Atlas, but US specimens from DC and VA appear to be from plants persisting from cultivation.

tomentosa L. - hardhack, steeple-bush. **MD, VA** (Atlas).

RUBIACEAE *The Madder Family***Asperula**

arvensis L. - woodruff. **DC** (*E.S. Steele s.n.*, 1898). Waif.

Cephalanthus

occidentalis L. - buttonbush. **DC, MD, VA.**

Diodia

teres Walter - buttonweed, rough buttonweed, poorjoe. **DC, MD, VA.**

virginiana L. - larger buttonweed, Virginia buttonweed. **MD, VA.**

Galium

aparine L. - cleavers, spring cleavers, goosegrass. **DC, MD, VA.**

asprellum Michx. - rough bedstraw. **DC** ?: bank of canal above Georgetown (*C.L. Pollard s.n.*, 1895), **MD, VA.**

circaeans Michx. - wild licorice, forest bedstraw. **DC, MD, VA.**

concinnum Torr. & A. Gray - shining bedstraw. **DC, MD, VA.**

lanceolatum Torr. - lance-leaved wild licorice, wild licorice. **MD.**

latifolium Michx. - purple bedstraw, wide-leaved bedstraw. **VA.**

mollugo L. - white bedstraw, wild madder. (*G. erectum* Huds.) **DC:** Georgetown (*F.J. Hermann* 10282, 1939), **MD, VA:** Alexandria (*S.F. Blake* 10838, 1929).

obtusum Bigelow - stiff marsh bedstraw, blunt-leaved bedstraw. (*G. tinctorium* (L.) Scop., misapplied) **DC** ?: vicinity of DC (*L.F. Ward s.n.*, 1878), **MD:** Baltimore Co. (B&B 1984), **VA.**

parisiense L. - Parisian bedstraw. **VA:** Culpeper Co. (*H.A. Allard* 19248, 1948). Waif.

pedemontanum (Bellardi) All. - piedmont bedstraw. (*Cruciata pedemontana* (Bellardi) Ehrend., *Vaillantia pedemontana* Bellardi) **MD:** Prince George's Co., Beltsville (Terrell et al. 1999), **VA:** Fauquier Co. (Atlas). Waif.

pilosum Aiton - hairy bedstraw. (*G. puncticulatum* Michx.) **DC:** Rock Creek Park (*P. Fleming* 205, 1986), **MD, VA.**

Galium - cont.

tinctorium (L.) Scop. - Clayton's bedstraw, southern three-lobed bedstraw, wild madder. (*G. claytonii* Michx., *G. trifidum* var. *tinctorium* (L.) Torr. & A. Gray) **DC, MD, VA**. Doubtfully distinct from *G. trifidum* L.

tricornutum Dandy - (*G. tricorne* Stokes, in part) **MD**: Baltimore City, Canton (Reed 1964). Waif.

trifidum L. - small bedstraw, northern three-lobed bedstraw. **DC** (*Leonard & Killip 1523*, 1923), **MD, VA**: Huntley Meadows Park (*F.R. Fosberg 65285*, 1986). Doubtfully distinct from *G. tinctorium*.

triflorum Michx. - sweet-scented bedstraw. **DC, MD, VA**.

verum L. - yellow bedstraw, true bedstraw. **DC** (*T. Ulke s.n.*, 1932 or 1933), **MD, VA**: Arlington Co. (Atlas). Naturalized.

Houstonia

caerulea L. - bluets, Quaker-ladies, innocence. (*Hedyotis caerulea* (L.) Hook.) **DC, MD, VA**.

longifolia Gaertn. - long-leaved bluets, long-leaved summer bluets, long-leaved houstonia. (*Hedyotis canadensis* (Willd. ex Roem. & Schult.) Fosberg, misapplied, *H. longifolia* (Gaertn.) Hook., *H. nuttalliana* Fosberg, *Houstonia canadensis* Willd. ex Roem. & Schult., misapplied, *H. tenuifolia* Nutt.) **DC, MD, VA**.

purpurea L. - large summer bluets, large houstonia, large-leaved houstonia. **DC, MD, VA**.

pusilla Schoepf - small bluets. (*Hedyotis crassifolia* Raf., *Houstonia minima* Beck, *H. patens* Elliott) **MD**: Harford Co. (*Terrell & Reed 4997*, 1979), **VA** (Atlas).

Mitchella

repens L. - partridge-berry, checkerberry, twin-berry, two-eyed-berry, running-box. **DC, MD, VA**.

Oldenlandia

uniflora L. - clustered bluets. (*Hedyotis uniflora* (L.) Lam.) **DC**: Bennings (*E.S. Steele s.n.*, 1899), **MD**: Prince George's Co. (*L.B. Smith 5131*, 1950).

Richardia

scabra L. - Florida-pusley, Mexican-clover. **MD**: Prince George's Co. (*E.C. Leonard 17567*, 1936). Waif.

Sherardia

arvensis L. - field-madder. **DC, MD** (inferred from B&B 1984), **VA** (Atlas). Waif.

Spermacoce

glabra Michx. - buttonweed. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from midwest.

RUTACEAE *The Rue Family***Ptelea**

trifoliata L. - hop-tree, wafer-ash. **DC, MD, VA.**

Ruta

graveolens L. - common rue. **DC** (*G.H. Shull 58*, 1902). Waif.

Zanthoxylum

americanum Mill. - prickly-ash. **DC**: Pierce Mill (H&S; escape?); Mineshoe Island, (McAtee 1930, p. 50), **MD**: Frederick Co. (*E. Baltars 300*, 1951), **VA** (Atlas). A second US specimen (*W.H. Seaman s.n.*) collected prior to 1915 "near Washington, D.C., " lacks a collection date and locality.

SALICACEAE *The Willow Family***Populus**

alba L. - white poplar, silver poplar. **DC, MD, VA.** Persisting and spreading from cultivation.

balsamifera L. - balsam poplar. (*P. tacamahacca* Mill.) **DC** (*L.F. Ward s.n.*, 18--), **MD**: Prince George's Co., Paint Branch (*L.F. Ward s.n.*, 1879), **VA** (Atlas). Waif.

x canescens (Aiton.) Sm. (*P. alba x tremula* L.) - gray poplar. **DC.** Occasional escape.

deltoides Bartram ex Marshall - cottonwood. (*P. x canadensis* Moench (*P. deltoides x nigra* var. *italica*; *P. xeugenei* Simon-Louis), *P. monilifera* Aiton, *P. virginiana* Foug.) **DC, MD, VA.** *P. x canadensis*, Carolina poplar, is extensively planted.

grandidentata Michx. - big-toothed aspen, large-toothed aspen. **DC, MD, VA.**

heterophylla L. - swamp cottonwood, black cottonwood. **MD, VA** (Atlas).

x jackii Sarg. (*P. balsamifera x deltoides*) - balm-of-Gilead. (*P. x gileadensis* Rouleau) **VA** (Atlas). Escape from cultivation.

nigra L. - black poplar. (*P. dilatata* Aiton, *P. italicica* (Münchh.) Moench) **DC, MD** (inferred from B&B 1972), **VA**: Lancaster Co. (*H.A. Allard 21821*, 1954). Occasional escape from cultivation. Possibly all DC specimens from planted trees. Var. *italicica* Münchh., Lombardy poplar, extensively planted, but unable to spread by seed.

tremuloides Michx. - quaking aspen, trembling aspen. **MD, VA.** Only an escape in Maryland portion of W-B Area (see B&B 1972).

Salix

alba L. - white willow. **DC, MD** (inferred from B&B 1972), **VA.** Escape.

babylonica L. - weeping willow. **DC, MD, VA.** Persisting and sparingly escaping from cultivation.

bebbiana Sarg. - long-beaked willow. **MD**: Baltimore Co. (FJH 1946).

caprea L. - goat willow, florist's willow. **VA** (Atlas). Doubtful escape.

Salix - cont.

caroliniana Michx. - Carolina willow, Ward's willow. (*S. nigra* var. *wardii* Bebb ex Ward, *S. wardii* (Bebb ex Ward) Bebb) **DC, MD, VA.**

cinerea L. - gray florist's willow. **DC, MD, VA** (Atlas). Persisting from cultivation and doubtfully escaped.

eriocephala Michx. - heartleaf willow, diamond willow. (*S. cordata* Muhl., not Michx., *S. rigida* Muhl.) **DC, VA.**

exigua Nutt. - sandbar willow. (*S. interior* Rowlee, *S. longifolia* Muhl.) **DC, VA.**

fragilis L. - crack willow. **DC, MD, VA.** Naturalized.

humilis Marshall - prairie willow, upland willow, small pussy willow. **DC, MD, VA.**

matsudana Koidz. - dragon-claw willow. **VA** (Atlas). Doubtful escape (*forma tortuosa* Rehder).

nigra Marshall - black willow. **DC, MD, VA.**

occidentalis Walter - dwarf prairie willow. (*S. humilis* var. *microphylla* (Andersson) Fernald, *S. tristis* Aiton) **DC, MD, VA.**

pentandra L. - bay-leaved willow. **DC, MD.** Occasional escape from cultivation.

purpurea L. - basket willow, purple willow. **DC, VA.** Escape, doubtfully naturalized.

sericea Marshall - silky willow. **DC, MD, VA.**

SANTALACEAE *The Sandalwood Family*

Comandra

umbellata (L.) Nutt. - bastard toadflax. **DC, MD, VA.**

SAPINDACEAE *The Soapberry Family*

Cardiospermum

halicacabum L. - balloon-vine. **DC:** (*E.S. Steele s.n.*, 1898; *J.B.S. Norton s.n.*, 1915). Escape.

Koelreuteria

paniculata Laxm. - goldenrain-tree, varnish-tree. **VA:** Arlington Co. (Atlas). Escape.

SARRACENIACEAE *The Pitcher-plant Family*

Sarracenia

purpurea L. - pitcher-plant, northern pitcher-plant. **MD.** Introduced at Suitland Bog, Prince George's Co., and probably at some of the other MD sites (e.g., see Terrell et al. 1999).

SAURURACEAE *The Lizard's-tail Family***Saururus****cernuus** L. - lizard's-tail. **DC, MD, VA.**SAXIFRAGACEAE *The Saxifrage Family***Chrysosplenium****americanum** Schwein. ex Hook. - water-mat, water-carpet, golden-saxifrage. **DC, MD, VA.****Deutzia****gracilis** Siebold and Zucc. - slender deutzia. **MD:** Montgomery Co. (*G.S. Miller, Jr., s.n.*, 1897). Escape.**x magnifica** (Lemoine) Rehder - showy deutzia. (*D. scabra* x *D. vilmoriniae* (Lemoine) Rehder) **DC:** Rock Creek Park (*P. Fleming 1394*, 1992). Escape? Species said by Fleming (1992, p. 309) to be escaping. She cites a different specimen, *P. Fleming 491*, 1987, but its label says "cultivated."**scabra** Thunb. - scabrous deutzia. **DC** (*P. Fleming 697*, 1989), **VA** (Atlas). Escape.**Heuchera****americana** L. - common alumroot, rock-geranium. **DC, MD, VA.****pubescens** Pursh - downy heuchera, Appalachian alumroot. **VA.****Hydrangea****arborescens** L. - wild hydrangea, American hydrangea. **DC, MD, VA.****paniculata** Siebold. - panicled hydrangea. **DC:** Rock Creek Park. Escape.**quercifolia** Bartram - oakleaf hydrangea. **DC:** Rock Creek Park. Escape.**Itea****virginica** L. - tassel-white, Virginia-willow. **DC, MD, VA.****Mitella****diphylla** L. - miterwort, bishop's-cap. **DC, MD, VA.****Parnassia****asarifolia** Vent. - kidney-leaved grass-of-Parnassus. **MD:** Charles Co., Cedarville State Forest, **VA:** Richmond Co. (Atlas).**Philadelphus****coronarius** L. - garden mock-orange, European mock-orange. **MD:** Montgomery Co. (McAtee 1930, p. 27); Prince George's Co., Beltsville (Terrell et al. 1999), **VA.** Widely escaped in MD and VA, according to B&B (1972) and Atlas, respectively.**inodorus** L. - common mock-orange, Appalachian mock-orange. **DC.** Escape.**Ribes****americanum** Mill. - wild black currant, eastern black currant. **DC.**

Ribes - cont.

cynosbati L. - prickly gooseberry, dogberry. **MD:** Prince George's Co., Beltsville (Terrell et al. 1999).

rotundifolium Michx. - eastern wild gooseberry, smooth gooseberry, Appalachian gooseberry.
(*Grossularia rotundifolia* (Michx.) Coville & Britton) **DC, MD, VA** (Atlas).

rubrum L. - red currant, red garden currant. (*R. sativum* Syme, *R. vulgare* Lam.) **VA:** Prince William Co. (Atlas). Escape.

Saxifraga

micranthidifolia (Haw.) Steud. - lettuce saxifrage. **MD:** Frederick Co. (B&B 1984), **VA:** Fauquier Co. (Atlas).

pensylvanica L. - swamp saxifrage. **MD, VA.**

virginiensis Michx. - early saxifrage. **DC, MD, VA.**

Tiarella

cordifolia L. - foamflower, false miterwort. (Including *T. wherryi* Lakela.) **MD, VA** (Atlas).

SCROPHULARIACEAE *The Figwort Family***Agalinis**

acuta Pennell - sand-plain agalinis, sand-plain gerardia. (*Gerardia acuta* (Pennell) Pennell) **MD:** Soldier's Delight, Baltimore Co. (*I.T. Isanogle* 7, 1949). Species determination by C. A. Davis (1996); originally det. *Gerardia decemloba* Greene. Doubtfully distinct from *A. obtusifolia* Raf.

auriculata (Michx.) Blake - auricled agalinis, auricled gerardia. (*Gerardia auriculata* Michx., *Otophylla auriculata* (Michx.) Small, *Tomanthera auriculata* (Michx.) Raf.) **DC:** Pinehurst (*E.T. Wherry s.n.*, 1919), **MD, VA.**

fasciculata (Elliott) Raf. - fascicled agalinis, fascicled gerardia. (*Gerardia fasciculata* Elliott) **MD ?** (cf. B&B 1984 and Gleason & Cronquist 1991), **VA:** Fairfax Co. (Atlas).

maritima (Raf.) Raf. - saltmarsh agalinis, seaside agalinis, saltmarsh gerardia. **MD, VA:** Northumberland Co. (Atlas).

obtusifolia Raf. - blunt-leaved agalinis, ten-lobed agalinis, blunt-leaved gerardia. (*A. decemloba* (Greene) Pennell, *Gerardia decemloba* Greene (type collected near Brookland, DC)) **DC, MD,** **VA:** Fairfax Co. (*H.G. Deignan 1345*, 1946).

purpurea (L.) Pennell - large purple agalinis, purple gerardia, smooth agalinis. (*Gerardia purpurea* L.) **DC, MD, VA.**

setacea (J.F. Gmel.) Raf. - thread-leaved agalinis, thread agalinis, thread-leaved gerardia. (*A. holmiana* (Greene) Pennell (type collected at Brookland, DC), *Gerardia holmiana* Greene, *G. setacea* J.F. Gmel.) **DC, MD, VA.**

Agalinis - cont.

tenuifolia (Vahl) Raf. - slender agalinis, common agalinis, slender gerardia. (*Gerardia tenuifolia* Vahl)
DC, MD, VA.

Aureolaria

flava (L.) Farw. - smooth false foxglove, smooth yellow foxglove. (*A. virginica* (L.) Pennell, misapplied, *Dasistoma flava* (L.) Wood, *D. virginica* (L.) Britton, misapplied, *Gerardia flava* L., *G. virginica* (L.) B.S.P., misapplied) **MD, VA.**

laevigata (Raf.) Raf. - entire-leaved false foxglove, entire-leaved yellow-foxglove, Appalachian false foxglove. (*Dasistoma laevigata* (Raf.) Chapm., *Gerardia laevigata* Raf.) **VA.**

pedicularia (L.) Raf. - fern-leaved false foxglove, fern-leaved yellow-foxglove, annual false foxglove. (*Dasistoma pedicularia* Benth., *Gerardia pedicularia* L.) **DC, MD, VA.**

virginica (L.) Pennell - downy false foxglove, downy yellow-foxglove. (*A. flava* (L.) Farw., misapplied, *A. villosa* (Muhl.) Raf., *Dasistoma flava* (L.) Wood, misapplied, *D. virginica* (L.) Britton, *Gerardia flava* L., misapplied, *G. virginica* (L.) B.S.P.) **DC, MD, VA.**

Bacopa

rotundifolia (Michx.) Wettst. - round-leaved water-hyssop. (*B. simulans* Fernald) **VA:** Stafford Co. (Atlas). Introduced from Mississippi basin? (see Cronquist & Gleason 1991)

Buchnera

americana L. - blue-hearts. **DC, MD, VA.**

Castilleja

coccinea (L.) Spreng. - scarlet painted-cup, painted-cup, Indian-paintbrush. **VA:** Fairfax Co. (W.F. Caton s.n., 1926).

Chaenorrhinum

minus (L.) Lange - lesser snapdragon, small snapdragon. **MD:** Baltimore Co. (*E. Baltars* 2316, 1958), **VA** (Atlas). Waif.

Chelone

glabra L. - turtlehead, white turtlehead. **DC, MD, VA.**

obliqua L. - red turtlehead, purple turtlehead. **MD, VA.**

Cymbalaria

muralis P. Gaertn., B. Mey. & Scherb. - Kenilworth-ivy. **MD:** Howard Co. (*F.G. Arsene* 605, 1916), **VA:** Fairfax Co. (Atlas). Escape.

Gratiola

aurea Pursh - yellow hedge-hyssop, golden-pert. (?*G. lutea* Raf.) **MD:** Montgomery Co., C&O Canal, 2nd lock (1878 specimen, collector?).

neglecta Torr. - clammy hedge-hyssop. (*G. virginiana* L., misapplied) **DC, MD, VA.**

pilosa Michx. - hairy hedge-hyssop. (*Sophronanthe pilosa* (Michx.) Small, *Tragiola pilosa* (Michx.) Small & Pennell) **DC, MD, VA** (Atlas).

Gratiola - cont.

virginiana L. - round-fruited hedge-hyssop, round-leaved hedge-hyssop. (*G. sphaerocarpa* Elliott)
DC (*E.L. Morris s.n.*, 1896), **MD**, **VA**.

viscidula Pennell - viscid hedge-hyssop. (*G. viscosa* Schwein.) **DC**, **MD**, **VA**.

Kickxia

elatine (L.) Dumort. - canker-root, sharp-pointed toadflax, cancerwort. **DC**, **MD**, **VA**. Naturalized.

Limosella

australis R. Br. - mudweed. (*L. subulata* Ives) **MD**: Harford Co. (*G.H. Shull 306*, 1902).

Linaria

canadensis (L.) Dum. Cours. - blue toadflax, old-field toadflax, annual toadflax. (*Nuttallanthus canadensis* (L.) D.A. Sutton) **DC**, **MD**, **VA** (Atlas).

maroccana Hook. f. - Moroccan toadflax. **VA**: Fairfax Co. (Atlas). Waif.

vulgaris Mill. - butter-and-eggs, toadflax. (*L. linaria* (L.) H. Karst.) **DC**, **MD**, **VA**. Naturalized.

Lindernia

dubia (L.) Pennell - false pimpernel. (*Ilysanthes attenuata* (Spreng.) Small, *L. anagallidea* (Michx.) Pennell) **DC**, **MD**, **VA**.

procumbens (Krock.) Philcox - false pimpernel. (*L. pygidaria* L., misapplied) **VA**: Arlington Co. (*F.R. Fosberg 16869*, 1939, as *L. pygidaria*). Waif.

Maurandella

antirrhiniflora (Humb. & Bonpl. ex Willd.) Rothm. - snapdragon-vine. (*Antirrhinum antirrhiniflorum* Hitch., *Maurandya antirrhiniflora* Humb. & Bonpl. ex Willd.) **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

Mazus

pumilus (Burm. f.) Steenis - (*M. japonicus* (Thunb.) Kuntze) **DC**, **MD**: Montgomery Co., **VA** (Atlas). Naturalized.

Mecardonia

acuminata (Walter) Small - purple hedge-hyssop, water-hyssop. (*Bacopa acuminata* (Walter) B.L. Rob., *Pagesia acuminata* (Walter) Pennell) **DC**, **MD**, **VA**: Culpeper Co. (*H.A. Allard 20796*, 1952).

Melampyrum

lineare Desr. - cow-wheat. **DC**, **MD**, **VA**.

Micranthemum

micranthemooides (Nutt.) Wettst. - Nuttall's micranthemum. (*Hemianthus micranthemooides* Nutt.) **DC**: East Potomac [Anacostia] River (*C. Mohr s.n.*, 1882), **VA**: Alexandria (or Fairfax Co.?), Hunting Creek (*J.W. Chickering, Jr.*, *s.n.*, 1876; *E.S. Steele s.n.*, 1899). Thought to be extinct.

Micranthemum - cont.

umbrosum (J.F. Gmel.) S.F. Blake - **VA**: Fairfax Co. (Atlas).

Mimulus

alatus Aiton - winged monkey-flower, sharp-winged monkey-flower. **DC, MD, VA**.

ringens L. - common monkey-flower, square-stemmed monkey-flower, Allegheny monkey-flower. **DC, MD, VA**.

Orthocarpus

bracteosus Benth. - rosy owl-clover. **MD**: St. Mary's Co. (*S.F. Blake 11911*, 1935). Escape. Possibly planted. No evidence of persistence.

Paulownia

tomentosa (Thunb.) Siebold & Zucc. ex Steud. - empress-tree, princess-tree, imperial-tree. (*P. imperialis* Siebold & Zucc.) **DC, MD, VA**. Naturalized. Sometimes put in Bignoniaceae.

Pedicularis

canadensis L. - common lousewort, wood-betony, forest lousewort. **DC, MD** (inferred from B&B 1984), **VA**.

lanceolata Michx. - swamp lousewort. **MD**: Baltimore Co. (*E. Baltars 1649*, 1958), **VA**.

Penstemon

calycosus Small - long-sepaled beard-tongue. **DC** (Pennell 1935, p. 215), **MD**: Baltimore Co. (B&B 1984). Combined with *P. laevigatus* by Gleason & Cronquist (1991, p. 474).

canescens (Britton) Britton - gray beard-tongue, Appalachian beard-tongue. **MD** (Pennell 1935, p. 222), **VA**.

digitalis Nutt. ex Sims - foxglove beard-tongue, tall white beard-tongue. **DC, MD, VA**.

hirsutus (L.) Willd. - hairy beard-tongue, northeastern beard-tongue. (*P. pubescens* Sol.) **DC, MD, VA**.

laevigatus Aiton - smooth beard-tongue, eastern beard-tongue. (*P. penstemon* (L.) Britton) **DC, MD, VA**.

pallidus Small - pale beard-tongue, eastern white beard-tongue. **DC** (*T.E. Wilcox s.n.*, 1907), **MD** (B&B 1984), **VA**: Fairfax Co. (*F.R. Fosberg 23364*, 1945).

Scrophularia

lanceolata Pursh - hare figwort, American figwort. **MD** (inferred from B&B 1984), **VA**.

marilandica L. - Maryland figwort, carpenter's-square, eastern figwort. **DC, MD, VA**.

Verbascum

blattaria L. - moth mullein. **DC, MD, VA**. Naturalized.

lychnitis L. - white mullein. **MD**: Baltimore (*G.R. Fessenden 5565*, 1954). Waif.

Verbascum - cont.

phlomoides L. - clasping-leaved mullein, clasping mullein. **DC** (*R.F. Griggs s.n.*, 1938), **MD**: Frederick Co. (*O.M. Freeman s.n.*, 1935), **VA**: Loudoun Co. (*O.M. Freeman s.n.*, 1935). Naturalized.

sinuatum L. - wavy-leaved mullein. **MD**: Baltimore City (*C.C. Plitt s.n.*, 1899; *E. Baltars* 637, 1955; see also Reed 1964). Waif.

thapsus L. - common mullein, great mullein. **DC, MD, VA**. Naturalized.

Veronica

agrestis L. - garden speedwell, field speedwell. **DC, MD**: Prince George's Co., Beltsville (Terrell et al. 1999), **VA** (Atlas). Naturalized.

americana Schwein. ex Benth. - American brooklime, American speedwell. **MD, VA**.

anagallis-aquatica L. - water speedwell, brook-pimpernel. (*V. glandifera* Pennell) **MD, VA**.

arvensis L. - corn speedwell. **DC, MD, VA**. Naturalized.

austriaca L. - sage-leaved speedwell. (*V. latifolia* L., *V. teucrium* L.) **DC** (*L.F. Ward s.n.*, 1886). Escape.

chamaedrys L. - germander speedwell, bird's-eye. **DC, MD**? (B&B 1984). Naturalized. Six pre-1900 DC specimens. B&B inclusion perhaps based on H&S or FJH 1946, both of which presumably included the species on the basis of the DC specimens.

filiformis Sm. - creeping speedwell. **DC** (*C. Swallen 1*, 1958). Escape.

hederifolia L. - ivy-leaved speedwell. **DC, MD, VA**. Naturalized.

longifolia L. - long-leaved speedwell. **MD** (Pennell 1935, p. 334; Terrell et al. 1999, Prince George's Co., Beltsville). Escape.

officinalis L. - common speedwell, gypsyweed. **DC, MD, VA**. Both indigenous and naturalized.

peregrina L. - purslane speedwell, neckweed. **DC, MD, VA**.

persica Poir. - bird's-eye, bird's-eye speedwell. (*V. tournefortii* C.C. Gmel., misapplied) **DC, MD, VA**. Naturalized.

politá Fries - field speedwell. (*V. didyma* Ten., misapplied) **DC, MD, VA**. Naturalized.

scutellata L. - marsh speedwell, narrow-leaved speedwell. **DC, MD**: Montgomery Co., High Island (*E.S. Steele s.n.*, 1897). Four pre-1900 collections from along Potomac River in DC vicinity.

serpyllifolia L. - thyme-leaved speedwell. **DC, MD, VA**. Naturalized.

Veronicastrum

virginicum (L.) Farw. - culver's-root. (*Leptandra virginica* (L.) Nutt., *Veronica virginica* L.) **DC, MD, VA**.

SIMAROUBACEAE *The Quassia Family***Ailanthus**

altissima (Mill.) Swingle - tree-of-heaven. **DC, MD, VA.** Naturalized and very invasive.

SOLANACEAE *The Nightshade Family***Capsicum**

annuum L. - pepper. (*C. frutescens* L.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Escape, from tropics.

Datura

ferox L. - oakleafthorn-apple. (*D. quercifolia* Kunth) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

innoxia Mill. - downy thorn-apple, Indian-apple, angel's-trumpet, sacred datura. (*D. meteloides* DC. ex Dunal) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964); Baltimore Co. (*E. Baltars 4160*, 1967), **VA:** Prince William Co. (Atlas). Escape, from southwest.

stramonium L. - jimson-weed, stramonium, thorn-apple. (*Datura tatula* L.) **DC, MD, VA.**

Hyoscyamus

niger L. - black henbane. **MD:** Beltsville, Prince George's Co. (*FJHermann 11613*, 1948). Waif.

Jaltomata

procumbens (Cav.) J.L. Gentry - (*Saracha procumbens* (Cav.) Ruiz & Pavón) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

Lycium

barbarum L. - common matrimony-vine. (*L. halimifolium* Mill.) **DC, MD, VA.** Escape.

chinense Mill. - Chinese matrimony-vine. **MD:** Prince George's Co. (*M. Esher s.n.*, 1983). Escape. Doubtfully distinct from *L. barbarum* and combined with it by some (Gleason & Cronquist 1991).

Lycopersicon

esculentum Mill. - tomato. **MD:** Montgomery Co., Plummer's Island, **VA:** Fairfax Co., Little Hunting Creek (*F.R. Fosberg 23999*, 1945). Escape.

Nicandra

physalodes (L.) Gaertn. - apple-of-Peru. (*Physalodes peruvianum* (Mill.) Kuntze) **DC, MD, VA:** Fairfax Co. (*G.S. Miller, Jr., s.n.*, 1903). Escape.

Nicotiana

alata Link & Otto - flowering tobacco, jasmine tobacco. **MD** (inferred from B&B 1984). Escape.

glaucia Graham - tree tobacco, mustard-tree. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from tropics.

Nicotiana - cont.

longiflora Cav. - flowering tobacco, long-flowered tobacco. **MD** (inferred from B&B 1984). Escape.

plumbaginifolia Viv. - **MD**: Baltimore City, Canton, manganese ore piles (Reed 1964). Waif, from tropics.

tabacum L. - tobacco. **MD**: Southern MD (B&B 1984). Escape.

trigonophylla Dunal - desert tobacco. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

Petunia

axillaris (Lam.) B.S.P. - common garden petunia. (*P. x hybrida* Vilm., *P. integrifolia* (Hook.) Schinz & Thell., *P. violacea* Lindl., ?misapplied) **DC, MD, VA**: Arlington Co. (E.S. Steele s.n., 1905). Escape.

parviflora Juss. - seaside petunia, wild petunia. **MD**: Baltimore City, Canton, chrome ore piles (Reed 1946); Baltimore Co. (two pre-1900 specimens). Waif, from south.

Physalis

angulata L. - angle-stem ground-cherry. **VA**: Loudoun Co. (Atlas).

heterophylla Nees - clammy ground-cherry, common ground-cherry. (*P. ambigua* (A. Gray) Britton, *P. nyctaginea* Dunal, *P. viscosa* L., misapplied) **DC, MD, VA**.

longifolia Nutt. - smooth ground-cherry, longleaf ground-cherry. (*P. philadelphica* Lam., misapplied, *P. subglabrata* Mack. & Bush) **DC, MD, VA**.

philadelphicus Lam. - tomatillo. (*P. ixocarpa* Brot. ex Hornem., misapplied) **DC** (E.S. Steele s.n., 1899). Escape. Waste ground.

pruinosa L. - strawberry-tomato, hairy ground-cherry. **MD**: Baltimore Co. (B&B 1984). United with *P. pubescens* by Gleason & Cronquist (1991).

pubescens L. - hairy ground-cherry, downy ground-cherry. **MD, VA**.

virginiana Mill. - Virginia ground-cherry. (*P. lanceolata* Michx., misapplied) **MD, VA**.

Salpichroa

organifolia (Lam.) Baill. - cock's-eggs. **VA**: Lancaster Co. (Atlas). Escape.

Solanum

carolinense L. - horse-nettle. **DC, MD, VA**.

deflexum Greenm. - **MD**: Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

dulcamara L. - bittersweet, nightshade, climbing nightshade, bittersweet nightshade. **DC, MD, VA**. Naturalized.

Solanum - cont.

elaeagnifolium Cav. - nightshade, white horse-nettle. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from southwest.

melongena L. - eggplant. W-B Area (H&S, FJH 1946). Escape.

nigrum L. s.l. - black nightshade. (*S. americanum* Mill., perhaps misapplied, *S. nodiflorum* Jacq., *S. ptychanthum* Dunal) **DC, MD, VA.** As interpreted here, includes both native and introduced elements.

pseudocapsicum L. - Jerusalem-cherry. W-B Area (H&S, FJH 1946). Escape.

rostratum Dunal - buffalo-bur, Kansas-thistle, sand-bur. **DC, MD:** Baltimore City, Canton, chrome ore piles (Reed 1964); Prince George's Co. (*E.C. Leonard* 19883, 1944), **VA:** Alexandria (*C.L. Pollard* s.n., 1896). Waif, from west.

sarrachoides Sendtn. - hairy nightshade. **MD:** Anne Arundel Co. (B&B 1984), **VA** (Atlas). Waif, from tropics.

surattense Burm. - **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

torvum Sw. - turkey-berry. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif.

triflorum Nutt. - cut-leaved nightshade. **DC** (*C.F. Wheeler* s.n., 1906). Waif, from west.

tuberosum L. - potato. W-B Area (H&S, FJH 1946). Escape.

STAPHYLEACEAE *The Bladdernut Family***Staphylea**

trifolia L. - bladdernut. **DC, MD, VA.**

STERCULIACEAE *The Cacao Family***Melochia**

corchorifolia L. - chocolate-weed. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from south.

SYMPLOCACEAE *The Sweetleaf Family***Symplocos**

tinctoria (L.) L'Her. - sweetleaf, horse-sugar, yellowwood. **VA:** Richmond Co. (Atlas).

THYMELAEACEAE *The Mezereum Family***Dirca**

palustris L. - leatherwood. **DC, MD, VA.**

TILIACEAE *The Linden Family***Tilia**

americana L. - basswood, American linden. (*T. heterophylla* Vent., *T. neglecta* Spach) **DC, MD, VA.**

TRAPACEAE *The Water-nut Family***Trapa**

natans L. - water-chestnut, water-nut, water-caltrop. **DC, MD, VA.** Escape. All four DC specimens very old. Fish Ponds, to which it was originally introduced, are long gone. Became well established downriver, and several MD and VA specimens were collected as late as 1938 (see also McAtee 1930, p. 44).

TROPAEOLACEAE *The Nasturtium Family***Tropaeolum**

majus L. - nasturtium. **VA:** Fairfax Co., Dyke (*W.L. McAtee 1654*, 1910). Waif.

ULMACEAE *The Elm Family***Celtis**

laevigata Willd. - sugarberry, southern hackberry. (*C. mississippiensis* Bosc) **DC, VA** (Atlas).

occidentalis L. - hackberry, northern hackberry. (*C. crassifolia* Lam., *C. pumila* Pursh) **DC, MD, VA.**

tenuifolia Nutt. - dwarf hackberry. (*C. pumila* Pursh, misapplied) **DC, MD, VA.**

Ulmus

americana L. - American elm. **DC, MD, VA.**

glabra Huds. - Scotch elm, wych elm, broad-leaved elm. (*U. campestris* L., in part) . Widely planted and believed to be escaping.

minor Mill. - English elm. (*U. procera* Salisb., *U. viminalis* Lodd. ex Bean (perhaps the correct name)) **MD** (B&B 1972), **VA:** Fauquier Co. (*R.B. Peacock 367*, 1962). Often planted; escaping and believed to be naturalizing.

parvifolia Jacq. - Chinese elm. **DC:** Rock Creek Park (*P. Fleming 677*, 1987), **MD** (B&B 1972), **VA** (Atlas). Spreading from cultivation.

pumila L. - Siberian elm. (*U. campestris* L., in part) **MD** (B&B 1972; Terrell et al. 1999), **VA:** Fairfax Co. (*F.R. Fosberg 65306*, 1986). Occasional escape, believed to be naturalizing.

rubra Muhl. - slippery elm, red elm. (*U. fulva* Michx.) **DC, MD, VA.**

URTICACEAE *The Nettle Family***Boehmeria**

cylindrica (L.) Sw. - false nettle. (*B. drummondiana* Wedd.) **DC, MD, VA.**

nivea (L.) Gaudich. - ramie, Chinese silk-plant. **DC** (*E.S. Steele s.n.*, 1898, 1899). Waif.

Laportea

canadensis (L.) Wedd. - wood-nettle. (*Urticastrum divaricatum* (L.) Kuntze) **DC, MD, VA.**

Parietaria

pennsylvanica Muhl. ex Willd. - pellitory. **DC, MD, VA.**

Pilea

fontana (Lunell) Rydb. - clearweed, richweed. **MD**: Baltimore Co. (B&B 1984), **VA**: Arlington Co. (McAtee 1940, p. 140).

pumila (L.) A. Gray - richweed, clearweed. **DC, MD, VA.**

Urtica

ballotifolia Wedd. - **MD**: Baltimore City, Locust Point (Reed 1964). Waif, from tropics.

dioica L. - stinging nettle, nettle. (*U. gracilis* Aiton, *U. procera* Muhl. ex Willd.) **DC, MD, VA.** Both native (ssp. *gracilis* (Aiton) Selander) and naturalized (ssp. *dioica*) in W-B Area (Boufford 1997).

VALERIANACEAE *The Valerian Family***Valeriana**

pauciflora Michx. - valerian, large-flowered valerian, long-tubed valerian, few-flowered valerian. **MD, VA.**

Valerianella

chenopodiifolia (Pursh) DC. - goosefoot, corn-salad, Great Lakes corn-salad. **MD**: Montgomery Co., High Island (*J.W. Chickering, Jr. s.n.*, 1870), **VA**: Fairfax Co., Dyke (*W. Palmer s.n.*, 1901).

locusta (L.) Latourr. - European corn-salad, blue corn-salad, lamb's-lettuce. (*V. olitoria* (L.) Pollich) **DC, MD, VA.** Naturalized.

nuttallii (Torr. & A. Gray) Walp. - Nuttall's corn-salad. **DC** (*Maxon & Standley 364*, 1916, as *V. woodsiana*).

radiata (L.) Dufr. - beaked corn-salad. **DC, MD, VA.**

umbilicata (Sull.) Wood - Wood's corn-salad. (*V. intermedia* Dyal, *V. patellaria* (Sull. ex A. Gray) Wood, *V. woodsiana* (Torr. & A. Gray) Walp., ?misapplied) **MD, VA.**

VERBENACEAE *The Vervain Family***Callicarpa****americana** L. - American beautyberry. **VA.****Glandularia****bipinnatifida** (Nutt.) Nutt. - Dakota vervain. (*Verbena bipinnatifida* Nutt.) **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.**Phyla****lanceolata** (Michx.) Greene - fogfruit, green fogfruit, frogfruit. (*Lippia lanceolata* Michx.) **DC, MD,**
VA.**nodiflora** (L.) Greene - fogfruit. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from south.**Verbena****bracteata** Lag. & Rodr. - large-bracted vervain, prostrate vervain. **MD:** Baltimore City (*B. Sollers s.n.*, 1890).**hastata** L. - blue vervain, common vervain, hastate-leaf vervain. **DC, MD, VA.****officinalis** L. - European vervain. **DC, MD:** Baltimore City, Canton, chrome ore piles (Reed 1964); Charles Co. (*Leonard & Killip 807*, 1921), **VA.** Naturalized.**scabra** Vahl. - rough vervain. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from south or southwest.**simplex** Lehm. - narrow-leaved vervain. (*V. angustifolia* Michx.) **DC, MD, VA.****urticifolia** L. - white vervain, nettleleaf vervain. **DC, MD, VA.**VIOLACEAE *The Violet Family***Hybanthus****concolor** (T.F. Forst.) Spreng. - green violet. (*Cubelium concolor* (T.F. Forst.) Raf.) **DC, MD, VA.****Viola****affinis** Leconte - Leconte's violet. (*V. x filicetorum* Greene (type from DC area), *V. nepetifolia* Greene (type from DC area), *V. palmata* L., in part, in sense of Atlas, *V. sororia* Willd., in part, in sense of Gleason and Cronquist 1991, p. 160) **DC, MD, VA.****arvensis** Murray - European wild pansy, European field pansy. (*V. tricolor* var. *arvensis* (Murray) Boiss.) **MD:** Montgomery Co. (*F.R. Fosberg 66261*, 1992); Prince George's Co., Beltsville (Terrell et al. 1999). Naturalized.**bicolor** Pursh - field pansy, wild pansy. (*V. kitaibeliana* Roem. & Schult. var. *rafinesquei* (Greene) Fernald, *V. rafinesquei* Greene, *V. tenella* Raf., *V. tricolor* L. var. *arvensis* (Murray) Boiss. misapplied) **DC, MD, VA.****blanda** Willd. - sweet white violet. (*V. incognita* Brainerd) **MD, VA** (Atlas).

Viola - cont.

brittoniana Pollard - coast violet, Britton violet. (*V. notabilis* House, *V. palmata* L., in part, in sense of Gleason & Cronquist, p.160, 1991, *V. pectinata* E.P. Bicknell) **MD**.

canadensis L. - Canada violet, tall white violet. **VA**(Atlas). The few US specimens under this name in W-B Herbarium all proved to be *V. striata* Aiton. B&B 1984 report for W-B Area probably based on FJH 1946, which in turn was probably based on misidentified US collections.

chinensis G. Don - **DC** (Britton & Brown 1913, p. 558). Status unknown. Reported as waif in FJH 1946 based on DC report in Britton & Brown 1913.

conspersa Rchb. - American dog violet. (*V. labradorica* Schrank, misapplied) **DC, MD, VA**.

cucullata Aiton - blue marsh violet. (*V. fontana* Greene (type from DC area), *V. macrotis* Greene (type from DC area), *V. palmata* L., in part, in sense of Atlas) **DC, MD, VA**.

emarginata (Nutt.) Leconte - triangle-leaved violet. (*V. sagittata* Aiton, in part, in sense of Gleason & Cronquist 1991, p. 159, and Kartesz 1994, vol. 1, p. 608) **DC, MD, VA**.

fimbriatula Sm. - ovate-leaved violet. (*V. sagittata* Aiton, in part, in sense of Gleason & Cronquist, 1991, p. 159, and Kartesz 1994, vol. 1, p. 608, *V. sagitata* var. *hicksii* Pollard (type from DC)) **DC, MD, VA**.

hirsutula Brainerd - southern wood violet, southern woolly violet. (*V. villosa* Walter, in part, in sense of Gleason & Cronquist 1991, p. 160) **DC, MD, VA**.

lanceolata L. - lance-leaved violet, strap-leaved violet. **DC, MD, VA**.

macloskeyi F.E. Lloyd - northern white violet, wild white violet. (*V. pallens* (Banks ex DC.) Brainerd) **MD**: Frederick Co. (B&B 1984), **VA**: Fairfax Co., Great Falls (*E.S. Steele s.n.*, 1906, determined by N.H. Russell 1950). Eastern plants are all ssp. *pallens* (Banks ex DC.) M.S. Baker.

odorata L. - English violet, sweet violet. **MD**: Baltimore Co. (*A. Steitz s.n.*, 1894; *A.K. Blunt s.n.*, 189_), **VA**: Fairfax Co. (H&S). Escape.

palmata L. - wood violet, palmate-leaved violet. (*V. septemloba* Leconte, misapplied, *V. stoneana* House) **DC, MD, VA**.

pedata L. - bird's-foot violet, pansy violet. **DC, MD, VA**.

primulifolia L. - primrose violet, primrose-leaved violet. **DC, MD, VA**.

pubescens Aiton - downy yellow violet, smooth yellow violet. (*V. eriocarpum* (Nutt.) Schwein., *V. glabella* Nutt., misapplied, *V. pensylvanica* Michx., *V. scabriuscula* (Torr. & A. Gray) Schwein.) **DC, MD, VA**.

sagittata Aiton - arrow-leaved violet, arrowhead violet. **DC, MD, VA**.

Viola - cont.

sororia Willd. - common blue violet, dooryard violet, meadow violet. (*V. x communis* Pollard (type from DC area), *V. x conjugens* Greene, *V. x domestica* E.P. Bicknell, *V. x familiaris* Greene (type from DC area), *V. x grandis* Greene (type from DC area), *V. x induta* Greene (type from DC area), *V. laetecaerulea* Greene, *V. papilionacea* Pursh, *V. priceana* Pollard, *V. septentrionalis* Greene) **DC, MD, VA.**

striata Aiton - creamy violet, striped violet, pale violet. **DC, MD, VA.**

tricolor L. - pansy, johnny-jump-up. **DC** (*L.F. Ward s.n.*, 1882), **MD** (inferred from B&B 1984). Escape.

triloba Schwein. - three-lobed violet. (*V. ornithodes* Greene (type from DC), *V. palmata* L., misapplied, *V. vespertilionis* Greene (type from DC)) **DC, MD, VA.**

VISCACEAE The Christmas Mistletoe Family**Phoradendron**

serotinum (Raf.) M.C. Johnston - mistletoe, American Christmas mistletoe. (*P. flavesrens* (Pursh) Nutt. ex Engelm., *P. leucarpum* (Raf.) Reveal & M.C. Johnston) **DC, MD, VA.** DC specimens (all old) probably from nearby MD or VA.

VITACEAE The Grape Family**Ampelopsis**

arborea (L.) Koehne - pepper-vine. **DC:** Brookland (*R. Ridgway s.n.* 1897), Terra Cotta (H&S), **MD** (B&B 1972).

brevipedunculata (Maxim.) Trautv. - porcelain-berry. (*A. heterophylla* (Thunb.) Siebold & Zucc.) **DC, MD, VA.** Naturalized.

cordata Michx. - raccoon-grape. **VA** (Atlas).

Parthenocissus

quinquefolia (L.) Planch. - Virginia-creeper. **DC, MD, VA.**

Vitis

aestivalis Michx. - summer grape, pigeon grape. **DC, MD, VA.**

cinerea Engelm. - graybark grape, pigeon grape. **DC, MD, VA.** Not recognized in B&B (1972) or Atlas; doubtfully distinct from *V. aestivalis* Michx.

labrusca L. - fox grape. **DC, MD, VA.**

riparia Michx. - riverbank grape, frost grape. (*V. cordifolia* Michx., misapplied, *V. vulpina* L., misapplied) **DC, MD, VA:** Fairfax Co. (*H.G. Deignan 1364*, 1946).

rotundifolia Michx. - muscadine grape, scuppernong grape. **VA.**

Vitis - cont.

rupestris Scheele - sand grape, sugar grape. **DC:** Chain Bridge Flats (*Maxon & Standley* 359, 1916), **MD, VA** (Atlas). One collection (*E.S. Steele s.n.*, 1898, 2 specimens) from Great Falls -- MD or VA?

vulpina L. - frost grape, winter grape, chicken grape. (*V. cordifolia* Michx., *V. riparia* Michx., misapplied) **DC, MD, VA.**

ZYGOPHYLLACEAE *The Creosote-bush Family***Kallstroemia**

parviflora Norton - small-flowered caltrop. (*K. intermedia* Rydb., *K. maxima* (L.) Hook., misapplied) **DC** (*G.H. Hicks s.n.*, 1895, as " *Kallstroemia maxima* (L.) T. & G." -- see H&S), **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Waif, from west.

Tribulus

terrestris L. - puncture-vine. **MD:** Baltimore City, Canton, chrome ore piles (Reed 1964). Naturalized.

Key to Abbreviations of Authors of Plant Names

The abbreviations follow the standards established by Brummitt & Powell 1992. Other abbreviations that have been used appear in column 4. The abbreviation “fl.” for the Latin *floruit* (“flowered”), signifies a known date in the life of the author that is neither the birth nor the death date.

P. B. Adams	Adams, P. B.	fl. 1978	Adams
Aellen	Aellen, Paul	1896-1973	
H. E. Ahles	Ahles, Harry E.	1924-1981	Ahles
Aiton	Aiton, William	1731-1793	Ait.
W. T. Aiton	Aiton, William Townsend	1766-1849	Ait. f.
Alexander	Alexander, Edward Johnston	1901-1985	
All.	Allioni, Carlo	1728-1804	
Al-Shehbaz	Al-Shehbaz, Ihsan Ali	1939-	
Andersson	Andersson, Nils Johan	1821-1880	
Andrews	Andrews, Henry Charles	1794-1830	Andr.
E. G. Andrews	Andrews, E. G.		
Andrz.	Andrzejowski, Antoni Lukianowicz	1785-1868	
Arn.	Arnott, George Arnott Walker	1799-1868	Arnott
Arthur	Arthur, Joseph Charles	1850-1942	
Asch.	Ascherson, Ferdinand Moritz	1798-1879	Aschers.
Ashe	Ashe, William Willard	1872-1932	
G. F. Atk.	Atkinson, George Francis	1854-1918	Atkinson
Avé-Lall.	Avé-Lallement, Julius Léopold Edouard	1803-1867	Lal.
L. H. Bailey	Bailey, Liberty Hyde	1858-1954	Bailey
Baill.	Baillon, Henri Ernest	1827-1895	
Baker	Baker, John Gilbert	1834-1920	
M. S. Baker	Baker, Milo Samuel	1868-1961	
Baldwin	Baldwin, William	1779-1819	Baldw.
P. W. Ball	Ball, Peter William	1932-	
Banks	Banks, Joseph	1743-1820	
Barneby	Barneby, Rupert Charles	1911-	
Barnhart	Barnhart, John Hendley	1871-1949	Barnh.
Barratt	Barratt, Joseph	1796-1882	
Bartal.	Bartalini, Biagio	1746-1822	
Bartlett	Bartlett, Harley Harris	1886-1960	
Barton	Barton, Benjamin Smith	1766-1815	Bart.
W. P. C. Barton	Barton, William Paul Crillon	1786-1856	Bart. , Barton

Bartram	Bartram, John	1699-1777	Bartr.
W. Bartram	Bartram, William	1739-1823	Bartr. , W. Bart.
V. M. Bates	Bates, Vernon M.	fl. 1984	Bates
Batsch	Batsch, August Johann Georg Karl	1761-1802	
Baumg.	Baumgarten, Johann Christian Gottlob	1765-1843	
R. J. Bayer	Bayer, Randall J.	1955-	
Beadle	Beadle, Chauncey Delos	1866-1950	
Bean	Bean, William Jackson	1863-1947	
Bebb	Bebb, Michael Schuck	1833-1895	
Beck	Beck, Günther von Mannagetta und Lärchenau	1856-1931	G. Beck
Bég.	Béguinot, Augusto	1875-1940	
Beitel	Beitel, Joseph M.	1952-1991	
Bellardi	Bellardi, Carlo Antonio Lodovico	1741-1826	
Beloserky	Beloserky, R. N.	?	Bel.
Benj.	Benjamin, Ludwig	1825-1848	
Benth.	Bentham, George	1800-1884	
Berger	Berger, Ernst Friedrich	1814-1853	
Bernh.	Bernhardi, Johann Jakob	1774-1850	
Besser	Besser, Wilibald Swibert Joseph Gottlieb von	1784-1842	Bess.
Beyr.	Beyrich, Heinrich Karl	1796-1834	Bey.
E. P. Bicknell	Bicknell, Eugene Pintard	1859-1925	Bickn.
M. Bieb.	Marschall von Bieberstein, Friedrich August	1768-1826	Bieb.
Biehler	Biehler, Johann Friedrich Theodor	c. 1785-18??	
Bigelow	Bigelow, Jacob	1787-1879	Bigel.
Blake	Blake, Joseph	1814-1888	
S. F. Blake	Blake, Sidney Fay	1892-1959	
Blanch.	Blanchard, William Henry	1850-1922	
Blasdell	Blasdell, Robert Ferris	1929-	
H. L. Blomq.	Blomquist, Hugo Leander	1888-1964	Blomquist, Blomq.
Blume	Blume, Carl (Karl) Ludwig von	1796-1862	
Boiss.	Boissier, Pierre Edmond	1810-1885	
B. Boivin	Boivin, Joseph Robert Bernard	1916-1985	Boivin
Bonpl.	Bonpland, Aimé Jacques Alexandre (né Goujaud, A. J. A.)	1773-1858	B. (in H.&B. -- see Humb.)
Borbás	Borbás, Vinczé (Vincent, Vince) von	1844-1905	
Bureau	Bureau, Alexandre	1803-1875	
Borkh.	Borkhausen, Moritz (Moriz) Balthasar	1760-1806	Borck.
Borrer	Borrer, William J.	1781-1862	
Borss. -Waalk.	Borssum Waalkes, Jan van	1922-1985	Waalkes
Bosc	Bosc, Louis Augustin Guillaume	1759-1828	

Boucher	Boucher de Crèvecoeur, Jules Arman Guillaume	1757-1844	
Brainerd	Brainerd, Ezra	1844-1924	
A. Braun	Braun, Alexander Karl (Carl) Heinrich	1805-1877	
E. L. Braun	Braun, Emma Lucy	1889-1971	
Brenckle	Brenckle, Jacob Frederic(k)	1875-1958	
Britten	Britten, James	1846-1924	
Britton	Britton, Nathaniel Lord	1859-1934	Britt. , B. (in B. S. P. - see Sterns, Poggenb.)
Brongn.	Brongniart, Adolphe Théodore (de)	1801-1876	
Brot.	Brotero, Felix de (Silva) Avellar	1744-1828	
Brouillet	Brouillet, Luc	1954-	
M. Broun	Broun, Maurice	1906-	
Bruijn	De Brujin (Bruyn), Ary Johannes	1811-1896	De Bruyn
Brummitt	Brummitt, Richard Kenneth	1937-	
B. S. P.	Britton, N. L. , E. E. Sterns and J. F. Poggenburg (see also individual authors)		BSP
Buchenau	Buchenau, Franz Georg Philipp	1831-1906	Buch.
Buckley	Buckley, Samuel Botsford	1809-1884	
Bunge	Bunge, Alexander Andrejewitsch (Aleksandr Andreevic, Aleksandrovic) von	1803-1890	
Burdet	Burdet, Hervé Maurice	1939-	
Bureau	Bureau, Louis Édouard	1830-1918	
E. S. Burgess	Burgess, Edward Sandford	1855-1928	
Burm.	Burman, Johannes	1707-1779	
Burm. f.	Burman, Nicolaas Laurens (Nicolaus Laurent)	1734-1793	
Bush	Bush, Benjamin Franklin	1858-1937	
Cabrera	Cabrera, Angel Lulio	1908-	
Calder	Calder, James (Jim) Alexander	1915-1990	
Cambess.	Cambessèdes, Jacques	1799-1863	Camb.
Camp	Camp, Wendell Holmes	1904-1963	
Canby	Canby, William Marriott	1831-1904	
Carrière	Carrière, Élie Abel	1818-1896	
Carruth.	Carruthers, William	1830-1922	
Cass.	Cassini, Alexandre Henri Gabriel de	1781-1832	
Cav.	Cavanilles, Antonio José (Joseph)	1745-1804	
Cavara	Cavara, Fridiano	1857-1929	
Cham.	Chamisso, Ludolf Karl Adelbert von	1781-1838	
Chapm.	Chapman, Alvan (Alvin) Wentworth	1809-1899	

Chodat	Chodat, Robert Hippolyte	1865-1934	Chod.
Choisy	Choisy, Jacques Denys (Denis)	1799-1859	
C. Chr.	Christensen, Carl Frederick Albert	1872-1942	
Clairv.	Clairville, Joseph Philippe de	1742-1830	
A. R. Clapham	Clapham, Arthur Roy	1904-1990	Clapham
C. B. Clarke	Clarke, Charles Baron	1832-1906	Clarke
R. T. Clausen	Clausen, Robert Theodore	1911-1981	Clausen
Clute	Clute, Willard Nelson	1869-1950	
Collad.	Colladon, Louis Théodore Frederic	1792-1862	
Constance	Constance, Lincoln	1909-	
Cooperr.	Cooperrider, Tom Smith	1927-	
Cory	Cory, Victor Louis	1880-1964	
J. M. Coul.	Coulter, John Merle	1851-1928	
Coville	Coville, Frederick Vernon	1867-1937	
Cranfill	Cranfill, Raimond	fl. 1981	
Crantz	Crantz, Heinrich Johann Nepomuk von	1722-1799	
Crép.	Crépin, Francois	1830-1903	
Cronquist	Cronquist, Arthur John	1919-1992	Cronq.
M. A. Curtis	Curtis, Moses Ashley	1808-1872	
W. Curtis	Curtis, William	1746-1799	Curtis
Czern.	Czernajew, Vassilii Matveievitch	1796-1871	
Dahlst.	Dahlstedt, Gustav Adolf Hugo	1856-1934	
Dandy	Dandy, James Edgar	1903-1976	
Darl.	Darlington, William	1782-1863	
Davenp.	Davenport, George Edward	1833-1907	
DC.	Candolle, Augustin Pyramus de	1778-1841	
A. DC.	Candolle, Alphonse Louis Pierre Pyramus de	1806-1893	
Decne.	Decaisne, Joseph	1807-1882	Dcne.
Desf.	Desfontaines, René Louiche	1750-1833	
N. H. F. Desp.	Desportes, Narcisse Henri François	1776-1856	Desp.
Desr.	Desrousseaux, Louis Auguste Joseph	1753-1838	
Desv.	Desvaux, Nicaise Auguste	1784-1856	
de Vriese	de Vriese, Willem Hendrik	1806-1862	
D. Dietr.	Dietrich, David Nathaniel Friedrich	1799-1888	
Dill.	Dillenius, Johann Jacob	1684-1747	
Dode	Dode, Louis-Albert	1875-1943	
D. Don	Don, David	1799-1841	
G. Don	Don, George	1798-1856	
Douglas	Douglas, David	1798-1834	

Dowell	Dowell, Philip	1864-1936
Druce	Druce, George Claridge	1850-1932
Drude	Drude, Carl Georg Oscar	1852-1933
Dryand.	Dryander, Jonas Carlsson	1748-1810
Duby	Duby, Jean Étienne	1798-1885
Duchesne	Duchesne, Antoine Nicolas	1747-1827
Dufre.	Dufresne, Pierre	1786-1836
Dum. Cours.	Dumont de Courset, George(s) Louis Marie	1746-1824
Dumort.	Dumortier, Barthélemy Charles Joseph	1797-1878
Dunal	Dunal, Michel Félix	1789-1856
Durand	Durand, Ernest Armand	1872-1910
T. Durand	Durand, Théophile Alexis	1855-1912
Durazz.	Durazzini, Antonio	fl. 1772
Du Roi	Du Roi, Johann Philipp	1741-1785
Dyal	Dyal, Sarah Creecie	1907-
Eames	Eames, Edwin Hubert	1865-1948
Eaton	Eaton, Amos	1776-1842
A. A. Eaton	Eaton, Alvah Augustus	1865-1908
D. C. Eaton	Eaton, Daniel Cady	1834-1895
Eggl.	Eggleson, Willard Webster	1863-1935
Ehrend.	Ehrendorfer, Friedrich	1927-
Ehrh.	Ehrhart, Jakob Friedrich	1742-1795
Elliott	Elliott, Stephen	1771-1830
Engelm.	Engelmann, Georg (George)	1809-1884
Engl.	Engler, Heinrich Gustav Adolf	1844-1930
Epling	Epling, Carl Clawson	1894-1968
Farw.	Farwell, Oliver Atkins	1867-1944
Fassett	Fassett, Norman Carter	1900-1954
Fee	Fee, Antoine Laurent Apollinaire	1789-1874
Fenzl	Fenzl, Eduard	1808-1879
Fernald	Fernald, Merritt Lyndon	1873-1950
Fisch.	Fischer, Friedrich Ernst Ludwig von (Fedor Bogdanovic)	1782-1854
Focke	Focke, Wilhelm Olbers	1834-1922
Forssk.	Forsskål, Pehr (Peter)	1732-1763
T. F. Forst.	Forster, Thomas Furley	1761-1825
Fosberg	Fosberg, Francis Raymond	1908-1993
Foug.	Fougeroux de Bondaroy, Auguste Denis	1732-1789
Fr.	Fries, Elias Magnus	1794-1878
		Fries

Franch.	Franchet, Adrien René	1834-1900	
Fritsch	Fritsch, Karl	1864-1934	
Froel.	Froelich, Joseph Aloys von	1766-1841	
H. P. Fuchs	Fuchs, Hans Peter	1928-	
Gaertn.	Gaertner, Joseph	1732-1791	
P. Gaertn.	Gaertner, Philipp Gottfried	1754-1825	Gaertn.
Gandhi	Gandhi, Kancheepuram N.	1948-	
Garcke	Garcke, Christian August Friedrich	1819-1904	
Gaudich.	Gaudichaud-Beaupré, Charles	1789-1854	Gaud.
J. Gay	Gay, Jacques Étienne	1786-1864	Gay
J. L. Gentry	Gentry, Johnnie Lee	1939-	
J. Gerard	Gerard (Gerarde), John	1545-1612	Gerarde
Geyer	Geyer, Carl (Charles) Andreas	1809-1853	
Gilib.	Gilibert, Jean-Emmanuel	1741-1814	
Gillies	Gillies, John	1792-1834	
Gillis	Gillis, William Thomas	1933-1979	
Gleason	Gleason, Henry Allan	1882-1975	
Gloxin	Gloxin, Benjamin Peter	1765-1794	Glox.
C. C. Gmel.	Gmelin, Carl (Karl) Christian	1762-1837	Gmel.
J. F. Gmel.	Gmelin, Johann Friedrich	1748-1804	
S. G. Gmel.	Gmelin, Samuel Gottlieb	1743/45-1774	
R. K. Godfrey	Godfrey, Robert Kenneth	1911-	Godfrey
Godr.	Godron, Dominique Alexandre	1807-1880	
Goldie	Goldie, John	1793-1886	
M. Gómez	Gómez de la Maza y Jiménez, Manuel	1867-1916	G. Maza
Graebn.	Graebner, Karl Otto Robert Peter Paul	1871-1933	
Graham	Graham, Robert C.	1786-1845	
Grande	Grande, Loreto	1878-1965	
Gray	Gray, Samuel Frederick	1766-1828	S. F. Gray
A. Gray	Gray, Asa	1810-1888	Gray; G. (in T. & G. - - see Torr.)
Greene	Greene, Edward Lee	1843-1915	
Greenm.	Greenman, Jesse More	1867-1951	
Greenway	Greenway, Percy James ("Peter")	1897-1980	
Gren.	Grenier, Jean Charles Marie	1808-1875	
Greuter	Greuter, Werner Rodolfo	1938-	
Grimm	Grimm, Johann Friedrich Carl	1737-1821	
Griscom	Griscom, Ludlow	1890-1959	
Griseb.	Grisebach, August Heinrich Rudolf	1814-1879	

Guss.	Gussone, Giovanni	1787-1866	
G. E. Haglund	Haglund, Gustaf Emanuel	1900-1955	Hagl.
A. Ham.	Hamilton, Arthur	fl. 1832	
Hand. -Mazz.	Handel-Mazzetti, Heinrich R. E.	1882-1940	Hand. -Maz.
Hara	Hara, Kanesuke	1885-1962	
H. Hara	Hara, Hiroshi	1911-1986	
Hassk.	Hasskarl, Justus Carl	1811-1894	
Haufler	Haufler, Christopher H.	1950-	
Hauke	Hauke, Richard L.	1930-	
Hausskn.	Haussknecht, Heinrich Carl	1838-1903	
Haw.	Haworth, Adrian Hardy	1768-1833	
Hayek	Hayek, August von	1871-1928	
Hayne	Hayne, Friedrich Gottlob	1763-1832	
Hedrick	Hedrick, Ulysses Prentiss	1870-1951	Hedr.
Heldr.	Heldreich, Theodor Heinrich Hermann von	1822-1902	
A. Heller	Heller, Amos Arthur	1867-1944	Heller
Hellq.	Hellquist, C. Barre	1940-	
L. Henry	Henry, Louis	1853-1903	
Hepper	Hepper, Frank Nigel	1929-	
Heynh.	Heynhold, Gustav	1800-1860	
Heywood	Heywood, Vernon Hilton	1927-	
Hickey	Hickey, Ralph James	1950-	
Hill	Hill, John	1716-1775	
A. W. Hill	Hill, Arthur William	1875-1941	
Hitchc.	Hitchcock, Albert Spear	1865-1935	
E. Hitchc.	Hitchcock, Edward	1793-1864	
Hoffm.	Hoffmann, George Franz	1761-1826	
Hoffmanns.	Hoffmannsegg, Johann Centurius von	1766-1849	Hoffm., Hoffmgg.
Hogg	Hogg, Thomas	1777-1855	
Hollick	Hollick, Charles Arthur	1857-1933	Holl.
Holub	Holub, Josef Ludwig	1930-1999	
Hook.	Hooker, William Jackson	1785-1865	
Hook. f.	Hooker, Joseph Dalton	1817-1911	
M. Hopkins	Hopkins, Milton	1906-	
Hornem.	Hornemann, Jens Wilken	1770-1841	
Host	Host, Nicolaus Thomas	1761-1834	
House	House, Homer Doliver	1878-1949	
Houtt.	Houttuyn, Maarten (Martin)	1720-1798	

Howell	Howell, Thomas Jefferson	1842-1912	
Huds.	Hudson, William	1730-1793	
Hultén	Hultén, Oskar Eric Gunnar	1894-1981	
Humb.	Humboldt, Friedrich Wilhelm Heinrich Alexander von	1769-1859	H. (in H. & B. -- see Bonpl.)
H. S. Irwin	Irwin, Howard Samuel	1928-	Irwin
Ives	Ives, Joseph Christmas	1828-1868	
B. D. Jacks.	Jackson, Benjamin Daydon	1846-1927	
R. C. Jacks.	Jackson, Raymond Carl	1928-	
Jacq.	Jacquin, Nicolaus (Nicolaas) Joseph von	1727-1817	
Jacques	Jacques, Henri Antoine	1782-1866	
Jefferies	Jefferies, R. L.	fl. 1987	
Jeps.	Jepson, Willis Linn	1867-1946	Jepson
Jess.	Jessen, Karl Friedrich Wilhelm	1821-1889	Jessen
I. M. Johnst.	Johnston, Ivan Murray	1898-1960	Johnst.
M. C. Johnston	Johnston, Marshall Conring	1930-	
A. G. Jones	Jones, Almut Gitter	1923-	
M. E. Jones	Jones, Marcus Eugene	1852-1934	
Jord.	Jordan, Claude Thomas Alexis	1814-1897	Jordan
Juss.	Jussieu, Antoine Laurent de	1748-1836	
A. Juss.	Jussieu, Adrien Henri Laurent de	1797-1853	
Kalm	Kalm, Pehr	1716-1779	
H. Karst.	Karsten, Gustav Karl Wilhelm Hermann	1817-1908	
Kartesz	Kartesz, John T.	fl. 1990	
M. Kato	Kato, Masahiro	1946-	
Kearney	Kearney, Thomas Henry	1874-1956	
Keener	Keener, Carl Samuel	1931-	
R. Keller	Keller, Robert	1854-1939	
Ker Gawl.	Ker Gawler, John Bellenden	1764-1842	Ker
R. M. King	King, Robert Merrill	1930-	
Kit.	Kitabbel, Pál (Paul)	1757-1817	K. (in W. & K. -- see Waldst.)
Klotzsch	Klotzsch, Johann Friedrich	1805-1860	
Koch	Koch, Johann Friedrich Wilhelm	1759-1831	
G. Koch	Koch, Georg Friedrich	1809-1874	
K. Koch	Koch, Karl (Carl) Heinrich Emil (Ludwig)	1809-1879	
W. D. J. Koch	Koch, Wilhelm Daniel Joseph	1771-1849	
Koehne	Koehne, Bernhard Adalbert Emil	1848-1918	
Koidz.	Koidzumi, Gen'ichi (Geniti, Gen-Iti)	1883-1953	

Kom.	Komarov, Vladimir Leontjevich (Leontevich)	1869-1945	Komarov
Kotschy	Kotschy, Carl (Karl) Georg Theodor	1813-1866	
Krause	Krause, Johann Wilhelm	1764-1842	
Krock.	Krocker, Anton Johann	1744-1823	
Kudô	Kudô, Yûshun	1887-1932	
Kuhn	Kuhn, Friedrich Adalbert Maximilian ("Max")	1842-1894	
Kunth	Kunth, Karl (Carl) Sigismund	1788-1850	K. (in H.B.K. -- see Bonpl., Humb.)
Kuntze	Kuntze, Carl (Karl) Ernst (Eduard) Otto	1843-1907	
Kunze	Kunze, Gustav	1793-1851	
L.	Linnaeus, Carl	1707-1778	
L. f.	Linnaeus, Carl von	1741-1783	
Lag.	Lagasca y Segura, Mariano	1776-1839	
Lakela	Lakela, Olga Korhoven	1890-1980	
Lam.	Lamarck, Jean Baptiste Antonine Pierre de Monnet de	1744-1829	
Lamb.	Lambert, Aylmer Bourke	1761-1842	
Lange	Lange, Johan Martin Christian	1818-1898	
Latourr.	Latourrette, Marc Antoine Louis Claret de (Fleurieu de)	1729-1793	Lat.
G. Lawson	Lawson, George	1827-1895	
Laxm.	Laxmann, Erich (Erik) G.	1737-1796	
Leavenw.	Leavenworth, Melines Conklin	1796-1862	
Leconte	Leconte, John (Eatton)	1784-1860	Le Conte
Ledeb.	Ledebour, Carl (Karl) Friedrich von	1785-1851	
Legg.	Leggett, William Henry	1816-1882	
Lehm.	Lehmann, Johann Georg Christian	1792-1860	
Lellinger	Lellinger, David Bruce	1937-	
Lemoine	Lemoine, (Pierre Louis) Victor	1823-1911	
Less.	Lessing, Christian Friedrich	1809-1862	
T. Lestib.	Lestiboudois, Thémistocle Gaspard	1797-1876	Lestib. f.
H. Lév.	Léveillé, Augustin Abel Hector	1863-1918	Lévl.
L'Hér.	L'Héritier de Brutelle, Charles Louis	1746-1800	
Lindl.	Lindley, John	1799-1865	
Lindm.	Lindman, Carl Axel Magnus	1856-1928	
Link	Link, Johann Heinrich Friedrich	1767-1851	
F. E. Lloyd	Lloyd, Francis Ernst	1868-1947	Lloyd
Lodd.	Loddiges, Conrad (L.)	1738-1826	
Loefl.	Loefling, Pehr	1729-1756	

Loisel.	Loiseleur-Deslongchamps, Jean Louis August(e)	1774-1849	
Lott	Lott, Henry J.	fl. 1938	
Loudon	Loudon, John Claudius	1783-1843	Loud.
Lour.	Loureiro, Joao de	1717-1791	
A. Löve	Löve, Askell	1916-1994	
D. Löve	Löve, Doris Benta Maria	1918-	
Lunell	Lunell, Joël	1851-1920	
Lyons	Lyons, Israel	1739-1775	
Ma	Ma, Yu Chuan	1916-	
J. F. Macbr.	Macbride, James Francis	1892-1976	Macbr.
Mack.	Mackenzie, Kenneth Kent	1877-1934	
MacMill.	MacMillan, Conway	1867-1929	MacM.
Magnus	Magnus, Paul Wilhelm	1844-1914	
Makino	Makino, Tomitarô	1862-1957	
Marshall	Marshall, Humphrey	1722-1801	Marsh.
Mart.	Martius, Carl (Karl) Friedrich Philipp von	1794-1868	
M. Martens	Martens, Martin	1797-1863	Martens
Math.	Mathias, Mildred Esther	1906-1995	
Matsum.	Matsumura, Jinzô	1856-1928	
Maxim.	Maximowicz, Carl Johann (Ivanovic)	1827-1891	
Maxon	Maxon, William Ralph	1877-1948	
E. M. McClint.	McClintock, Elizabeth May	1912-	
McCoy	McCoy, Frederick	1817-1899	
T. N. McCoy	McCoy, Thomas Nevil	1905-	McCoy
McGregor	McGregor, Ronald Leighton	1919-	
Medik.	Medikus, Friedrich Kasimir	1736-1808	Medic.
Meerb.	Meerburgh, Nicolaas	1734-1814	
Meisn.	Meisner (Meissner), Carl Daniel Friedrich	1800-1874	Meisn. , Meissn.
N. C. Melvin	Melvin, Norman C. III	fl. 1975	
Merr.	Merrill, Elmer Drew	1876-1956	
Mert.	Mertens, Franz Karl (Carl)	1764-1831	
Mett.	Mettenius, Georg Heinrich	1823-1866	
B. Mey.	Meyer, Bernhard	1767-1836	Mey.
C. A. Mey.	Meyer, Carl Anton (Andreevic)	1795-1855	
G. Mey.	Meyer, Georg Friedrich Wilhelm	1782-1856	G. F. W. Mey.
Michx.	Michaux, André	1746-1803	
F. Michx.	Michaux, François André [Michx. f.]	1770-1855	Michx. f.
Milde	Milde, Carl August Julius	1824-1871	
Mill.	Miller, Philip	1691-1771	P. Mill.

G. S. Mill.	Miller, Gerrit Smith	1869-1956
Millais	Millais, John Guille	1865-1931
Millsp.	Millspaugh, Charles Frederick	1854-1923
Miq.	Miquel, Friedrich Anton Wilhelm	1811-1871
Moench	Moench, Conrad	1744-1805
C. Mohr	Mohr, Charles Theodore (Karl Theodor)	1824-1901
Moldenke	Moldenke, Harold Norman	1909-
Molina	Molina, Giovanni Ignazio (Juan Ignacio)	1737-1829
Monnard	Monnard, Jean Pierre	1791-? Monn.
T. Moore	Moore, Thomas	1821-1887
Moq.	Moquin-Tandon, Christian Horace Bénédict Alfred	1804-1863
R. C. Moran	Moran, Robbin C.	fl. 1986
Moretti	Moretti, Giuseppi L.	1782-1853
C. V. Morton	Morton, Conrad Vernon	1905-1972
F. Muell.	Mueller (Müller), Fernand Jacob Heinrich	1825-1896
Muhl.	Muhlenberg, Gotthilf Heinrich Ernest	1753-1815
O. F. Müll.	Müller, Otto Friedrich (Friderich, Fridrich, Frederick)	1730-1784
P. J. Müll.	Müller (Mueller), Philipp Jakob	1832-1889 P. J. Mueller
Münchh.	Münchhausen, Otto von	1716-1774
Munz	Munz, Philip Alexander	1892-1974
Murray	Murray, Johan Andreas	1740-1791 Murr.
Mérat.	Mérat de Vaumartoise, François Victor	1780-1851
Nakai	Nakai, Takenoshin (Takenosin)	1882-1952
Naudin	Naudin, Charles Victor	1815-1899 Naud.
Nees	Nees von Esenbach, Christian Gottfried Daniel	1776-1858
J. B. Nelson	Nelson, John B.	f. 1980 J. Nelson
G. L. Nesom	Nesom, Guy L.	1945-
Newman	Newman, Edward	1801-1876
Nieuwl.	Nieuwland, Julius (Aloysius Arthur)	1878-1936
Norton	Norton, John Bitting Smith	1872-1966
Nutt.	Nuttall, Thomas	1786-1859
Oeder	Oeder, George Christian Edler von Oldenburg	1728-1791
Ohwi	Ohwi, Jisaburo	1905-1977
Olney	Olney, Stephen Thayer	1812-1878
Opiz	Opiz, Philipp (Filip) Maximilian	1787-1858
Ortega	Ortega, Casimiro Gómez	1740-1818
Otth	Otth, Carl (Karl) Adolph	1803-1839

Otto	Otto, Christoph Friedrich	1783-1856
Paine	Paine, John Alsop	1840-1912
Pall.	Pallas, Peter (Pyotr) Simon von	1741-1811
W. Palmer	Palmer, William	1856-1921
Parry	Parry, Charles Christopher	1823-1890
Pav.	Pavón (y Jiménez), José Antonio	1754-1844
		P. (in R. & P. -- see Ruiz)
Paxton	Paxton, Joseph	1803-1865
Pennell	Pennell, Francis Whittier	1886-1952
L. M. Perry	Perry, Lily May	1895-1992
Pers.	Persoon, Christian Hendrik	1761-1836
Peter	Peter, (Gustav) Albert	1853-1937
Petr.	Petrak, Franz	1886-1973
Peyr.	Peyritsch, Johann Joseph	1835-1889
Philcox	Philcox, David	1926-
L. R. Phillippe	Phillippe, L. R.	fl. 1989
Piper	Piper, Charles Vancouver	1867-1926
Planch.	Planchon, Jules Émile	1823-1888
Podp.	Podpera, Josef	1878-1954
Poggenb.	Poggenburg, Justus Ferdinand	1840-1893
		P. (in B. S. P. -- see Britton, Sterns)
Poir.	Poiret, Jean Louis Marie	1755-1834
Polatschek	Polatschek, Adolf	1932-
Pollard	Pollard, Charles Louis	1872-1945
Pollich	Pollich, Johann Adam	1740-1780
Porter	Porter, Thomas Conrad	1822-1901
Prantl	Prantl, Karl Anton Eugen	1849-1893
C. Presl	Presl, Carl (Karl, Carel, Carolus) Borivoj (Boríwog, Boriwag)	1794-1852
J. Presl	Presl, Jan Svatopluk (Swatopluk)	1791-1849
K. M. Pryer	Pryer, K. M.	fl. 1989
Pursh	Pursh, Frederick Traugott	1774-1820
R. Br.	Brown, Robert	1773-1858
Raeusch.	Raeuschel, Ernst Adolf	fl. 1772-1797
Raf.	Rafinesque, Constantine Samuel	1783-1840
Rafn	Rafn, Carl Gottlob	1769-1808
Raim.	Raimann, Rudolph	1863-1896
Raunk.	Raunkiaer, Christen Christiansen	1860-1938
Rauschert	Rauschert, Stephan	1931-1986
P. H. Raven	Raven, Peter Hamilton	1936-
J. D. Ray	Ray, James Davis, Jr.	1918-
Raymond	Raymond, Louis-Florent-Marcel	1915-1972
Rchb.	Reichenbach, (Heinrich Gottlieb) Ludwig	1793-1879
C. F. Reed	Reed, Clyde Franklin	1918-1999
Regel	Regel, Eduard August von	1815-1892
		Reichenb.
		Reed

Rehder	Rehder, Alfred	1863-1949	
Reichard	Reichard, Johann Jacob (Jakob)	1743-1782	
Rendle	Rendle, Alfred Barton	1865-1938	
Retz.	Retzius, Anders Johan	1742-1821	
Reut.	Reuter, George François	1805-1872	
Reveal	Reveal, James Lauritz	1941-	
Rich.	Richard, Louis Claude Marie	1754-1821	
Richardson	Richardson, John	1787-1865	Richards.
Riddell	Riddell, John Leonard	1807-1865	
B. L. Rob.	Robinson, Benjamin Lincoln	1864-1935	Robins.
C. B. Rob.	Robinson, Charles Budd	1871-1913	
H. Rob.	Robinson, Harold Ernest	1932-	
J. W. Robbins	Robbins, James Watson	1801-1879	Robbins
N. Robson	Robson, Norman Keith Bonner	1928-	Robson
H. Rock	Rock, Howard Francis Leonard	1925-1964	
Rodr.	Rodríguez, José Demetrio	1780-1846	
Roem.	Roemer, Johann Jakob	1763-1819	R. (in R. & S. -- see Schult.)
M. Roem.	Roemer, Max Joseph	1791-1849	Roem.
Rollins	Rollins, Reed Clark	1911-1998	
Rose	Rose, Joseph Nelson	1862-1928	
Roth	Roth, Albrecht Wilhelm	1757-1834	
Rothm.	Rothmaler, Werner Hugo Paul	1908-1962	
Rottb.	Rottboll (Rottboell), Christen Friis	1727-1797	
Rouleau	Rouleau, (Joseph Albert) Ernest	1916-1991	
Roxb.	Roxburgh, William	1751-1815	
Ruiz	Ruiz López, Hipólito	1754-1815	R. (in R. & P. -- see Pavón)
Rupr.	Ruprecht, Franz Josef (Ivanovich)	1814-1870	
Rusby	Rusby, Henry Hurd	1855-1940	
Rydb.	Rydberg, Per Axel	1860-1931	
Salisb.	Salisbury, Richard Anthony	1761-1829	
Sarg.	Sargent, Charles Sprague	1841-1927	
J. D. Sauer	Sauer, Jonathan Deininger	1918-	Sauer
Savi	Savi, Gaetano	1769-1844	
Savigny	Savigny, Marie Jules César Lélorgne de	1777-1851	
Sch. Bip.	Schultz, Carl (Karl) Heinrich 'Bipontinus'	1805-1867	Schultz-Bip.
Scheele	Scheele, George Heinrich Adolf	1808-1864	
Scherb.	Scherbius, Johannes	1769-1813	
Schindl.	Schindler, Anton Karl	1879-1964	
Schinz	Schinz, Hans	1858-1941	
Schkuhr	Schkuhr, Christian	1741-1811	
Schltdl.	Schlechtendal, Diederich Franz Leonhard von	1794-1866	Schlecht.
F. Schmidt	Schmidt, Friedrich (Karl)(Fedor Bogdanovich)	1862-1908	
C. K. Schneid.	Schneider, Camillo Karl	1876-1951	Schneid.
Schoepf	Schoepf, Johann David	1752-1800	

Schönl.	Schönlein, Johann Lucas	1793-1864
Schott	Schott, Heinrich Wilhelm	1794-1865
Schrad.	Schrader, Heinrich Adolph	1767-1836
Schrank	Schrink, Franz von Paula von	1747-1810
Schreb.	Schreber, Johann Christian Daniel von	1739-1810
B. G. Schub.	Schubert, Bernice Giduz	1913-
Schult.	Schultes, Josef (Joseph) August	1773-1831
		Schub. S. (in R. & S. -- see Roem.)
O. E. Schulz	Schulz, Otto Eugen	1874-1936
Schur	Schur, Philipp Johann Ferdinand	1799-1878
Schwein.	Schweinitz, Lewis (Ludwig) David von	1780-1834
Scop.	Scopoli, Joannes Antonius (Giovanni Antonio)	1723-1788
R. R. Scott	Scott, Robert Robinson	1827-1877
Seem.	Seemann, Berthold Carl	1825-1871
Selander	Selander, Nils Sten Edvard	1891-1957
Semple	Semple, John Cameron	1947-
Sendtn.	Sendtner, Otto	1813-1859
Ser.	Seringe, Nicolas Charles	1776-1858
Shafer	Shafer, John Adolph	1863-1918
Shaver	Shaver, Jesse Milton	1888-1961
Shinners	Shinners, Lloyd Herbert	1918-1971
Short	Short, Charles Wilkins	1794-1863
Shuttlew.	Shuttleworth, Robert James	1810-1874
Sibth.	Sibthorp, John	1758-1796
Siebold	Siebold, Philipp Franz (Balthasar) von	1804-1885
Sim	Sim, Thomas Robertson	1856-1938
Simon-Louis	Simon-Louis, Léon L.	1834-1913
Sims	Sims, John	1749-1831
Sleumer	Sleumer, Hermann Otto	1906-1993
Sm.	Smith, James Edward	1759-1828
Small	Small, John Kunkel	1869-1938
Sol.	Solander, Daniel Carl	1733-1782
Sole	Sole, William	1741-1802
Spach	Spach, Édouard	1801-1879
Sprague	Sprague, Thomas Archibald	1877-1958
Spreng.	Sprengel, Curt (Kurt, Curtius) Polycarp Joachim	1766-1833
Spring	Spring, Antoine Frédéric	1814-1872
Standl.	Standley, Paul Carpenter	1884-1963
Stebbins	Stebbins, George Ledyard	1906-2000
E. S. Steele	Steele, Edward Strieby	1850-1942
Steenis	Steenis, Cornelis Gijsbert Gerrit Jan van	1901-1986
Stein	Stein, Berthold	1847-1899
Sterns	Sterns, Emerson Ellick	1846-1926
		Steele van Steenis S. (in B. S. P. -- see Britton, Poggemb.)
Steud.	Steudel, Ernst Gottlieb von	1783-1856
Steward	Steward, Albert Newton	1897-1959

J. St.-Hil.	Saint-Hilaire, Jean Henri Jaume	1772-1845	St. Hil.
Stocks	Stocks, John Ellerton	1822-1854	
Stokes	Stokes, Jonathan S.	1755-1831	
W. Stone	Stone, Witmer	1866-1939	
Stritch	Stritch, L. R.	fl. 1982	
Sturm	Sturm, Jacob (Jakob) W.	1771-1848	
Sudw.	Sudworth, George Bishop	1864-1927	
Suksd.	Suksdorf, Wilhelm Nikolaus	1850-1932	
Sull.	Sullivan, William Starling	1803-1873	Sulliv.
Suter	Suter, Johann Rudolf	1766-1827	
D. A. Sutton	Sutton, David A.	1952-	
Sw.	Swartz, Olof (Peter)	1760-1818	
Sweet	Sweet, Robert	1783-1835	
Swingle	Swingle, Walter Tennyson	1871-1952	
Syme	Syme, John Thomas Irvine Boswell	1822-1888	
Symons	Symons, Jelinger	1778-1851	
Tausch	Tausch, Ignaz Friedrich	1793-1848	
Roy L. Taylor	Taylor, Roy L.	fl. 1995	
Ten.	Tenore, Michele	1780-1861	
Thell.	Thellung, Albert	1881-1928	
Thouars	Thouars, Louis Marie Aubert du Petit	1758-1831	
Thuill.	Thuillier, Jean Louis	1757-1822	
Thunb.	Thunberg, Carl Peter	1743-1828	
Thieret	Thieret, John William	1926-	
Tidestr.	Tidestrom, Ivar (Frederick)	1864-1956	
Tod.	Todaro, Agostino	1818-1892	
Torr.	Torrey, John	1796-1873	T. (in T. & G. -- see A. Gray)
Tratt.	Trattinnick, Leopold	1764-1849	
Trautv.	Trautvetter, Ernst Rudolf von	1809-1889	
Trel.	Trelease, William	1857-1945	
Trevis.	Trevisan de Saint-Léon, Vittore Benedetto Antonio	1818-1897	
Tuck.	Tuckerman, Edward	1817-1886	
Turcz.	Turczaninow, Porfir Kiril Nicolai Stephanowitsch	1796-1863	
Underw.	Underwood, Lucien Marcus	1853-1907	
Vahl	Vahl, Martin (Henrichsen)	1749-1804	
Vail	Vail, Anna Murray	1863-1955	
Van Houtte	Van Houtte, Louis Benoit	1810-1876	
Vaniot	Vaniot, Eugene	-1913	
Vell.	Vellozo, José Mariano da Conceição	1742-1811	Vell. Conc.
Vent.	Ventenat, Étienne Pierre	1757-1808	
Verdc.	Verdcourt, Bernard	1925-	
Vill.	Villars, Dominique	1745-1814	
Vilm.	Vilmorin, (Pierre) Louis (François Lévêque) de	1816-1860	
Viv.	Viviani, Domenico	1772-1840	

W. H. Wagner	Wagner, Warren Herbert	1920-2000	Wagner
Waldst.	Waldstein, Franz de Paula Adam von	1759-1823	W. (in W. & K. -- see Kit.)
Wall.	Wallich, Nathaniel	1786-1854	Wallich
Wallr.	Wallroth, Carl (Karl) Friedrich Wilhelm	1792-1857	
Walp.	Walpers, Wilhelm Gerhard	1816-1853	
Walter	Walter, Thomas	1740-1789	Walt.
Wangenh.	Wangenheim, Friedrich Adam Julius von	1749-1800	
Ward	Ward, Lester Frank	1841-1913	
Warder	Warder, John Aston	1812-1883	
S. Watson	Watson, Sereno	1826-1892	
Watt	Watt, David Allan Poe	1830-1917	
Weath.	Weatherby, Charles Alfred	1875-1949	
Webb	Webb, Philip Barker	1793-1854	
Weber	Weber, George Heinrich	1752-1828	
G. L. Webster	Webster, Grady Linder	1927-	
Wedd.	Weddell, Hugh Algernon	1819-1877	
Wedem.	Wedemeyer	fl. pre1803	
Weihe	Weihe, Carl Ernst August	1779-1834	
Wender.	Wenderoth, Georg Wilhelm Franz	1774-1861	
J. C. Wendl.	Wendland, Johann Christoph	1755-1828	Wendl.
Wettst.	Wettstein, Richard	1863-1931	
L. C. Wheeler	Wheeler, Louis Cutter	1910-1980	Wheeler
Wherry	Wherry, Edgar Theodore	1885-1982	
Wibel	Wibel, August Wilhelm Eberhard Christoph	1775-1814	
Widder	Widder, Felix Joseph	1892-1974	
Wiegand	Wiegand, Karl McKay	1873-1942	Wieg.
Wiersema	Wiersema, John H.	1950-	
F. H. Wigg.	Wiggers, Friedrich Heinrich (Friedrich Hindrich)	1746-1811	Wiggers
Wight	Wight, Robert	1796-1872	
W. Wight	Wight, William Franklin	1874-1954	
Willd.	Willdenow, Carl Ludwig von	1765-1812	
Windham	Windham, Michael D.	1954-	
With.	Withering, William	1741-1799	
W. Wolf	Wolf, Wolfgang	1875-1950	
S. L. Wolff	Wolff, S. L.	fl. 1987	Wolff
Wood	Wood, William	1745-1808	
A. W. Wood	Wood, Alphonso W.	1810-1881	
Woodson	Woodson, Robert Everard	1904-1963	Woods.
Woodv.	Woodville, William	1752-1805	
Woyn.	Woynar, Heinrich Karl	1865-1917	
Yunck.	Yuncker, Truman George	1891-1964	
Zabel	Zabel, Hermann	1832-1912	
Ziz	Ziz, Johann Baptist	1779-1829	
Zucc.	Zuccarini, Joseph Gerhard	1797-1848	

**Primary Sources (PS), Principal References (PR),
and Other Literature Cited**

The “Primary Sources” are the key publications on the flora of the Washington-Baltimore Area from which species have been compiled and evaluated for this *Checklist*. The “Principal References” are the manuals and other floristic reference works for the region that were consulted regularly during preparation.

- Adams, R. P. 1993. *Juniperus* Linnaeus. Pp. 412-420 in FNA Editorial Committee (eds.). *Flora of North America North of Mexico*. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Allard, H. A. 1945. *Fraxinus nigra* in the District of Columbia area and in Virginia. *Castanea* 10: 82-87.
- _____ and E. C. Leonard. 1943. The vegetation and floristics of Bull Run Mountain, Virginia. *Castanea* 8: 1-64.
- Andrews, E. G. and M. D. Windham. 1993. *Pleopeltis* Humboldt & Bonpland ex Wildenow. Pp. 324-327 in FNA Editorial Committee (eds.). *Flora of North America North of Mexico*. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Ashe, W. W. 1919. Notes on trees and shrubs in the vicinity of Washington. *Bull. Torr. Bot. Club* 46:221-226.
- Benedict, J. E., Jr. 1924. An occurrence of southern maiden-hair in Maryland. *Amer. Fern J.* 14: 21-24.
- Boufford, D. E. 1997. *Urticaceae* Jussieu. Pp. 400-413 in FNA Editorial Committee (eds.). *Flora of North America North of Mexico*. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Brereton, J. A. 1830. *Florae Columbianae Prodromus....* Washington, D.C. 86 p.
- Britton, N. L. and H. A. Brown. 1913. An Illustrated Flora of the Northern United States, Canada and British Possessions. Ed. 2. Charles Scribner's Sons, New York. 3 Vols.

- Brown, R. G. and M. L. Brown. 1972. Woody Plants of Maryland. Student Supply Store, Univ. Maryland, College Park. 347 p. [PS] [Cited as "B&B 1972"]
- Brown, M. L. and R. G. Brown. 1984. Herbaceous Plants of Maryland. Book Center, Univ. Maryland, College Park. 1127 p. [PS] [Cited as "B&B 1984"]
- Brummitt, R. K. and C. E. Powell (eds.). 1992. Authors of Plant Names. Royal Botanic Gardens, Kew. 732 p. [PR]
- Dutton, B. E., C. S. Keener and B. A. Ford. 1997. *Anemone* Linnaeus. Pp. 139-158 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Fernald, M. L. 1950. Gray's Manual of Botany. Ed. 8. American Book Co., New York. 1632 p. (Reprinted in 1987, Dioscorides Press, Portland, OR, with corrections by R. C. Rollins) [PR]
- Fessenden, G. R. 1945. Recent range extensions of *Botrychium matricariaefolium*. Amer. Fern J. 35: 105-108.
- Fleming, C., M. B. Lobstein and B. Tufty. 1995. Finding Wildflowers in the Washington-Baltimore Area. Johns Hopkins Univ. Press, Baltimore and London. 312 p.
- Fleming, P. and R. Kanal. 1995. Annotated checklist of vascular plants of Rock Creek Park, National Park Service, Washington, D.C. Castanea 60: 283-316.
- Flora of North America Editorial Committee (eds.). 1993. Flora of North America North of Mexico. Vol. 2. Pteridophytes and Gymnosperms. Oxford Univ. Press, New York and Oxford. [PR]
- _____. 1997. Flora of North America North of Mexico. Vol. 3. Magnoliophyta: Magnoliidae and Hamamelidae. Oxford Univ. Press, New York and Oxford. [PR]
- Gleason, H. A. 1952. The New Britton and Brown Illustrated Flora of the Northeastern United States and Adjacent Canada. New York Botanical Garden, NY. 3 vols. [PR]
- _____. and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. Ed. 2. New York Botanical Garden, NY. 910 p. [PR]
- Harvill, A. M., Jr., T. R. Bradley, C. E. Stevens, T. F. Wieboldt, D. M. E. Ware, D. W. Ogle, G. W. Ramsey and G. P. Fleming. 1992. Atlas of the Virginia Flora. III. Virginia Botanical Associates, Burkeville. 144 p. [PS] [Cited as "Atlas"]

- Haufler, C. H., R. C. Moran and M. D. Windham. 1993. *Cystopteris* Bernhardi. Pp. 263-270 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- _____, C. H., M. D. Windham, F. A. Lang and S. S. Whitmore. 1993. *Polypodium* Linnaeus. Pp. 315-323 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Hauke, R. L. 1993. Equisetaceae Michaux ex DeCandolle. Pp. 76-84 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Hermann, F. J. 1941. A Checklist of Plants in the Washington-Baltimore Area. Conference on District Flora, Smithsonian Institution, Washington, DC. Duplicated. 114 p. [PS] [Cited as "FJH 1941"]
- _____. 1946. A Checklist of Plants in the Washington-Baltimore Area. Ed. 2. Conference on District Flora, Smithsonian Institution, Washington, DC. Duplicated. 134 p. [PS] [Cited as "FJH 1946"]
- Hitchcock, A. S. and P. C. Standley. 1919. Flora of the District of Columbia and vicinity. Contr. U. S. Natl. Herb. 21: 1-329. [PS] [Cited as "H&S"]
- Holm, T. 1892. Third list of additions to the flora of Washington, D.C. Proc. Biol. Soc. Wash. 7: 105-132. [Supplement 3 to Ward's Flora]
- _____. 1896. Fourth list of additions to the flora of Washington, D.C. Proc. Biol. Soc. Wash. 10: 29-43. [Supplement 4 to Ward's Flora]
- _____. 1901. Fifth list of additions to the flora of Washington, D.C. Proc. Biol. Soc. Wash. 14: 7-22. [Supplement 5 to Ward's Flora]
- Jacobs, C. A. and J. H. Peck. 1993. *Pteridium* Gleditsch ex Scopoli. Pp. 201-204 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Johnson, D. M. 1993. *Matteuccia* Todaro. Pp. 249-250 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Kartesz, J. T. 1994. A Synonymized Checklist of the Vascular Flora of the United States, Canada, and Adjacent Greenland. Ed. 2. Timber Press, Portland, Oregon. 2 vols. [PR]

- Kato, M. 1993. *Athyrium* Roth. Pp. 255-258 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Kral, R. 1993. *Pinus* Linnaeus. Pp. 373-398 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Lellinger, D. B. 1985. A Field Manual of the Ferns and Fern-Allies of the United States & Canada. Photographs by A. Murray Evans. Smithsonian Institution Press, Washington, DC. 389 p. [PR]
- McAtee, W. L. 1930. Seventh supplement to the flora of the District of Columbia and vicinity. Proc. Biol. Soc. Wash. 43: 21-54. [Supplement 7 to Ward's Flora]
- _____. 1940. Eighth supplement to the flora of the District of Columbia and vicinity. Proc. Biol. Soc. Wash. 53: 135-154. [Supplement 8 to Ward's Flora]
- Montgomery, J. D. and W. H. Wagner, Jr. 1993. *Dryopteris* Adanson. Pp. 280-288 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Nauman, C. E. 1993. Lygodiaceae C. Presl. Pp. 114-116 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Nixon, K. C. 1997. Fagaceae Dumortier Pp. 436-444 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- _____. and C. H. Muller. 1997. *Quercus* Linnaeus sect. *Quercus*. Pp. 471-506 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Norton, J. B. S. 1942. The Polygonaceae of the Washington-Baltimore area. Conference on District Flora (E.H. Walker, Chairman), Washington, DC. 11 p. Duplicated.
- Park, M. M. and D. Festerling, Jr. 1997. *Thalictrum* Linnaeus. Pp. 258-271 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Pennell, F. W. 1935. The Scrophulariaceae of eastern temperate North America. Acad. Nat. Sci. Philadelphia Monogr. 1: 1-650.

- Pringle, J. S. 1997. *Clematis* Linnaeus subg. *Viticella* (Moench) Keener & W. M. Dennis. Pp. 164-167 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Radford, A. E., H. E. Ahles and C. R. Bell. 1968. Manual of the Vascular Flora of the Carolinas. Univ. North Carolina Press, Chapel Hill. 1183 p. [PR]
- Redman, D. E. 1991 [1992]. An annotated list of the ferns and fern allies of Maryland and the District of Columbia. *Maryland Naturalist* 35: 15-24. [PS]
- Reed, C. F. 1943. County distribution of the ferns and fern allies in Maryland, Delaware and District of Columbia. *Bull. Nat. Hist. Soc. Maryland* 13: 47-54.
- _____. 1945. A crested form of the broad beech-fern. *Amer. Fern J.* 35: 104-105.
- _____. 1953. The Ferns and Fern Allies of Maryland and Delaware, Including District of Columbia. Reed Herbarium, Baltimore. 286 p. [PS]
- _____. 1964. A flora of the chrome and manganese ore piles at Canton, in the Port of Baltimore, Maryland and at Newport News, Virginia, with descriptions of genera and species new to the flora of eastern United States. *Phytologia* 10: 324-406.
- Shetler, S. G. 1982. Variation and Evolution of the Nearctic Harebells (*Campanula* subsect. *Heterophylla*). J. Cramer, Vaduz. 516 p. (Phanerog. Monogr. 11)
- Shreve, F., M. A. Chrysler, F. H. Blodgett and F. W. Besley. 1910. The Plant Life of Maryland. Johns Hopkins Press, Baltimore. 533 p. (Special Publication, vol. 3, Maryland Weather Service)
- Simmons, M., D. M. E. Ware and W. J. Hayden. 1995. The vascular flora of the Potomac River watershed of King George County, Virginia. *Castanea* 60: 179-209.
- Small, E. 1997. Cannabaceae Endlicher. Pp. 381-387 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Smith, A. R. 1993a. Thelypteridaceae Ching ex Pichi-Sermolli. Pp. 206-222 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- _____. 1993b. Dryopteridaceae Herter. Pp. 246-308 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.

- Steele, E. S. 1901. Sixth list of additions to the flora of Washington, D.C., and vicinity. With descriptions of new species and varieties by Edward L. Greene, Alvah A. Eaton, and the author. Proc. Biol. Soc. Wash. 14: 47-86. [Supplement 6 to Ward's Flora]
- Stone, D.E. 1997. Juglandaceae A. Richard ex Kunth. Pp. 416-425 *in* FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Strausbaugh, P. D. and E. L. Core. [1978]. Flora of West Virginia. Ed. 2. Seneca Books, Grantsville, WV. 1079 p. [PR]
- Terrell, E. E., J. L. Reveal, R. W. Spjut, R. F. Whitcomb, J. H. Kirkbride, Jr., M. T. Cimins and M. Strong. 1999. Annotated List of the Flora of the Agricultural Research Center, Beltsville, Maryland. Duplicated draft. 58 p.
- Wagner, W. H., Jr. 1971. Evolution of *Dryopteris* in relation to the Appalachians. Pp. 147-192 *in* P. C. Holt (ed.). The Distributional History of the Biota of the Southern Appalachians. Part II: Flora. Virginia Polytechn. Inst. State Univ. Res. Div. Monogr. 2.
- _____, R. C. Moran and C. R. Werth. 1993. Aspleniaceae Newman. Pp. 228-245 *in* FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Ward, L. F. 1881. Guide to the flora of Washington and vicinity. Bull. U.S. Natl. Mus. 22: 1-264. [PS]
- _____. [1884]. List of plants added to the flora of Washington from April 1, 1882, to April 1, 1884. Proc. Biol. Soc. Wash. 2: 84-87. 1882-1884. [Supplement 1 to Ward's Flora]
- Warnock, M. J. 1997. *Consolida* (de Candolle) Gray. Pp. 240-242 *in* FNA Editorial Committee (eds.) Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Wherry, E. T. 1937. Guide to Eastern Ferns. Illustrated by O. Stoner and C. Feldman. Science Press, Lancaster, PA. 220 p.
- Whetstone, R. D. and T. A. Atkinson. 1993. Osmundaceae Berchtold & J. Presl. Pp. 107-109 *in* FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.

- Whittemore, A. 1997. *Ranunculus* Linnaeus. Pp. 88-135 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Wiersema, J. H. and C. B. Hellquist. 1997. *Nymphaeaceae* Salisbury. Pp. 66-77 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 3. Oxford Univ. Press, New York and Oxford.
- Wilson, E. H. and A. Rehder. 1921. A monograph of *Azalea*. Publ. Arnold Arbor. No. 9. 219 p.
- Windham, M. D. 1993a. *Pteridaceae* Reichenbach. Pp. 122-124 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- _____. 1993b. *Pellaea* Link. Pp. 175-186 in FNA Editorial Committee (eds.). Flora of North America North of Mexico. Vol. 2. Oxford Univ. Press, New York and Oxford.
- Wolff, S. L. and R. L. Jefferies. 1987. Taxonomic status of diploid *Salicornia europaea* (s.l.) (Chenopodiaceae) in northeastern North America. Canad. J. Bot. 65: 1420-1426.

Index of Scientific Names

Family names are in upper case, and synonyms are in *italics*.

- Abelmoschus, 89
- Abutilon, 89
- Acacia, 65
- Acalypha, 63
- ACANTHACEAE, 11
- Acanthospermum, 20
- Acer, 11
- ACERACEAE, 11
- Acerates*, 19
- Achillea, 20
- Acnida*, 12
- Aconitum, 104
- Actaea, 104
- Actinomeris*, 39
- ADIANTACEAE, 3
- Adiantum, 3
- Adlumia, 76
- Adopogon*, 32
- Aegopodium, 13
- Aeschynomene, 66
- Aesculus, 79
- Agalinis, 120-121
- Agastache, 81
- Ageratina, 20
- Ageratum, 20
- Agrimonia, 107-108
- Agrostemma, 51
- Ailanthus, 125
- AIZOACEAE, 11, 91
- Ajuga, 81
- Akebia, 86
- Albizia, 66
- Alcea, 89
- Alchemilla, 108
- Alliaria, 43
- Allionia*, 92
- Alnus, 40-41
- Alsine*, 54
- Alternanthera, 11
- Althaea, 89
- Alyssum, 43
- AMARANTHACEAE, 11-12
- Amaranthus, 12
- Ambrosia, 20
- Amelanchier, 108
- Ammannia, 88
- Amorpha, 66
- Ampelamus*, 19
- Ampelopsis, 132
- Amphicarpa, 66
- Amsinckia, 42
- ANACARDIACEAE, 12-13
- Anagallis, 102, 103
- Anaphalis, 20
- Anchista*, 4
- Anchusa, 42
- Andromeda*, 62
- Anemone, 104, 105
- Anemonella, 104
- Anethum, 13
- Angelica, 13
- Anisostichus*, 41
- ANNONACEAE, 13
- Anoda, 89
- Antennaria, 20
- Anthemis, 20
- Anthriscus, 13
- Antirrhinum*, 122
- Anychia*, 52-53
- Apargia*, 33
- Aphanes*, 108
- APIACEAE, 13-17
- Apios, 66
- APOCYNACEAE, 17
- Apocynum, 17
- AQUIFOLIACEAE, 17-18
- Aquilegia, 104
- Arabidopsis, 44
- Arabis, 44
- Arachis, 66
- Aralia, 18
- ARALIACEAE, 18
- Archangelica*, 13
- Archemora*, 15
- Arctium, 21
- Arenaria, 51
- Argemone, 96
- Argentina*, 111
- Aristolochia, 18
- ARISTOLOCHIACEAE, 18
- Armoracia, 44
- Arnica, 21
- Arnoglossum, 21
- Aronia, 108
- Artemisia, 21
- Aruncus, 108
- Asarum, 18
- ASCLEPIADACEAE, 18-19
- Asclepias, 18-19
- Ascyrum*, 80
- Asimina, 13
- Asperugo, 42
- Asperula, 115
- Aspidium*, 5, 7
- ASPLENIACEAE, 3-4
- Asplenium, 3-4, 8
- Asplenosorus*, 3
- Aster, 21-23, 36
- ASTERACEAE, 20-40
- Astragalus, 66
- Athyrium, 7-8
- Atriplex, 55
- Aureolaria, 121
- Azalea*, 62-63
- Azolla, 4
- AZOLLACEAE, 4
- Baccharis, 23
- Bacopa, 121, 122
- Bahia, 23
- Ballota, 81
- BALSAMINACEAE, 40
- Baptisia, 66
- Balsamita*, 38
- Barbarea, 44
- Bartonia, 77
- Bellis, 24
- Benzoin*, 86
- BERBERIDACEAE, 40
- Berberis, 40
- Berteroa, 44
- Betula, 41
- BETULACEAE, 40-41
- Bicuculla*, 76
- Bidens, 24
- Biflora, 13
- Bignonia, 41
- BIGNONIACEAE, 41, 123
- Bikukulla*. 76

- Bilderdykia*, 100, 101
Blastania, 59
BLECHNACEAE, 4
Blephilia, 81
Boehmeria, 129
Boerhavia, 92
Boltonia, 24
BORAGINACEAE, 42-43
Borago, 42
Borrichia, 24
Botrychium, 5-6
Brasenia, 48
Brassica, 44-45
BRASSICACEAE, 43-48
Brauneria, 27
Brickellia, 32
Broussonetia, 91
Buchnera, 121
Buddleja, 48
BUDDLEJACEAE, 48
Buglossoides, 43
Bupleurum, 13
Bursa, 45
BUXACEAE, 48
Cabomba, 48
CABOMBACEAE, 48
Cacalia, 21, 38
CACTACEAE, 48
CAESALPINIACEAE, 66, 67,
 69
Cajanus, 66
Cakile, 45
Calamintha, 85
Callicarpa, 130
CALLITRICHACEAE, 49
Callitricha, 49
Caltha, 104
Calystegia, 57-58
Camelina, 45
Campanula, 49
CAMPANULACEAE, 49
Campanulastrum, 49
Campe, 44
Campsis, 41
Camptosorus, 4
CANNABACEAE, 49
Cannabis, 49
Cantharospermum, 66
Capnoides, 76
CAPPARACEAE, 50
CAPRIFOLIACEAE, 50-51
Capsella, 45
Capsicum, 125
Cardamine, 45, 46
Cardaria, 45
Cardiospermum, 118
Carduus, 24-25
Carpinus, 41
Carthamus, 25
Carum, 14
Carya, 80-81
CARYOPHYLLACEAE,
 51-54
Cassia, 67, 72
Castanea, 74-75
Castelia, 93
Castilleja, 121
Catalpa, 41
Caucalis, 16
Caulophyllum, 40
Ceanothus, 107
CELASTRACEAE, 54-55
Celastrus, 54
Celosia, 12
Celtis, 128
Centaurea, 25
Centaurium, 77
Centrosema, 66
Centunculus, 103
Cephalanthus, 115
Cerastium, 52
CERATOPHYLLACEAE, 55
Ceratophyllum, 55
Cercis, 66
Chaenomeles, 109
Chaenorrhinum, 121
Chaerophyllum, 14
Chamaecrista, 67
Chamaecyparis, 9
Chamaedaphne, 61
Chamaenerion, 94
Chamaesyce, xv, 64-65
Chamomilla, 34
Cheilanthes, 3
Cheirinia, 46
Chelidonium, 96
Chelone, 121
CHENOPodiACEAE, 55-57
Chenopodium, 55-56
Chimaphila, 103
Chionanthus, 93
Chondrilla, 25
Chrozophora, 63
Chrysanthemum, 33, 38
Chrysogonum, 25
Chrysopsis, 25-26
Chrysosplenium, 119
Cicer, 67
Cichorium, 26
Cicuta, 14
Cimicifuga, 104
Circaeа, 94
Cirsium, 26
CISTACEAE, 57
Citrullus, 59
Claytonia, 102
Clematis, 104-105
Cleome, 50
Clethra, 57
CLETHRACEAE, 57
Clinopodium, 85
Clitoria, 67
Cnicus, 25
Coincyia, 45
Collinsonia, 81
Comandra, 118
Comptonia, 92
Conium, 14
Conoclinium, 28
Conopholis, 96
Conringia, 45
Consolida, 105
CONVOLVULACEAE,
 57-58
Convolvulus, 57-58
Conyzа, 26
Coptis, 105
Coreopsis, 26
CORNACEAE, 58
Cornus, 58
Coronilla, 67
Coronopus, 46
Corydalis, 76
Corylus, 41
Cosmos, 27
Cotoneaster, 112
Cracca, 73
Crassula, 59
CRASSULACEAE, 59
Crataegus, 109-110
Crepis, 27, 40
Crotalaria, 67
Croton, 64
Crotonopsis, 64
Cruciata, 115
Cryptotaenia, 14

- Ctenolepis, 59
Cubelium, 130
Cucumis, 59
Cucurbita, 59
CUCURBITACEAE, 59-60
Cunila, 81
Cuphea, 88
CUPRESSACEAE, 9
Cuscuta, 60
CUSCUTACEAE, 60
Cyclospermum, 14
Cymbalaria, 121
Cynanchum, 19
Cynoglossum, 42
Cynthia, 32
Cystopteris, xiv, 8
Cytisus, 67
Dalea, 67
Dasistoma, 121
Datura, 125
Daucus, 14
Decodon, 88
Delphinium, 105
Dennstaedtia, 4
DENNSTAEDTIACEAE, 4
Dentaria, 46
Deparia, 8
Deringa, 14
Descurainia, 46
Desmanthus, 67
Desmodium, 67-69
Deutzia, 119
Dianthera, 11
Dianthus, 52, 53
DIAPENSIACEAE, 60
Dicentra, 76
Dicrophyllum, 65
Diervilla, 50
Diodia, 115
Diospyros, 61
Diphasiastrum, 2
Diplazium, 8
Diplotaxis, 46
DIPSACACEAE, 60
Dipsacus, 60
Dirca, 127
Dodecatheon, 103
Doellingeria, 22, 23
Dolichos, 69, 72
Draba, 46
Dracocephalum, 81, 84
Drosera, 61
DROSERACEAE, 61
DRYOPTERIDACEAE, 4-5, 7-8
Dryopteris, 4-5, 7, 8
Duchesnea, 110
Dysphania, 56
Dyssodia, 27
EBENACEAE, 61
Echinacea, 27
Echinocystis, 59
Echium, 42
Eclipta, 27
ELAEAGNACEAE, 61
Elaeagnus, 61
ELATINACEAE, 61
Elatine, 61
Elephantopus, 27
Ellisia, 79
Elodea, 80
Emilia, 27
Enemion, 105
Epifagus, 96
Epigaea, 62
Epilobium, 94
EQUISETACEAE, 1
Equisetum, xiv, 1
Eranthis, 105
Erechtites, 27
ERICACEAE, 61-63
Erigenia, 14
Erigeron, xiv, 26, 27-28
Erodium, 77
Eruca, 46
Erucastrum, 46
Eryngium, 14
Erysimum, 46, 48
Erythraea, 77
Eubotrys, 62
Euonymus, 54-55
Eupatoriadelphus, 28, 29
Eupatorium, 20, 28-29
Euphorbia, xv, 64-65
EUPHORBIACEAE, 63-65
Eurybea, 22
Eurybia, 22, 23
Euthamia, 29
Evolvulus, 58
FABACEAE, 65-74
FAGACEAE, 74-76
Fagopyrum, 100
Fagus, 75
Falcata, 66
Ficaria, 106
Ficus, 92
Filago, 29
Filipendula, 110
Filix, 8
Flaveria, 29
Fleischmannia, 28
Floerkea, 87
Foeniculum, 14
Forsythia, 93
Fragaria, 110
Frangula, 107
Fraxinus, 93
Froelichia, 12
Fumaria, 76
FUMARIACEAE, 76
Galactia, 69
Galax, 60
Galega, 69
Galinsoga, 29
Galium, 115-116
Gamochaeta, 30
Gaultheria, 62
Gaura, 95
Gaylussacia, 62
Gelsemium, 88
Genista, 69
Gentiana, 77
GENTIANACEAE, 77
Gentianopsis, 77
GERANIACEAE, 77-78
Geranium, 78
Gerardia, 120-121
Geum, 110
Gifola, 29
Gillenia, 111
Glandularia, 130
Glaucium, 97
Glechoma, 82
Gleditsia, 69
Glycine, 66, 69
Gnaphalium, 29-30
Gonolobus, 19
Gossypium, 89
Gratiola, 121-122
Grindelia, 30
Grossularia, 120
Guizotia, 30
Gymnocarpium, 8
Gypsophila, 52
Hackelia, 42
HALORAGACEAE, 78

- HAMAMELIDACEAE, 79
Hamamelis, 79
Haplopappus, 30
Harperella, 16
Hedeoma, 82
Hedera, 18
Hedyotis, 116
Helenium, 30
Helianthemum, 57
Helianthus, 30-31
Heliospis, 31
Heliotropium, 42
Helleborus, 105
Hemianthus, 122
Hepatica, 105
Heracleum, 15
Herniaria, 52
Hesperis, 46
Heterosperma, 31
Heterotheca, 25-26, 31
Heuchera, 119
Hexastylis, 18
Hibiscus, 89-90
Hicoria, 80-81
Hieracium, 31-32
HIPPOCASTANACEAE, 79
Holosteum, 52
Houstonia, 116
Hudsonia, 57
Humulus, 49
Huperzia, 2
Hybanthus, 130
Hydrangea, 119
Hydrastis, 105
Hydrocotyle, 15
HYDROPHYLACEAE, 79
Hydrophyllum, 79
Hyoscyamus, 125
Hypecoum, 76
HYPERICACEAE, 79-80
Hypericum, 79-80
Hypochaeris, 32
Hypopitys, 91
Ilex, 17-18
Ilysanthes, 122
Impatiens, 40
Indigofera, 69
Inula, 32
Ionactis, 22
Ionoxalis, 96
Ipomoea, 58
Iresine, 12
Isanthus, 82
Isatis, 47
Isnardia, 95
ISOETACEAE, 1
Isoetes, 1
Isopyrum, 105
Itea, 119
Iva, 32
Jaltomata, 125
Jeffersonia, 40
JUGLANDACEAE, 80-81
Juglans, 81
Juniperus, 9
Jussiaea, 95
Justicia, 11
Kallstroemia, 133
Kalmia, 62
Kerria, 110
Kickxia, 122
Kniffia, 95
Kochia, 56
Koellia, 84
Koelreuteria, 118
Koniga, 47
Kosteletzkyia, 90
Krigia, 32
Kuhnia, 32
Kummerowia, 70
Laciariaria, 33
Lactuca, 32-33
LAMIACEAE, 81-86
Lamiastrum, 82
Lamium, 82
Laportea, 129
Lappula, 42
Lapsana, 33
LARDIZABALACEAE, 86
Lasallea, 21, 22, 23
Lathyrus, 69
LAURACEAE, 86-87
Lechea, 57
Legousia, 49
Lens, 70
LENTIBULARIACEAE, 87
Leontodon, 33, 39
Leonurus, 82
Lepidium, 45, 47
Leptamnium, 96
Leptandra, 124
Leptilon, 26
Leptodactylon, 99
Leptoglossis, 72
Lespedeza, 70
Leucanthemum, 33
Leucothoë, 62
Liatris, 33
Ligusticum, 15
Ligustrum, 93-94
Lilaeopsis, 15
LIMNANTHACEAE, 87
Limonium, 98
Limosella, 122
LINACEAE, 87
Linaria, 122
Lindera, 86
Lindernia, 122
Linum, 87
Lippia, 130
Liquidambar, 79
Liriodendron, 89
Lithospermum, 43
Lobelia, 88
LOBELIACEAE, 88
Lobularia, 47
LOGANIACEAE, 88
Lonicera, 50
Lorinseria, 4
Lotus, 70
Ludwigia, 95
Lunaria, 47
Lupinus, 70
Lychnis, 52, 53
Lycium, 125
Lycopersicon, 125
LYCOPODIACEAE, 1
Lycopodiella, 1, 2
Lycopodium, 1-2
Lycopsis, 42
Lycopus, 82
LYGODIACEAE, 7
Lygodium, 7
Lyonia, 62
Lysimachia, 103
LYTHRACEAE, 88
Lythrum, 88
Maclura, 92
Madia, 33
Magnolia, 89
MAGNOLIACEAE, 89
Malus, 110-111
Malva, 90
MALVACEAE, 89-90
Marrubium, 82
Marsilea, 5

- MARSILEACEAE, 5
Martynia, 97
MARTYNIACEAE, 97
Matelea, 19
Matricaria, 34, 38
Matteuccia, 8
Maurandella, 122
Maurandya, 122
Mazus, 122
Mecardonia, 122
Medicago, 70-71
Meibomia, 67-69
Melampodium, 34
Melampyrum, 122
MELASTOMATACEAE, 91
Melilotus, 71
Melissa, 83
Melochia, 127
Melothria, 60
MENISPERMACEAE, 91
Menispermum, 91
Mentha, 83
MENYANTHACEAE, 91
Menyanthes, 91
Mercurialis, 65
Mertensia, 43
Mesadenia, 21
Micrampelis, 59
Micranthemum, 122-123
Mikania, 34
Mimosa, 71
MIMOSACEAE, 66, 67, 71
Mimulus, 123
Mirabilis, 92
Mitchella, 116
Mitella, 119
Moehringia, 51
Moldavica, 81
MOLLUGINACEAE, 91
Mollugo, 91
Monarda, 83
Monotropa, 91
MONOTROPACEAE, 91
Monotropsis, 91
Montia, 102
MORACEAE, 91-92
Morus, 92
Myosotis, 43
Myosoton, 54
Myosurus, 105
Myrica, 92
MYRICACEAE, 92
Myriophyllum, 78
Nabalus, 34-35
Nama, 79
Napaea, 90
Nasturtium, 44, 47
Nelumbo, 92
NELUMBONACEAE, 92
Nemophila, 79
Neobeckia, 44
Neopieris, 62
Nepeta, 83
Nesaea, 88
Nicandra, 125
Nicotiana, 125-126
Norta, 48
Nuphar, 93
Nuttallanthus, 122
NYCTAGINACEAE, 92
Nyctelea, 79
Nymphaea, 93
NYMPHAEACEAE,
 48, 92, 93
Nymphoides, 91
Nyssa, 93
NYSSACEAE, 93
Obolaria, 77
Ocimum, 83
Oclemena, 21
Oenanthe, 15
Oenothera, 95-96
Oldenlandia, 116
OLEACEAE, 93-94
ONAGRACEAE, 94-96
Onoclea, 8
Ononis, 71
Onopordum, 34
Onosmodium, 43
OPHIOGLOSSACEAE, 5-6
Ophioglossum, 6
Opulaster, 111
Opuntia, 48
Orbexilum, 71
Origanum, 84
OROBANCHACEAE, 96
Orobanche, 96
Orthilia, 104
Orthocarpus, 123
Osmorhiza, 15
Osmunda, 6
OSMUNDACEAE, 6
Ostrya, 41
Otophylla, 120
OXALIDACEAE, 96
Oxalis, 96
Oxybaphus, 92
Oxycoccus, 63
Oxydendrum, 62
Oxypolis, 15
Pachysandra, 48
Pagesia, 122
Panax, 18
Papaver, 97
PAPAVERACEAE, 96-97
Papyrius, 91
Parietaria, 129
Parnassia, 119
Paronychia, 52-53
Parosela, 67
Parsonia, 88
Parthenium, 34
Parthenocissus, xv, 132
Passiflora, 97
PASSIFLORACEAE, 97
Pastinaca, 15
Paulownia, 123
PEDALIACEAE, 97
Pedicularis, 123
Pellaea, 3
Penstemon, 123
Penthorum, 59
Perilla, 84
Persicaria, 100, 101
Petrorrhagia, 53
Petunia, 126
Phacelia, 79
Phaethusa, 39
Phaseolus, 71, 74
Phegopteris, 7, 8
Philadelphus, 119
Phlox, 99
Phoradendron, 132
Phryma, 97
PHRYMACEAE, 97
Phyla, 130
Phyllanthus, 65
Phyllitis, 4
Physalis, 126
Physalodes, 125
Physocarpus, 111
Physostegia, 84
Phytolacca, 98
PHYTOLACCACEAE, 98
Picea, 9
Picris, 34

- Pieris*, 62
Pilea, 129
Pimpinella, 15
 PINACEAE, 9
Pinus, xv, 9
Pisum, 71
Pityopsis, 25
 PLANTAGINACEAE, 98
Plantago, 98
 PLATANACEAE, 98
Platanus, 98
Platystemon, 97
Pleopeltis, 6
Pleuropteris, 100
Pluchea, 34
 PLUMBAGINACEAE, 98
Podophyllum, 40
 PODOSTEMACEAE, 98
Podostemum, 98
Poinsettia, 64
Polanisia, 50
 POLEMONIACEAE, 99
Polemonium, 99
Polycnemum, 56
Polycodium, 63
Polygala, 99-100
 POLYGALACEAE, 99-100
 POLYGONACEAE, 100-102
Polygonum, 100-101
Polymnia, 34
 POLYPODIACEAE, 6
Polypodium, 6
Polypremum, 48
Polystichum, 5
Populus, 117
Porteranthus, 111
Portulaca, 102
 PORTULACACEAE, 102
Potentilla, 111
Poterium, 114
Prenanthes, 34-35
 PRIMULACEAE, 102-103
Prionopsis, 30
Proboscidea, 97
Proserpinaca, 78
Prunella, 84
Prunus, 111-112
Pseudolycopodiella, 1
Pseudotaenidia, 16
Psoralea, 71
Ptelea, 117
Pteretis, 8
- PTERIDACEAE, 3, 7
Pteridium, 4
Pteris, 4, 7
Ptilimnium, 15-16
Pueraria, 71
Pulicaria, 35
Pycnanthemum, 84
Pyracantha, 112
Pyrola, 104
 PYROLACEAE, 103-104
Pyrrhopappus, 35
Pyrus, 108, 110-111, 113
Quamoclit, 58
Quercus, 75-76
Radicula, 47
Raimannia, 95
 RANUNCULACEAE,
 104-107
Ranunculus, 106
Raphanus, 47
Rehsonia, 74
Reseda, 107
 RESEDAEAE, 107
 RHAMNACEAE, 107
Rhamnus, 107
Rheum, 102
Rhexia, 91
Rhododendron, 62-63
Rhodotypos, 113
Rhus, 12-13
Rhynchosia, 71-72
Rhynchosinapis, 45
Ribes, 119-120
Richardia, 116
Ricinus, 65
Ridan, 39
Robinia, 72
Rorippa, 47
Rosa, 113
 ROSACEAE, 107-115
Rotala, 88
 RUBIACEAE, 115-116
Rubus, 113-114
Rudbeckia, 35
Ruellia, 11
Rulac, 11
Rumex, 102
Ruta, 117
 RUTACEAE, 117
Sabatia, 77
Sagina, 53
 SALICACEAE, 117-118
 Salicornia, 56
Salix, 117-118
Salpichroa, 126
Salsola, 57
Salvia, 85
Sambucus, 50
Samolus, 103
Sanguinaria, 97
Sanguisorba, 114
Sanicula, 16
 SANTALACEAE, 118
Sanvitalia, 35
 SAPINDACEAE, 118
Saponaria, 52, 53, 54
Saracha, 125
Sarothra, 80
Sarracenia, 118
 SARRACENIACEAE, 118
Sassafras, 87
Satureja, 85
 SAURURACEAE, 119
Saururus, 119
Saxifraga, 120
 SAXIFRAGACEAE, 59,
 119-120
Scandix, 16
 SCHIZAEACEAE, 7
Schkuhria, 35
Schmaltzia, 12
Schrankia, 72
Scleranthus, 53
Scrophularia, 123
 SCROPHULARIACEAE,
 120-124
Scutellaria, 85
Sedum, 59
Selaginella, 2
 SELAGINELLACEAE, 2
Senecio, 35-36
Senna, 72
Sericocarpus, 36
Sesbania, 72
Seseli, 16
Sesuvium, 11
Setiscapella, 87
Sherardia, 116
Sibara, 47
Sicyos, 60
Sida, 90
Silene, 53
Silphium, 36
Silybum, 36

- SIMAROUBACEAE, 125
Simsia, 36
Sinapis, 44
SINOPTERIDACEAE, 3
Sisymbrium, 44, 47, 48
Sitilias, 35
Sium, 16
SOLANACEAE, 125-127
Solanum, 126-127
Solidago, 29, 36-38
Sonchus, 38
Sophia, 46
Sophronanthe, 121
Sorbus, 108
Specularia, 49
Spergula, 54
Spergularia, 54
Spermacoce, 116
Spermolepis, 16
Sphaeralcea, 90
Spigelia, 88
Spiraea, 114-115
Stachys, 85-86
Staphylea, 127
STAPHYLEACEAE, 127
Steironema, 103
Stellaria, 54
STERCULIACEAE, 127
Stomoisia, 87
Strophostyles, 72
Stylophorum, 97
Stylosanthes, 72
Suaeda, 57
Symporicarpos, 51
Sympyotrichum, 21-23
Sympythium, 43
SYMPLOCACEAE, 127
Symplocos, 127
Syndesmon, 104
Synosma, 38
Syringa, 94
Taenidia, 16
Tagetes, 38
Talinum, 102
Tanacetum, 38
Taraxacum, 39
TAXACEAE, 10
Taxodium, 9
Taxus, 10
Tecomia, 41
Teesdalia, 48
Tephrosia, 73
Tetragonotheca, 39
Teucrium, 86
Thalesia, 96
Thalictrum, 104, 106-107
Thaspium, 16, 17
THELYPTERIDACEAE, 7
Thelypteris, 7
Thermopsis, 73
Thlaspi, 48
THYMELAEACEAE, 127
Thymus, 86
Tiarella, 120
Tiedmannia, 15
Tilia, 128
TILIACEAE, 128
Tillaea, 59
Tissa, 54
Tithymalopsis, xv, 64, 65
Tithymalus, xv, 64, 65
Tomanthera, 120
Torilis, 16-17
Tovara, 101
Toxicodendron, 13
Toxylon, 92
Tracaulon, 100, 101
Trachelospermum, 17
Tragiola, 121
Tragopogon, 39
Trapa, 128
TRAPACEAE, 128
Trautvetteria, 107
Triadenum, 80
Tribulus, 133
Trichostema, 82, 86
Tridax, 39
Trientalis, 103
Trifolium, 73
Trigonella, 73
Triodanis, 49
Triosteum, 51
TROPAEOLACEAE, 128
Tropaeolum, 128
Tsuga, 9
Tunica, 53
Tussilago, 39
ULMACEAE, 128
Ulmus, 128
Urtica, 129
URTICACEAE, 129
Urticastrum, 129
Utricularia, 87
Vaccaria, 54
Vaccinium, 63
Vaillantia, 115
Valeriana, 129
VALERIANACEAE, 129
Valerianella, 129
Verbascum, 123-124
Verbena, 130
VERBENACEAE, 97, 130
Verbesina, 39
Vernonia, 39
Veronica, 124
Veronicastrum, 124
Viburnum, 51
Vicia, 73-74
Vigna, 74
Vinca, 17
Vincetoxicum, 19
Viola, 130-132
VIOLACEAE, 130-132
Viorna, 105
Virgulus, 21, 22, 23
VISCACEAE, 132
VITACEAE, 132-133
Vitis, 132-133
Wisteria, 74
Woodsia, 8
WOODSIACEAE, 7-8
Woodwardia, 4
Xanthium, 39-40
Xanthorrhiza, 107
Xanthoxalis, 96
Xolisma, 62
Youngia, 40
Zanthoxylum, 117
Zizia, 17
ZYGOPHYLLACEAE, 133

Orli/Shetler/20Dec99
Updated, SGS/29Dec99
Updated, SGS/8Feb00
Corrected, SGS/12Jun00
CHKLST1.wpd

Index of Common Names

- absinthe, 21
- acacia, mescat, 65
- acacia, rose-, 72
- Acanthus Family, 11
- aconite, winter-, 105
- action-plant, 71
- adder's-tongue, 6
 - common, 6
 - southern, 6
- Adder's-tongue Fern Family, 5-6
- agalinis, 120-121
 - auricled, 120
 - blunt-leaved, 120
 - common, 121
 - fascicled, 120
 - large purple, 120
 - saltmarsh, 120
 - sand-plain, 120
 - seaside, 120
 - slender, 121
 - smooth, 120
 - ten-lobed, 120
 - thread, 120
 - thread-leaved, 120
- ageratum, 20, 28
 - hardy-, 28
 - wild-, 28
- agrimony, 28, 107-108
 - common tall, 107
 - downy, 108
 - hairy, 108
 - hemp-, 28
 - roadside, 108
 - small-flowered, 108
 - small-fruited, 107
 - southern, 108
 - striate, 108
 - woodland, 108
- akebia, five-leaf, 86
- alder, 18, 40-41, 57
 - black, 40
 - black-, 18
 - coast-white, 57
 - common, 41
 - European, 40
 - hazel, 41
 - smooth, 41
- alder-buckthorn, European, 107
- alfalfa, 71
- Alexanders, golden-, 17
- Allegheny-vine, 76
- alligator-weed, 11
- alumroot, 119
 - Appalachian, 119
 - common, 119
- alyssum, 43-44, 47
 - hoary, 44
 - sweet, 47
 - yellow, 43
- amaranth, 12
 - purple, 12
- red, 12
- spiny, 12
- thorny, 12
- Amaranth Family, 11
- ammannia, Koehne's, 88
- anemone, 104-105
 - Canada, 104
 - Canadian, 104
 - false rue-, 105
 - round-leaved, 104,
 - rue-, 104
 - sapphire, 104
 - tall, 104
 - wood, 104
- angelica, 13
 - hairy, 13
 - purple, 13
 - purplestem, 13
- angelica-tree, 18
- angelico, 15
- angel's-trumpet, 125
- anglepod, 19
- anise-root, 15
- anoda, spurred, 89
- apple, 13, 59, 111, 125
 - Chinese flowering, 111
 - Custard-, 13
 - Indian-, 125
 - thorn-, 125
 - apple-of-Peru, 125
 - apricot, 112
 - apricot-vine, 97
 - arbutus, trailing-, 62
 - archangel, yellow, 82
 - arrow-wood, 51
 - downy, 51
 - linden, 51
 - maple-leaved, 51
 - roughish, 51
 - southern, 51
 - artichoke, Jerusalem-, 31
- Arum Family, 18
- ash, 93, 117
 - black, 93
 - Carolina, 93
 - green, 93
 - prickly-, 117
 - pumpkin, 93
 - red, 93
 - wafer-, 117
 - white, 93
- aspen, 117
 - big-toothed, 117
 - large-toothed, 117
 - quaking, 117
 - trembling, 117
- aster, 21-23, 25-26, 36
 - annual salt-marsh, 23
 - Appalachian flat-topped white, 22
 - aromatic, 22
- awl, 23
- big-leaved, 22
- bristly, 23
- bushy, 22
- calico, 22
- clasping, 23
- clasping heart-leaved, 23
- common blue
 - heart-leaved, 21
- common blue wood, 21
- common white
 - heart-leaved, 22
- cornel-leaved, 22
- crooked-stem, 23
- dense-flowered, 22
- eastern lined, 22
- eastern serpentine, 21
- eastern silvery, 21
- flat-topped white, 23
- flax-leaved, 36
- goblet, 22
- grass-leaved golden-, 25
- heath, 22, 23
- large salt-marsh, 23
- late purple, 23
- long-stalked, 22
- low rough, 23
- Maryland golden-, 26
- midwestern blue heart-leaved, 23
- mountain, 21
- narrow-leaved
 - white-topped, 36
- New England, 22
- New York, 22
- panicked, 22
- perennial salt-marsh, 23
- prairie heart-leaved, 23
- purple-stemmed, 23
- Schreber's, 23
- shaggy golden-, 26
- shale-barren, 22
- Short's, 23
- slender, 22
- small-headed, 23
- small white, 23
- smooth, 22
- squarrose white, 22
- starved, 22
- stiff, 22, 36
- stiff-leaved, 22
- tall white, 22
- tatarian, 23
- toothed white-topped, 36
- wavy-leaved, 23
- white heath, 23
- white wood, 22
- whorled, 21
- zigzag, 23
- Aster Family, 20-40
- autumn-olive, 61

- avens, 110
 - cream-colored, 110
 - rough, 110
 - spring, 110
 - white, 110
 - yellow, 110
- azalea, 62-63
 - clammy, 63
 - coastal, 62
 - dwarf, 62
 - mountain, 63
 - pink, 63
 - rose, 63
 - rosebud, 63
 - smooth, 62
 - swamp, 63
 - sweet, 62
 - white, 62
 - white swamp, 63
- bachelor's-button, 25
- bald-cypress, 9
- balloon-vine, 118
- balm, 83
 - common-, 83
 - garden-, 83
- balm-of-Gilead, 117
- balsam, 29, 36, 40, 59, 117
 - garden, 40
 - old-field-, 29
 - Zanzibar, 40
- balsam-apple, 59
 - wild, 59
- baneberry, white, 104
- barberry, 40
 - common, 40
 - Japanese, 40
- Barberry Family, 40
- bartonia, yellow, 77
- basil, 83-85
 - field, 85
 - wild, 85
- basil-balm, 83
- basil-thyme, 85
- basswood, 128
- bay, swamp-, 89
 - sweet-, 89
- bayberry, 92
 - evergreen, 92
 - northern, 92
 - southern, 92
- Bayberry Family, 92
- beach-heath, wooly, 57
- bean, 65-66, 69, 71-72
 - annual wooly-, 72
 - castor-, 65
 - Egyptian, 69
 - hyacinth-, 69
 - perennial wooly-, 72
 - small-flowered wooly, 72
 - trailing wild, 72
- beard-tongue, 123
 - Appalachian, 123
 - eastern, 123
 - eastern white, 123
 - foxglove, 123
 - gray, 123
 - hairy, 123
 - long-sepaled, 123
 - northeastern, 123
 - pale, 123
 - smooth, 123
 - tall white, 123
- bear's-foot, 34
- beautyberry, American, 130
- bedstraw, 115-116
 - blunt-leaved, 115
 - Clayton's, 116
 - forest, 115
 - hairy, 115
 - northern three-lobed, 116
 - Parisian, 115
 - piedmont, 115
 - purple, 115
 - rough, 115
 - shining, 115
 - small, 116
 - southern three-lobed, 116
 - stiff marsh, 115
 - sweet-scented, 116
 - true, 116
 - white, 115
 - wide-leaved, 115
 - yellow, 116
- bee-balm, 83
 - basil, 83
- beech, 41,75
 - American, 75
 - blue-, 41
- Beech Family, 74-76
- beechdrops, 96
- beetleweed, 60
- beefsteak-plant, 84
- beggar-ticks, 24
 - common, 24
 - devil's, 24
 - few-bracted, 24
 - southern estuarine, 24
 - swmp, 24
 - tall, 24
- beggar's-lice, 42
- bellflower, 49
 - Appalachian, 49
 - European, 49
 - marsh, 49
 - rover, 49
 - southern, 49
 - tall, 49
- Bellflower Family, 49
- bergamot, 57, 83
 - purple, 83
 - wild, 83
 - Japanese, 57
- betony, wood-, 123
- bindweed, 58, 100
 - black, 100
 - field, 58
 - fringed, 100
 - hedge, 58
 - low, 58
 - upright, 58
- Bindweed Family, 57-58
- birch, 41
 - black, 41
 - cherry, 41
 - European weeping, 41
 - gray, 41
 - red, 41
 - river, 41
 - sweet, 41
 - yellow, 41
- Birch Family, 40-41
- bird's-eye, 53, 124
- birdsfoot-trefoil, 70
- birthwort, 18
- Birthwort Family, 18
- bishop's-cap, 119
- bishopweed, 15-16
 - mock-, 15
 - riverbank mock-, 16
- bitterbloom, 77
- bittercress, 45
 - hairy, 45
 - Pennsylvania, 45
 - trailing, 45
- bitternut, 80
- bittersweet, 54, 126
 - American, 54
 - Oriental, 54
- black-alder, 18
- blackberry, 113, 114
 - cut-leaved, 114
 - Himalayan, 114
 - Pennsylvania, 114
 - common, 113
 - evergreen, 114
 - sand, 114
 - southern, 113
 - tall, 113
- blackbrush, 51
- black-eyed-pea, 74
- black-eyed-Susan, 35
- black-gum, 93
- Black-gum Family, 93
- black-haw, 51
- black-horehound, 81
- blackthorn, 112
- bladdernut, 127
- Bladdernut Family, 127

- bladderwort, 87
 - common, 87
 - creeping, 87
 - horned, 87
 - humped, 87
 - mixed, 87
 - naked, 87
 - rush, 87
 - rushlike, 87
 - slender, 87
 - zig-zag, 87
- Bladderwort Family, 87
- blazing-star, 33
 - colicroot, 33
 - grass-leaved, 33
 - large, 33
 - northern, 33
 - plains, 33
 - scaly, 33
 - sessile, 33
 - spiked, 33
- bleeding-heart, eastern wild, 76
- blite, sea-, 57
- bloodleaf, 12
- bloodroot, 97
- blue-beech, 41
- bluebells, 43, 49
 - eastern, 43
 - of-Scotland, 49
 - Virginia, 43
- blueberry, 63
 - common lowbush, 63
 - early low, 63
 - highbush, 63
 - hillside, 63
 - late lowbush, 63
 - low sweet, 63
 - lowbush, 63
 - swamp, 63
 - sweet, 63
 - upland, 63
- blue-boneset, 28
- bluebottle, 25
- blue-curls, 86
 - narrow-leaved, 86
- blue-devil, 42
- blue-hearts, 121
- Blue Ridge-buckbean, 73
- blue-thistle, 42
- bluets, 116
 - clustered, 116
 - large summer, 116
 - long-leaved, 116
 - long-leaved summer, 116
 - small, 116
- blueweed, 42
- bogbean, 91
- boltonia, 24
- boneset, 28-29, 32
 - blue-, 28
 - Godfrey's, 28
- false, 32
- hyssop-leaved, 28
- late-flowering, 29
- round-leaved, 29
- rough, 28
- tall, 28
- upland, 29
- borage, 42
- Borage Family, 42-43
- bouncing-bet, 53
- bowman's-root, 111
- box, running-, 116
- boxelder, 11
- Boxwood Family, 48
- bracken, 4
- Bracken Fern Family, 4
- brake, 7
 - Chinese, 7
 - Chinese ladder, 7
 - ladder, 7
 - spider, 7
- Brake Fern Family, 7
- bridal-wreath, 115
- broad-bean, 74
- broccoli, 45
- brooklime, American, 124
- brook-pimpernel, 124
- brookweed, 103
- broom, Scotch-, 67
- Broom-rape Family, 96
- broom-rape, lesser, 96
 - one-flowered, 96
- buckbean, 73, 91
 - Blue Ridge-, 73
- buckberry, 63
- buckeye, sweet, 79
- buckhorn, 98
- buckthorn, Asian, 107
 - European alder-, 107
- Buckthorn Family, 107
- buckwheat, 100, 101
 - false, 101
- buffalo-bur, 127
- bugbane, 104, 107
 - false, 107
- bugle, 81
 - carpet, 81
 - standing, 81
- bugleweed, 81, 82
 - creeping, 81
 - northern, 82
 - Virginia, 82
 - yellow, 81
- bugloss, 42
 - small, 42
 - viper's, 42
- bullhead-lily, 93
- bundleflower, 67
- bur, 20, 127
 - buffalo-, 127
 - Paraguay-, 20
- sand-, 127
- bur-clover, downy, 71
- bur-cucumber, 60
 - one-seeded, 60
- burdock, 21
 - common, 21
 - cotton, 21
- bur-marigold, 24
 - nodding, 24
 - showy, 24
- burnet, 15, 114
 - American, 114
 - garden, 114
 - salad, 114
- burnet-saxifrage, 15
- burning-bush, 54
 - winged, 54
- burstwort, 52
- bush-clover, 70
 - creeping, 70
 - hairy, 70
 - Japanese, 70
 - narrow-leaved, 70
 - Nuttall's, 70
 - round-headed, 70
 - slender, 70
 - Stueve's, 70
 - trailing, 70
 - violet, 70
 - Virginia, 70
- bush-honeysuckle, 50
- butter-and-eggs, 122
- buttercup, 106
 - aborted, 106
 - bulbous, 106
 - common, 106
 - creeping, 106
 - field, 106
 - hispid, 106
 - kidney-leaved, 106
 - meadow, 106
 - swamp, 106
 - tall, 106
 - yellow water, 106
- Buttercup Family, 104-107
- buttercup phacelia, 79
- butterfly-bush, orange-eye, 48
- Butterfly-bush Family, 48
- butterfly-pea, 66-67
 - spurred, 66
- butterfly-weed, 19
- butternut, 81
- butterweed, 35
- buttonbush, 60, 115
- buttons, 25, 38
 - golden-, 38
 - Spanish-, 25
- button-snakeroot, 14

- buttonweed, 115, 116
 - Virginia, 115
 - larger, 115
 - rough, 115
- buttonwood, 98
- cabbage, 45
- Cacao Family, 127
- Cactus Family, 48
- cajan, 66
- calico-bush, 62
- California-rose, 57
- caltrop, 128, 133
 - small-flowered, 133
 - water-, 128
- caltrops, 25
- camphorweed, 31, 34
- campion, 53
 - bladder, 53
 - Drummond, 53
 - red, 53
 - snowy, 53
 - starry, 53
 - white, 53
- Canada-pea, 74
- cancer-root, 96
 - one-flowered, 96
- cancerwort, 122
- candleberry, 92
- candles, swamp-, 103
- canker-root, 96, 122
- cantaloupe, 59
- Caper Family, 50
- caraway, 14
- cardinal-flower, 88
 - blue, 88
- careless-weed, 12
- carpenter-weed, 84
- carpenter's-square, 123
- carpetweed, 91
- Carpetweed Family, 91
- carrot, wild, 14
- castor-bean, 65
- castor-oil-plant, 65
- catalpa, 41
 - Chinese, 41
 - common, 41
 - northern, 41
 - southern, 41
 - western, 41
- catawba-tree, 41
- catchfly, 53
 - forked, 53
 - garden, 53
 - night-flowering, 53
 - sleepy, 53
 - sweet-william, 53
- cat-claw, 72
- catfoot, 29
- catgut, 73
- catjang, 66
- catnip, 81, 83
- cat's-ear, spotted, 32
- cauliflower, 45
- cedar, 2, 9
 - Atlantic white-, 9
 - ground-, 2
 - eastern red-, 9
- celandine, 96, 106
 - greater, 96
 - lesser-, 106
- celandine-poppy, 97
- celosia, silvery, 12
- centaury, 77
 - branching, 77
 - forking, 77
- chaffweed, 103
- Chain Fern Family, 4
- chamomile, 20
 - corn, 20
 - field, 20
 - stinking, 20
 - yellow, 20
- chamomille, wild, 34
- charlock, 44, 47
 - jointed, 47
- checkerberry, 62, 116
- cheeses, 90
- cherry, 112, 126-127
 - bird, 112
 - black, 112
 - choke, 112
 - fire, 112
 - ground-, 126
 - Japanese flowering, 112
 - Jerusalem-, 127
 - mahaleb, 112
 - perfumed, 112
 - pie, 112
 - pin, 112
 - sand, 112
 - sour, 112
 - sweet, 112
 - weeping Higan, 112
 - wild, 112
 - wild black, 112
 - Yoshino, 112
- chervil, 13, 14
 - parsnip, 14
 - southern, 14
 - spreading, 14
 - turnip-rooted, 14
 - wild, 14
- chestnut, 74, 79, 128
 - American, 74
 - Horse-, 79
 - water-, 128
- chestnut oak, 75-76
 - dwarf, 76
 - mountain, 75
 - rock, 75
 - scrub, 76
 - swamp, 75
- chickenclaws, 56
- chickweed, 52, 54
 - clammy, 52
 - common, 54
 - common mouse-eared, 52
 - dwarf mouse-eared, 52
 - field, 52
 - giant, 54
 - jagged, 52
 - nodding, 52
 - star, 54
- chicory, 26
- chinquapin, 75, 76, 92
 - water-, 92
- chocolate-vine, 86
- chocolate-weed, 127
- chokeberry, 108
 - black, 108
 - purple, 108
 - red, 108
- Christmas Mistletoe Family, 132
- cickey, 15
 - bland sweet-, 15
 - hairy sweet-, 15
 - long-styled sweet-, 15
 - smooth sweet-, 15
- cinquefoil, 111
 - common, 111
 - creeping, 111
 - downy, 111
 - old-field, 111
 - rough, 111
 - rough-fruited, 111
 - running, 111
 - silver, 111
 - sulphur, 111
 - tall, 111
- citronella, 81
- clammy-weed, 50
- clearweed, 129
- cleavers, 115
 - spring, 115
- clematis, 104-105
 - Japanese, 105
 - purple, 104
 - sweet autumn, 105
 - yam-leaved, 105
- Cliff Fern Family, 7-8
- cliffbrake, 3
 - purple, 3
 - smooth, 3
- climbing-dogbane, 17
- Climbing Fern Family, 7
- clover, 5, 70-71, 73, 116, 123
 - alsike, 73
 - bush-, 70
 - buffalo, 73
 - crimson, 73
 - European water-, 5
 - hop, 73
 - Japanese, 70

- clover *cont.*
- Kate's Mountain, 73
 - Korean, 70
 - low hop, 73
 - Mexican-, 116
 - palmate hop, 73
 - pinnate hop, 73
 - rabbit-foot, 73
 - red, 73
 - reversed, 73
 - rosy owl-, 123
 - shale-barren, 73
 - small hop, 73
 - white, 73
 - white-sweet-, 71
 - yellow, 73
 - yellow sweet-, 71
 - zigzag, 73
 - clubmoss, 1-2
 - appressed bog, 1
 - bristly, 1
 - common, 1
 - flat-branch tree, 2
 - foxtail bog, 1
 - Hickey's tree, 2
 - northern bog, 2
 - prickly tree, 2
 - running, 1
 - shining, 2
 - slender bog, 1
 - southern bog, 1
 - Clubmoss Family, 1-2
 - cockle, 51, 53
 - corn-, 51
 - purple-, 51
 - sticky-, 53
 - white-, 53
 - cocklebur, 39-40
 - common, 40
 - spiny, 39
 - ockscomb, 12
 - cock's-eggs, 126
 - cockspur, 109
 - coffee, wild-, 151
 - cohosh, 40, 104
 - black, 104
 - blue, 40
 - colicroot, 33
 - coltsfoot, 18, 39
 - colt's-tail, 26
 - columbine, 104
 - Canadian, 104
 - wild, 104
 - comfrey, 42, 43
 - common, 43
 - wild, 42
 - common-balm, 83
 - compass-plant, 33, 36
 - coneflower, 27, 35
 - brilliant, 35
 - cut-leaved, 35
 - eastern, 35
 - green-headed, 35
 - orange, 35
 - prairie, 27
 - purple, 27
 - tall, 35
 - three-lobed, 35
 - coontail, 55
 - copperleaf, 63
 - rhombic, 63
 - rough-pod, 63
 - short-stalk, 63
 - Virginia, 63
 - coralberry, 51
 - coreopsis, 26
 - golden, 26
 - lance-leaved, 26
 - large-flowered, 26
 - tall, 26
 - whorled, 26
 - corn, squirrel-, 76
 - corn-cockle, 51
 - cornel, silky, 58
 - cornflower, 25
 - corn-salad, 129
 - beaked, 129
 - blue, 129
 - European, 129
 - Great Lakes, 129
 - Nuttall's, 129
 - Wood's, 129
 - corydalis, 76
 - pale, 76
 - pink, 76
 - short-spurred, 76
 - tall, 76
 - yellow, 76
 - cosmos, 27
 - orange, 27
 - small-flowered, 27
 - yellow, 27
 - costmary, 38
 - cotton, 89
 - Levant, 89
 - upland, 89
 - cottonweed, 12, 117
 - common, 12
 - slender, 12
 - black, 117
 - swamp, 117
 - cowbane, 14, 15
 - spotted, 14
 - cow-cress, 47
 - cow-herb, 54
 - cow-parsnip, 15
 - cow-pea, 74
 - cowslip, 43, 104
 - Virginia-, 43
 - cow-wheat, 122
 - crab, 110-111
 - Chinese, 111
 - southern, 110
 - sweet, 110
 - Toringo, 111
 - wild, 110
 - wild sweet, 110
 - crabapple, 110-111
 - Chinese, 111
 - Toringo, 111
 - showy, 110
 - southern, 110
 - Toringo, 111
 - wild, 110
 - cranberry, large, 63
 - cranesbill, 78
 - Bicknell's, 78
 - Carolina, 78
 - cut-leaved, 78
 - dove's-foot, 78
 - Iberian, 78
 - long-stalked, 78
 - Siberian, 78
 - small-flowered, 78
 - wild, 78
 - cream-cups, 97
 - creeping-cucumber, 60
 - Creosote-bush Family, 133
 - cress, 44-48
 - bulbous, 45
 - cow-, 47
 - field-, 47
 - field penny-, 48
 - hairy bitter-, 45
 - hairy rock-, 44
 - heart-podded hoary, 45
 - hoary, 45
 - lake-, 44
 - lyre-leaved rock-, 44
 - Missouri rock-, 44
 - mouse-ear, 44
 - mountain-water-, 45
 - Pennsylvania bitter-, 45
 - perfoliate penny-, 48
 - pink spring, 45
 - purple, 45
 - shepherd's, 48
 - Short's rock-, 44
 - small-flowered, 45
 - smooth rock-, 44
 - spreading rock-, 44
 - spring, 45
 - swine-, 46
 - trailing bitter-, 45
 - Virginia, 47
 - wall rock-, 44
 - wart-, 46
 - water-, 47
 - winter-, 44
 - yellow-, 47
 - crossvine, 41

- croton, 64
 - woolly, 64
 - tooth-leaved, 64
- crowfoot, 106
 - Allegheny, 106
 - bristly, 106
 - bulbous, 106
 - corn, 106
 - cursed, 106
 - hooked, 106
 - ivy-leaved, 106
 - kidney-leaved, 106
 - small-flowered, 106
 - white water, 106
 - yellow water, 106
- crownbeard, 39
 - golden, 39
 - yellow, 39
- crown-vetch, 67
- cuckoo-flower, 45, 52
- cucumber, 59-60
 - bur-, 60
 - creeping-, 60
 - prickly-, 59
 - star-, 60
 - wild, 59
- cucumber-tree, 89
- cudweed, 29-30
 - fragrant, 29
 - Heller's, 29
 - low, 30
 - Pennsylvania, 30
 - purple, 30
- culver's-root, 124
- cuphea, clammy, 88
- curly-heads, 105
- currant, 51, 119-120
 - eastern black, 119
 - Indian-, 51
 - red, 120
 - red garden, 120
 - wild black, 119
- Custard-apple Family, 13
- Cynthia, 32
- cypress, 9, 56
 - bald-, 9
 - pond-, 9
 - summer-, 56
- Cypress Family, 9
- cypress-vine, 51
- daisy, 24, 27, 33
 - English, 24
 - ox-eye, 33
 - Philadelphia, 27
- dame's-rocket, 46
- dame's-violet, 46
- damson, 112
- dandelion, 32, 33, 35, 39
 - common, 39
 - dwarf-, 32
 - fall-, 33
- false, 35
- potato-, 32
- red-seeded, 39
- dangleberry, 62
- datura, sacred, 125
- dead-nettle, 82
 - spotted, 82
 - purple, 82
 - red, 82
- deerberry, 63
- deer-grass, 91
- deutzia, 119
 - scabrous, 119
 - showy, 119
 - slender, 119
- devil's-claw, 97
- devil's-grandmother, 27
- devil's-paintbrush, 31
- devil's-walking-stick, 18
- dewberry, 114
 - northern, 114
 - southern, 114
 - swamp, 114
- dew-thread, 61
- Diapensia Family, 60
- dill, 2, 13
- dittany, 81
- dock, 48, 102
 - bitter, 102
 - broad-leaved, 102
 - clustered, 102
 - curly, 102
 - fiddle, 102
 - pale, 102
 - patience, 102
 - purple wen-, 48
 - swamp, 102
 - water, 102
- dockmackie, 51
- dodder, 60
 - Gronovius, 60
 - buttonbush, 60
 - common, 60
 - compact, 60
 - field, 60
 - five-angled, 60
 - hazel, 60
 - smartweed, 60
- Dodder Family, 60
- dogbane, 17
 - climbing-, 17
 - hemp, 17
 - intermediate, 17
 - spreading, 17
- Dogbane Family, 17
- dogberry, 120
- dog-fennel, 20, 28
- dog-hobble, 62
- dog-laurel, mountain, 62
- dog-mustard, 46
- dogwood, 58
 - alternate-leaved, 58
 - flowering, 58
 - gray-stemmed, 58
 - knob-style, 58
 - northern swamp, 58
 - pagoda, 58
 - pancled, 58
 - red-osier, 58
 - round-leaved, 58
 - silky, 58
 - southern swamp, 58
 - stiff, 58
- Dogwood Family, 58
- doll's-eyes, 104
- dove's-foot, 78
- dragonhead, 81, 84
 - American, 81
 - purple false, 84
- dropwort, common water-, 15
- dusty-miller, 21, 25, 35
- Dutchman's-breeches, 76
- dwarf-dandelion, 32
 - colonial, 32
 - orange, 32
 - Virginia, 32
- dwarf-laurel, 62
- dyer's-rocket, 107
- Easter-flower, 105
- Ebony Family, 61
- eclipta, 27
- eggplant, 127
- Eglantine, 113
- elaeagnus, thorny, 61
- elder, 11, 32, 50
 - common, 50
 - marsh-, 32
 - red-berried, 50
- elderberry, 50
 - black, 50
 - red, 50
 - stinking, 50
- elecampane, 32
- elephant's-foot, 27
 - leafy, 27
 - scapose, 27
- elm, 128
 - American, 128
 - broad-leaved, 128
 - Chinese, 128
 - English, 128
 - red, 128
 - Scotch, 128
 - Siberian, 128
 - slippery, 128
 - wych, 128
- Elm Family, 128
- empress-tree, 123

- enchanter's-nightshade, 94
 - alpine, 94
 - common, 94
- eryngo, 14
 - marsh, 14
- euonymus, 54-55
 - climbing, 55
 - winged, 54
- eupatorium, 28-29
 - Godfrey's, 28
 - late, 29
 - pink, 28
 - round-leaved, 29
 - tuberous, 28
 - white-bracted, 28
- evening-primrose, 95-96
 - common, 95
 - cut-leaved, 95
 - nodding, 95
 - northern, 95
 - Oakes, 95
 - small-flowered, 95
 - white-flowered, 96
- Evening-primrose Family, 94-96
- evening-trumpet-flower, 88
- everlasting, 20, 29, 31
 - pearly, 20
 - plantain-leaved, 20
 - sunflower-, 31
 - sweet, 29
- eyebane, 65
- fall-dandelion, 33
- false dragonhead, purple, 84
- false flax, small-fruited, 45
- false foxglove, 121
 - annual, 121
 - Appalachian, 121
 - downy, 121
 - entire-leaved, 121
 - fern-leaved, 121
 - smooth, 121
- false indigo, 66
- false mallow, 90
- false miterwort, 120
- false nettle, 129
- fameflower, 102
- fanwort, 48
- feather, 78, 101
 - parrot's-, 78
 - prince's-, 101
- feather-geranium, 55
- fennel, 14, 15, 20, 28, 49
 - dog-, 20, 28
 - water-, 15, 49
- fern, 3-8, 92
 - American climbing, 7
 - bladder, 8
 - blunt-lobed, 8
 - Boott's, 4
 - bracken, 4
 - broad beech, 7
 - broad swamp, 5
- bulblet, 8
- bulblet bladder, 8
- Christmas, 5
- cinnamon, 6
- Clinton's wood, 5
- common oak, 8
- crested wood, 5
- eastern mosquito, 4
- evergreen wood, 5
- fancy, 5
- giant wood, 5
- hairy lip, 3
- hart's-tongue, 4
- Goldie's wood, 5
- Gray's, 6
- hay-scented, 4
- hybrid bladder, 8
- interrupted, 6
- lady, 7
- log, 5
- long beech, 7
- lowland brittle, 8
- Mackay's brittle, 8
- marginal shield, 5
- marginal wood, 5
- marsh, 7
- Massachusetts, 7
- narrow beech, 7
- narrow-leaved glade, 8
- narrow swamp, 5
- netted chain, 4
- New York, 7
- northern beech, 7
- northern maidenhair, 3
- ostrich, 8
- rattlesnake, 6
- resurrection, 6
- royal, 6
- sensitive, 8
- silvery glade, 8
- southern beech, 7
- southern bladder, 8
- southern maidenhair, 3
- spider, 7
- spinulose wood, 5
- sweet-, 92
- Tennessee bladder, 8
- toothed wood, 5
- upland brittle, 8
- Venus's-hair, 3
- Virginia chain, 4
- walking, 4
- woolly lip, 3
- fetterbush, 62
 - deciduous swamp, 62
- feverfew, 34, 38
- feverwort, 51
- fiddleneck, 42
- field-cress, 47
- field-madder, 116
- fig, common, 92
- Fig-marigold Family, 11
- figwort, 120, 123
 - American, 123
 - eastern, 123
 - hare, 123
 - Maryland, 123
- Figwort Family, 120
- filaree, red-stem, 77
- firethorn, 112
- fireweed, 27, 42, 94
 - rancher's-, 42
- fire-on-the-mountain, 64
- fir-moss, shining, 2
- five-finger, 111
 - common, 111
 - creeping, 111
 - downy, 111
 - old-field, 111
 - rough, 111
 - rough-fruited, 111
 - running, 111
 - silver, 111
 - sulphur, 111
 - tall, 111
- flatseed-sunflower, southern, 59
- flax, 45, 87
 - Bicknell's yellow, 87
 - coastal plain yellow, 87
 - common, 87
 - common yellow, 87
 - Florida yellow, 87
 - grooved yellow, 87
 - ridged yellow, 87
 - small-fruited false, 45
 - stiff yellow, 87
 - Virginia yellow, 87
 - wild yellow, 87
- Flax Family, 87
- fleabane, 27-28, 34-35
 - annual, 27
 - common, 27
 - daisy, 27, 28
 - lesser daisy, 28
 - Philadelphia, 27
 - rough, 28
 - saltmarsh-, 34
- floating-heart, 91
 - big, 91
 - yellow, 91
- Flora's-paintbrush, 27
- Florida-pusley, 116
- flower-of-an-hour, 90
- flowering-quince, 109
- flowering-wintergreen, 99
- foamflower, 120
- fogfruit, 130
 - green, 130
- forget-me-not, 43
 - common, 43
 - smaller, 43
 - spring, 43
 - true, 43

- forked-chickweed, 52
 - hairy, 52
 - smooth, 52
- forsythia, 93
- four-o'clock, 92
- Four-o'clock Family, 92
- foxglove, 121
 - annual false, 121
 - Appalachian false, 121
 - downy false, 121
 - downy yellow-, 121
 - entire-leaved false, 121
 - entire-leaved yellow-, 121
 - fern-leaved false, 121
 - fern-leaved yellow-, 121
 - smooth false, 121
 - smooth yellow-, 121
- fringe-tree, 93
- frogfruit, 130
- frostweed, 57
- fumewort, yellow, 76
- fumitory, 76
 - climbing, 76
- Fumitory Family, 76
- galax, 60
- galinsoga, 29
 - nettle-leaved, 29
 - smooth, 29
- gall-of-the-earth, 35
- garden-balm, 83
- garden-rocket, 46
- garlic-mustard, 43
- garnet, 114
 - salad, 114
- gaura, 95
 - biennial, 95
- gay-feathers, 33
- gay-wings, 99
- gentian, 51, 77
 - bottle, 77
 - Catesby's, 77
 - closed, 77
 - coastal plain, 77
 - fringed, 77
 - horse-, 51
 - meadow bottle, 77
 - meadow closed, 77
 - prairie bottle, 77
 - prairie closed, 77
 - soapwort, 77
 - striped, 77
- Gentian Family, 77
- geranium, 38, 55, 78, 119
 - feather-, 55
 - mint-, 38
 - rock-, 119
 - wild, 78
- Geranium Family, 77-78
- gerardia, 120-121
 - auricled, 120
 - blunt-leaved, 120
 - fascicled, 120
- purple, 120
- saltmarsh, 120
- sand-plain, 120
- slender, 121
- thread-leaved, 120
- germander, 86
 - American, 86
 - cutleaf, 86
- giant-hyssop, 81
 - catnip, 81
 - purple, 81
 - yellow, 81
- gill-over-the-ground, 82
- ginger, wild, 18
- ginseng, 18
 - American, 18
 - dwarf, 18
- glade-mallow, 90
- glasswort, 56
 - dwarf, 56
 - perennial, 56
 - woody, 56
- globe-mallow, narrowleaf, 90
- goat's-beard, 39, 108
 - fistulous, 39
 - purple, 39
 - showy, 39
 - yellow, 39
- goat's-rue, 69, 73
 - southern, 73
- golden-Alexanders, 17
 - common, 17
 - heart-leaved, 17
- golden-aster, 25-26
 - grass-leaved, 25
 - Maryland, 26
 - shaggy, 26
- golden-buttons, 38
- golden-carpet, 59
- golden-glow, wild, 35
- golden-knees, 25
- golden-pert, 121
- goldenrain-tree, 118
- goldenrod, 29, 36-38
 - axillary, 36
 - blue-stem, 36
 - broad-leaved, 37
 - Canada, 36
 - Coastal Plain flat-topped, 29
 - coastal swamp, 37
 - common, 36
 - common flat-topped, 29
 - Curtis', 37
 - cutleaf, 36
 - downy, 37
 - dusty, 37
 - dwarf, 37
 - early, 37
 - Elliott's, 37
 - elm-leaved, 38
 - fascicled piney-woods, 37
 - forest, 36
- fragrant, 29
- grass-leaved, 29
- gray, 37
- hairy, 37
- hairy piney-woods, 37
- hispid, 37
- lance-leaved, 29
- late, 37
- licorice, 37
- Missouri, 37
- northern bog, 38
- old-field, 37
- pine-barren, 37
- riverbank, 37, 38
- rough, 37
- rough-leaved, 37
- rough-stemmed, 37
- seaside, 37
- showy, 38
- slender, 29, 37
- smooth, 37
- squarrose, 38
- stiff, 37
- sweet, 37
- tall, 36
- wand, 38
- willow-leaved, 38
- wreath, 36
- wrinkled-leaved, 37
- zigzag, 37
- goldenroot, 105
- golden-saxifrage, 119
- goldenseal, 105
- golden-star, 25
- goldenweed, wax, 30
- goldthread, 105
- Good-King Henry, 55
- gooseberry, 120
 - Appalachian, 120
 - eastern wild, 120
 - prickly, 120
 - smooth, 120
- goosefoot, 55-56, 129
 - maple-leaved, 56
 - narrow-leaved, 56
 - nettle-leaved, 56
 - oak-leaved, 56
 - pitseed, 55
 - Standley's, 56
 - stinking, 56
 - village, 55
 - woodland, 56
- Goosefoot Family, 55-57
- goosegrass, 115
- go-to-bed-at-noon, 39
- gourd, Missouri, 59
- Gourd Family, 59-60
- goutweed, 13
- gram, black, 74

- grape, 132-133
 - chicken, 133
 - fox, 132
 - frost, 132, 133
 - graybark, 132
 - muscadine, 132
 - pigeon, 132
 - raccoon-, 132
 - riverbank, 132
 - sand, 133
 - scuppernong, 132
 - sugar, 133
 - summer, 132
 - winter, 133
- Grape Family, 132-133
- grapefern, 5-6
 - blunt-lobed, 6
 - common, 6
 - cut-leaved, 6
 - dissected, 6
 - lace-frond, 6
 - leathery, 6
 - matriary, 6
 - southern, 5
 - sparse-lobed, 5
- grass, 43, 46, 91
 - big-seed scorpion-, 43
 - blue scorpion-, 43
 - deer-, 91
 - dense-flowered pepper-, 47
 - early scorpion-, 43
 - field scorpion-, 43
 - mouse-ear scorpion-, 43
 - spring scorpion-, 43
 - water scorpion-, 43
 - whitlow-, 46
 - wild pepper-, 47
 - yellow-and-blue
 - scorpion-, 43
- grass-of-Parnassus,
 - kidney-leaved, 119
- graveyard-weed, 64
- Greek-valerian, 99
- green-and-gold, 25
- greenweed, dyer's, 69
- gromwell, 43
 - American, 43
 - corn, 43
 - eastern false, 43
 - false, 43
- groundberry, 114
- ground-cedar, 2
 - blue, 2
 - southern, 2
 - wiry, 2
- ground-cherry, 126
 - angle-stem, 126
 - clammy, 126
 - common, 126
 - downy, 126
 - hairy, 126
 - longleaf, 126
- smooth, 126
 - Virginia, 126
- ground-hemlock, 10
- ground-ivy, 82
- groundnut, 66
 - common, 66
- ground-pine, 2, 81
 - flat-branch, 2
 - round-branch, 2
- groundsel, 35-36
 - Appalachian, 35
 - Platte, 36
 - common, 36
 - heart-leaved, 35
 - northern meadow, 36
 - running, 36
 - southern woolly, 36
- groundsel-tree, 23
- gum, 79, 93
 - black-, 93
 - red-, 79
 - sour-, 93
- gumbo, 89
- gumweed, 30
 - curly-cup, 30
 - curly-top, 30
- gypsyweed, 124
- hackberry, 128
 - dwarf, 128
 - northern, 128
 - southern, 128
- habinger-of-spring, 14
- hardhack, 115
- hardy-ageratum, 28
- harebell, 49
 - southern, 49
- hare's-ear, mustard, 45
- harperella, 16
- harrow, rest-, 71
- haw, 17, 51, 110
 - black-, 51
 - green, 110
 - possum-, 17, 51
 - swamp-, 51
- hawkbit, 32-33
 - little, 33
- hawk's-beard, 27, 40
 - Asiatic, 40
 - narrow-leaved, 27
 - small-flowered, 27
 - smooth, 27
- hawkweed, 31-32, 34
 - beaked, 32
 - field, 31
 - hairy, 32
 - Maryland, 32
 - mouse-ear, 32
 - orange, 31
 - panicked, 32
 - rough, 32
 - sticky, 32
 - veiny, 32
- whiplash, 31
- hawthorn, 109-110
 - Biltmore, 109
 - cockspur, 109
 - dotted, 109
 - dwarf, 110
 - English, 109
 - fireberry, 109
 - fleshy, 109
 - green, 110
 - Margaret, 109
 - one-flowered, 110
 - one-seeded, 109
 - pear, 109
 - Tatnall, 109
 - variable, 109
 - Washington, 109
 - waxy-fruited, 109
 - yellow, 109
- hazel, witch-, 79
- hazelnut, 41
 - American, 41
 - beaked, 41
- heal-all, 84
- heartleaf, 18, 118
- Heath Family, 61-63
- heather, woolly false, 57
- hedge-hyssop, 121-122
 - clammy, 121
 - hairy, 121
 - purple, 122
 - round-fruited, 122
 - round-leaved, 122
 - viscid, 122
 - yellow, 121
- hedge-nettle, 85-86
 - Clingman's, 85
 - common, 86
 - Epling's, 86
 - hyssop, 86
 - hyssop-leaved, 86
 - Nuttall's, 86
 - rough, 85
 - smooth, 86
- hedge-parsley, 16-17
 - field, 16
 - knotted, 17
- heliotrope, 42
 - clasp-leaved, 42
 - European, 42
 - Indian, 42
 - seaside, 42
- hemlock, 9-10, 14
 - eastern, 9
 - ground-, 10
 - poison-, 14
 - water-, 14
- hemp, 12, 17, 28, 49, 72
 - Colorado River, 72
 - Indian-, 17
 - water-, 12
- Hemp Family, 49

- hemp-agrimony, 28
 hempweed, climbing, 34
 henbane, black, 125
 henbit, 82
 hepatica, 105
 round-leaved, 105
 herb, 94
 American willow-, 94
 American marsh willow-, 94
 downy willow-, 94
 eastern willow-, 94
 great willow-, 94
 hairy willow-, 94
 linear-leaved willow-, 94
 northeastern willow-, 94
 northern willow-, 94
 purple-leaved willow-, 94
 herba impia, 29
 herb-mercury, 65
 herb-sophia, 46
 Hercule's-club, 18
 heron's-bill, 77
 heuchera, downy, 119
 hickory, 80-81
 bitternut, 80
 mockernut, 81
 pale, 81
 pignut, 80
 sand, 81
 shagbark, 81
 shellbark, 80
 high-tide-bush, 23
 Himalayan-berry, 114
 hog-peanut, 66
 hogwort, 64
 holly, 17-18
 American, 18
 Japanese, 17
 bigleaf, 18
 mountain, 18
 Holly Family, 17-18
 hollyhock, 89
 honesty, 47
 honestwort, 14
 honey-locust, 69
 honeysuckle, 50, 63
 bush-, 50
 early bush, 50
 European fly, 50
 fragrant, 50
 hairy-leaved, 50
 Japanese, 50
 Maack's, 50
 Morrow's, 50
 pink-, 63
 Standish, 50
 swamp-, 63
 Tartarian, 50
 Tatarian, 50
 trumpet, 50
 Honeysuckle Family, 50-51
 honeyvine, 19
 hop, 49
 common, 49
 Japanese, 49
 hops, 49
 hop-tree, 117
 horehound, 29, 81, 82
 black-, 81
 common, 82
 marsh, 82
 water-, 82
 wild, 29
 hornbeam, 41
 American, 41
 hop, 41
 horned-poppy, 97
 hornwort, 55
 Hornwort Family, 55
 Horse-Chestnut Family, 79
 horse-balm, 81
 horse-gentian, 51
 lesser, 51
 narrow-leaved, 51
 perfoliate, 51
 horsemint, 83
 horse-nettle, 126-127
 white, 127
 horseradish, 44
 horse-sugar, 127
 horsetail, 1
 common, 1
 field, 1
 river, 1
 water, 1
 wood, 1
 woodland, 1
 Horsetail Family, 1
 horseweed, 26
 hound's-tongue, 42
 houstonia, 116
 large, 116
 large-leaved, 116
 long-leaved, 116
 huckleberry, 62-63
 black, 62
 blue, 62
 box, 62
 dwarf, 62
 squaw-, 63
 hudsonia, wooly, 57
 hyacinth-bean, 69
 hydrangea, 119
 American, 119
 oakleaf, 119
 panicked, 119
 wild, 119
 hyssop, 81, 121-122
 catnip giant-, 81
 clammy hedge-, 121
 hairy hedge-, 121
 purple giant- 81
 purple hedge-, 122
 round-fruited hedge-, 122
 round-leaved hedge-, 122
 viscid hedge, 122
 yellow giant-, 81
 yellow hedge, 121
 water-, 122
 round-leaved water-, 121
 imperial-tree, 123
 impia, herba, 29
 Indian-apple, 125
 Indian-bean, 41
 Indian-currant, 51
 Indian-hemp, 17
 Indian-lettuce, line-leaved, 102
 Indian-mallow, 89
 Indian-paint, 43
 Indian-paintbrush, 121
 Indian-physic, 111
 Indian-pink, 88
 Indian-pipe, 91
 Indian-pipe Family, 91
 Indian-plantain, 21, 38
 great, 21
 hastate, 38
 pale, 21
 sweet-scented, 38
 Indian-strawberry, 110
 Indian-tobacco, 88

 indigo, 66
 blue false, 66
 false, 66
 wild, 66
 yellow wild, 66
 inkberry, 17
 innocence, 116
 ipecac, 65, 111
 false, 111
 wild, 65
 ironweed, 39
 Appalachian, 39
 broad-leaved, 39
 New York, 39
 tall, 39
 yellow-, 39
 ironwood, 41
 ivy, 13, 18, 82, 121
 English, 18
 ground-, 82
 Kenilworth-, 121
 poison-, 13
 ivy-laurel, 62
 Jacob's-ladder, spreading, 99
 Japanese-quince, 109
 Japanese-rose, 110
 jarvil, sweet-, 15
 Jerusalem-artichoke, 31
 Jerusalem-cherry, 127
 Jerusalem-oak, 55
 jessamine, yellow, 88
 jetbead, 113

- jewelweed, 40
 - orange, 40
 - yellow, 40
- jimson-weed, 125
- joe-pye-weed, 28-29
 - green-stemmed, 29
 - hollow-stemmed, 28
 - purple-node, 29
 - spotted, 28
 - sweet, 29
 - three-nerved, 28
 - wide-leaved, 29
- johnny-jump-up, 132
- joint-vetch, 66
 - northern, 66
 - sensitive, 66
- Judas-tree, 66
- jumpseed, 101
- Juneberry, 108
- juniper, Virginia, 9
- Kansas-thistle, 127
- Kenilworth-ivy, 121
- kerria, white, 113
- king-devil, 31-32
 - glaucous, 32
 - orange-red, 31
- kingnut, 80
- king-root, 98
- knapweed, 25
 - black, 25
 - brown, 25
 - short-fringed, 25
 - spotted, 25
 - Wochheimer, 25
- knawel, 53
- knotweed, 100-101
 - Douglas, 100
 - Japanese, 100
 - bushy, 101
 - erect, 100
 - giant, 101
 - oval-leaf, 100
 - seabeach, 100
 - seaside, 100
 - slender, 101
- kudzu-vine, 71
- lady's-mantle, 108
- lady's-thumb, 101
- lake-cress, 44
- lambkill, 62
- lamb's-lettuce, 129
- lamb's-quarters, 55
- Lardizabala Family, 86
- larkspur, 105
 - dwarf, 105
 - forked, 105
 - rocket, 105
- laurel, 62
 - big, 62
 - dwarf-, 62
 - great, 62
 - ivy-, 62
- mountain-, 62
 - mountain dog-, 62
 - sheep-, 62
 - white, 62
- Laurel Family, 86-87
- lavender, sea-, 98
- Leadwort Family, 98
- leafcup,, 34
 - large-flowered, 34
 - pale-flowered, 34
 - small-flowered, 34
 - white-flowered, 34
 - yellow-flowered, 34
- leaf-flower, Carolina, 65
- leather-flower, 115
- leatherleaf, 61,107
- leatherwood, 127
- Legume Family, 65-74
- lemon, wild water- 97
- lemon-balm, 83
- lentil, 70
- Lenten-rose, 105
- leopard's-bane, 21
- lespedeza, 70
 - Chinese, 70
 - Japanese, 70
 - Korean, 70
 - velvety, 70
- lesser-celandine, 106
- lettuce, 32-34, 129
 - Florida, 33
 - Florida blue, 33
 - hairy tall, 33
 - lamb's-, 129
 - prickly, 33
 - tall, 33
 - tall blue, 32
 - white-, 34
 - wild, 33
 - willow, 33
 - willow-leaved, 33
 - woodland, 33
- leucothoe, swamp, 62
- licorice,115
 - lance-leaved wild, 115
 - wild, 115
- lilac, 94
- lily, 92-93
 - American lotus-, 92
 - bullhead-, 93
 - pond-, 93
- linden, American, 128
- Linden Family, 128
- lion's-foot, 35
- lion's-heart, purple, 81
- live-forever, 59
 - wild, 59
- lizard's-tail, 119
- Lizard's-tail Family, 119
- lobelia, 88
 - downy, 88
 - great, 88
- great blue, 88
- Nuttall's, 88
- pale-spike, 88
- spiked, 88
- Lobelia Family, 88
- locust, 69,72
 - black, 72
 - bristly, 72
 - honey-, 69
- Logania Family, 88
- loosestrife, 88, 103
 - bulbous, 103
 - four-flowered, 103
 - fringed, 103
 - garden, 103
 - gooseneck, 103
 - lance-leaved, 103
 - lowland, 103
 - Mississippi-valley, 103
 - narrow-leaved, 88
 - purple, 88
 - smooth, 103
 - swamp, 88,103
 - whorled, 103
 - wing-angled, 88
 - winged, 88
- Loosestrife Family, 88
- lopseed, 97
- Lopseed Family, 97
- lotus, 92
 - American, 92
 - yellow, 92
- lotus-lily, American, 92
- Lotus-lily Family, 92
- lousewort, 123
 - common, 123
 - forest, 123
 - swamp, 123
- lovage, American, 15
- love-in-a-mist, 97
- low-tide-bush, 32
- ludwigia, hairy, 95
- lupine, 70
 - large-leaved, 70
 - sundial, 70
 - wild, 70
- lychnis, evening, 53
- madder, 115-116
 - field-, 116
 - wild, 115
- Madder Family, 115-116
- mad-dog skullcap, 85
- madwort, 42
- magnolia, 89
 - bigleaf, 89
 - swamp, 89
 - umbrella, 89
- Magnolia Family, 89
- mahaleb, 112
- Maidenhair Fern Family, 3
- maiden's-tears, 53

- maleberry, 62
 mallow, 89- 90
 common, 90
 curled, 90
 dwarf, 90
 false, 90
 globe-, 90
 halberd-leaved rose-, 89
 high, 90
 Indian-, 89
 little, 90
 musk, 90
 prickly-, 90
 rose-, 89
 seashore-, 90
 smooth-rose-, 89
 swamp rose-, 89
 Virginia-, 90
 whorled, 90
 Mallow Family, 89-90
 mandrake, 40
 maple, 11
 ash-leaved, 11
 Japanese, 11
 Norway, 11
 red, 11
 silver, 11
 striped, 11
 sugar, 11
 Maple Family, 11
 marigold, 11, 24, 27, 38, 104
 common, 38
 Fig-, 11
 marsh-, 104
 nodding bur-, 24
 showy bur-, 24
 stinking-, 27
 marijuana, 49
 marjoram, wild, 84
 marsh-elder, 32
 big, 32
 maritime, 32
 rough, 32
 Marsh Fern Family, 7
 marshmallow, 89
 marsh-marigold, 104
 marsh-pink, 77
 common, 77
 large, 77
 slender, 77
 marsh-purslane, 95
 matrimony-vine, 125
 Chinese, 125
 common, 125
 mayapple, 40
 mayflower, 62
 maypops, 97
 mayweed, 20
 meadow, queen-of-the-, 28
 meadow-beauty, 91
 Maryland, 91
 Meadow-foam Family, 87
 meadow-parsnip, 16
 bearded, 16
 hairy-jointed, 16
 smooth, 16
 woodland, 16
 meadow-pitchers, 91
 dull, 91
 wingstem, 91
 meadow-rue, 106-107
 early, 107
 late, 107
 leatherleaf, 107
 mountain, 106
 purple, 107
 skunk, 107
 Steele's, 107
 tall, 107
 thick-leaved, 107
 wax-leaved, 107
 meadowsweet, 114
 medick, 70
 black, 70
 spotted, 70
 Melastome Family, 91
 mercury, 63, 65
 common three-seeded, 63
 herb-, 65
 rough-pod three-seeded, 63
 slender three-seeded, 63
 Virginia three-seeded, 63
 mermaid, false, 87
 mermaid-weed, 78
 coastal plain, 78
 cut-leaved, 78
 Mexican-clover, 116
 Mexican-poppy, 96
 Mexican-tea, 55
 Mezereum Family, 127
 Miami-mist, 79
 micranthemum, Nuttall's, 122
 mignonette, 107
 Mignonette Family, 107
 mile-a-minute, 101
 milfoil, 20, 78, 87
 hooded, 87
 water-, 78
 milk, wolf's-, 65
 milk-pea, 69
 hairy, 69
 trailing, 69
 milk-purslane, 65
 milk-thistle, 36
 milk-vetch, 66
 bent, 66
 Canada, 66
 Ozark, 66
 milkweed, 18-19
 blunt-leaved, 18
 clasping, 18
 common, 19
 four-leaved, 19
 green, 19
 green-flowered, 19
 poke, 19
 purple, 19
 red, 19
 swamp, 19
 tall, 19
 white, 19
 whorled, 19
 Milkweed Family, 18-19
 milkwort, 99-100
 Appalachian, 99
 blood, 100
 cross-leaved, 99
 Curtiss', 99
 Maryland, 99
 Nuttall's, 99
 orange, 99
 pink, 99
 purple, 100
 racemed, 100
 whorled, 100
 Milkwort Family, 99-100
 mimosa, 66, 67
 prairie-, 67
 mint, 83-84
 awned mountain-, 84
 basil mountain-, 84
 blunt mountain-, 84
 field, 83
 hoary mountain-, 84
 lemon, 83
 narrow-leaved mountain-, 84
 perilla-, 84
 red, 83
 roundleaf, 83
 Scotch, 83
 small-leaved, 83
 Torrey's mountain-, 84
 verticillate mountain-, 84
 Virginia mountain-, 84
 water, 83
 wild, 83
 Mint Family, 81-86
 mint-geranium, 38
 mistflower, 28
 mistletoe, 132
 American Christmas, 132
 miterwort, 119, 120
 false, 120
 mock-bishopweed, 15-16
 riverbank, 16
 mockernut, 81
 mock-orange, 119
 Appalachian, 119
 common, 119
 European, 119
 garden, 119
 mole-plant, 65

- monkey-flower, 123
 - Allegheny, 123
 - common, 123
 - sharp-winged, 123
 - square-stemmed, 123
 - winged, 123
- moneywort, 103
- monkshood, 104
 - blue, 104
 - southern, 104
 - wild, 104
- montia, narrow-leaved, 102
- moonseed, 91
- Moonseed Family, 91
- moonwort, 6
 - daisy-leaved, 6
 - least, 6
- moosewood, 11
- morning-glory, 58
 - common, 58
 - ivy-leaved, 58
 - Japanese imperial, 58
 - red, 58
 - small-flowered, 58
 - white, 58
 - wild, 58
- Mosquito Fern Family, 4
- moss, rose-, 102
- moss-phlox, 99
- moss-pink, 99
- mossy-cup oak, 75
- motherwort, 82
 - common, 82
 - horehound, 82
- mountain-laurel, 62
- mountain-mint, 84
 - awned, 84
 - basil, 84
 - blunt, 84
 - hoary, 84
 - narrow-leaved, 84
 - Torrey's, 84
 - verticillate, 84
 - Virginia, 84
- mountain-spinach, 55
- mountain-tea, 62
- mountain-watercress, 45
- mousetail, 105
- mud-purslane, 61
- mudweed, 122
- mugwort, 21
 - common, 21
 - western, 21
- mulberry, 92
 - red, 92
 - silkworm, 92
 - white, 92
- Mulberry Family, 91-92
- mulberry-paper, 91
- mullein, 123-124
 - clasping, 124
 - clasping-leaved, 124
 - common, 124
 - great, 124
 - moth, 123
 - wavy-leaved, 124
 - white, 123
- mullein-pink, 52
- musclewood, 41
- musk-melon, 59
- mustard, 43-46, 48
 - black, 45
 - brown, 44
 - Chinese, 44
 - dog-, 46
 - field, 45
 - garlic-, 43
 - hare's-ear, 45
 - hedge, 48
 - Indian, 44
 - tansy-, 46
 - tumble, 48
 - white, 44
 - wormseed, 46
- Mustard Family, 43-48
- mustard-tree, 125
- muster-John-Henry, 38
- myrtle, 17,23,92
 - sea-, 23
 - wax-, 92
- naked-weed, 25
- nannyberry, 51
- nasturtium, 128
- Nasturtium Family, 128
- neckweed, 124
- needles, Spanish-, 24
- nemophila, 79
- nettle, 29, 56, 82, 85-86, 126-127, 129
 - Clingman's hedge-, 85
 - common hedge-, 86
 - dead-, 82
 - Epling's hedge-, 86
 - false, 129
 - hedge-, 86
 - horse-, 126
 - hyssop hedge-, 86
 - hyssop-leaved hedge-, 86
 - Nuttall's hedge-, 86
 - rough hedge-, 85
 - smooth hedge-, 86
 - stinging, 129
 - white horse-, 127
 - wood-, 129
- Nettle Family, 129
- New Jersey-tea, 107
- niger, 30,125
- niger-seed, 30
- nightshade, 94, 125-127
 - bittersweet, 126
 - black, 127
 - climbing, 126
 - cut-leaved, 127
 - enchanter's-, 94
 - hairy, 127
- Nightshade Family, 125-127
- ninebark, 111
- nipplewort, 33
- nondo, 15
- none-so-pretty, 53
- noonflower, 39
- oak, 13, 55, 75-76
 - basket, 75
 - bear, 75
 - black, 76
 - blackjack, 75
 - bur, 75
 - cherrybark, 76
 - chestnut, 75,76
 - chinquapin, 75,76
 - dwarf chestnut, 76
 - Jerusalem-, 55
 - mossy-cup, 75
 - mountain chestnut, 75
 - northern red, 76
 - overcup, 75
 - pin, 76
 - poison-, 13
 - post, 76
 - rock chestnut, 75
 - saw-tooth, 75
 - scarlet, 75
 - scrub, 75
 - scrub chestnut, 76
 - shingle, 75
 - Shumard, 76
 - Spanish, 75,76
 - southern red, 75
 - swamp Spanish, 76
 - swamp chestnut, 75
 - swamp white, 75
 - water, 75
 - white, 75
 - willow, 76
 - yellow, 75
- obedience, 84
- obedient-plant, 74
- okra, 89
- old-field-balsam, 89
- old-man's-beard, 93, 105
- old-woman, 21
- oleander, water-, 88
- oleaster, 61
- Oleaster Family, 61
- olive, 61
 - autumn, 61
 - Russian-, 61
 - wild, 61
- Olive Family, 93-94
- orach, seabeach, 55
- orache, 55
 - garden, 55
 - red, 55

- orange, 119
 - Appalachian mock-, 119
 - common mock-, 119
 - European mock-, 119
 - garden mock-, 119
 - Osage-, 92
- orange-grass, 80
- orpine, garden, 59
- Osage-orange, 92
- osier, green, 58
- Oswego-tea, 83
- owl-clover, 123
- ox-eye, 24, 31
 - sea-, 24
- ox-tongue, 34
 - bristly, 34
 - hawkweed, 34
- oyster, vegetable-, 39
- oyster-plant, 39
- pachysandra, Asiatic, 48
- paintbrush, 18, 27, 121
 - devil's-, 18
 - Flora's-, 27
 - Indian-, 121
- painted-cup, 121
 - scarlet, 121
- pansy, 130-132
 - European field, 130
 - European wild, 130
 - field, 130
 - wild, 130
- paper-mulberry, 91
- Paraguay-bur, 20
- parrot's-feather, 78
- Parsley Family, 13-17
- parsley, 16-17
 - field hedge-, 16
 - knotted hedge-, 17
- parsley-piert, 108
- parsnip, 14-16
 - cow-, 15
 - meadow-, 16
 - water-, 16
 - wild, 15
- partridge-berry, 116
- partridge-pea, 67
 - small-flowered, 67
- passion-flower, 97
 - yellow, 97
- Passion-flower Family, 97
- patience-plant, 40
- patient-Lucy, 40
- pawpaw, 13
- pea, 66-67, 69, 74
 - black-eyed-, 74
 - butterfly-, 67
 - Canada-, 74
 - catjang, 66
 - Congo, 66
 - cow-, 74
 - everlasting, 69
 - forest, 69
- marsh, 69
- milk-, 69
- partridge-, 67
- perennial, 69
- pigeon, 66
- rough, 69
- sensitive-,
- singletary, 69
- spurred butterfly-, 66
- veiny, 69
- peach, 112
- peanut, 66
 - hog-, 66
- pear, 48, 113
 - Bradford, 113
 - common, 113
 - eastern prickly-, 48
- pear hawthorn, 109
- pearlwort, 53
- Pedalium Family, 97
- pellitory, 129
- pencil-flower, 72
- pennycress, 48
 - field, 48
 - perfoliate, 48
- pennyroyal, 82, 83
 - American, 82
 - false, 82
 - rough, 82
- pennywort, 15, 77
 - American water, 15
 - buttercup, 15
 - floating water, 15
 - lawn, 15
 - marsh, 15
 - umbellate water, 15
 - water, 15
 - whorled, 15
 - whorled water, 15
- pepper, 47, 100-101, 125, 132
 - Asiatic water-, 100
 - false water-, 101
 - mild water-, 101
 - poor-man's-, 47
- pepperbush, sweet-, 57
- peppergrass, 47
 - dense-flowered, 47
 - wild, 47
- pepperidge, 93
- peppermint, 83
- pepperroot, cut-leaved, 46
- pepper-vine, 132
- pepperweed, 47
 - prairie, 47
 - stinking, 47
- perilla, 84
- perilla-mint, 84
- periwinkle, 17
 - common, 17
 - greater, 17
 - large, 17
- persimmon, 61
- common, 61
- pert, golden-, 121
- petunia, 126
 - common garden, 126
 - seaside, 126
 - wild, 126
- phacelia, 79
 - Appalachian, 79
 - buttercup, 79
 - Coville's, 79
 - Pursh's, 79
 - small-flowered, 79
- phlox, 99
 - downy, 99
 - Drummond's, 99
 - fall, 99
 - forest, 99
 - garden, 99
 - meadow, 99
 - moss, 99
 - perennial, 99
 - prairie, 99
 - prickly-, 99
 - smooth, 99
 - summer, 99
 - thick-leaf, 99
 - wild blue, 99
- Phlox Family, 99
- piert, parsley-, 108
- pigeonfoot, 56
- pigmyweed, 59
- pignut, 80
 - sweet, 80
- pigweed, 12, 55, 56
 - common, 12
 - maple-leaved, 56
 - rough, 12
 - smooth, 12
- pilewort, 27, 106
- pimpernel, 16, 102-103, 122, 124
 - brook-, 124
 - common, 102
 - false, 103, 122
 - scarlet, 102
 - shale-barren, 16
 - Virginia, 16
 - water-, 103
 - yellow, 16
- pine, 2, 9, 81, 103
 - eastern white, 9
 - ground-, 81
 - flat-branch ground-, 2
 - Jersey, 9
 - loblolly, 9
 - pitch, 9
 - prince's-, 103
 - princess-, 2
 - round-branch ground-, 2
 - southern running-, 2
 - Scotch, 9

- pine *cont.*
scrub, 9
shortleaf, 9
table-mountain, 9
Virginia, 9
yellow, 9
- Pine Family, 9
pineapple-weed, 34
pinesap, 91
sweet-, 91
pineweed, 80
pink, 52-53, 77, 88
childing, 53
deptford, 52
garden, 52
Indian-, 88
maiden, 52
marsh-, 77
moss-, 99
mullein, 52
proliferous, 53
rose-, 77
sea-, 77
wild, 53
- Pink Family, 51-54
pink-honeysuckle, 63
pinkroot, 88
pinkweed, 101
pinweed, 57
beach, 57
hairy, 57
Leggett's, 57
narrow-leaved, 57
thyme-leaved, 57
- pinxter-flower, 63
pipsissewa, 103
pitcher-plant, 118
northern, 118
- Pitcher-plant Family, 118
pitchers, dull meadow-, 91
plane-tree, American, 98
Plane-tree Family, 98
plantain, 21, 27, 38, 98
American, 98
bottle-brush, 98
bracted, 98
broad-leaved, 98
common, 98
dwarf, 98
English, 98
great, 98
hastate Indian-, 38
heart-leaved, 98
hoary, 98
little, 98
narrow-leaved, 98
pale Indian-, 21
pale-seed, 98
robin's-, 27
slender, 98
small, 98
sweet-scented Indian-, 38
- Plantain Family, 98
pleurisy-root, 19
plum, 111-112
Allegheny, 111
Canada, 112
chickasaw, 112
damson, 112
hortulan, 112
wild, 111
wild goose, 112
- poison-hemlock, 14
poison-ivy, 13
poison-oak, 13
poison-sumac, 13
poke, 19, 98
pokeberry, 98
pokeweed, 98
Pokeweed Family, 98
polygala, 99-100
fringed, 99
rose, 100
- polypody, 6
common, 6
rock, 6
- Polypody Fern Family, 6
pond-cypress, 9
pond-lily, 93
yellow, 93
- poorjoe, 115
poor-man's-pepper, 47
poplar, 89, 117
balsam, 117
black, 117
gray, 117
silver, 117
tulip-, 89
white, 117
yellow-, 89
- poppy, 96-97
celandine-, 97
common, 97
corn, 97
horned-, 97
long-headed, 97
Mexican-, 96
Mexican thorn-, 96
opium, 97
orange, 97
prickly-, 96
sea-, 97
Shirley, 97
smooth-fruited, 97
wood-, 97
- Poppy Family, 96-97
porcelain-berry, 132
portulaca, 102
possum-haw, 17, 51
pot, 49
potato, 58, 127
wild sweet-, 58
potato-dandelion, 32
potato-vine, wild, 58
- prairie, queen-of-the-, 110
prairie-mimosa, 67
prairie-tea, 64
prickle-weed, 67
prickly-ash, 117
prickly-cucumber, 59
prickly-mallow, 90
prickly-pear, eastern, 48
prickly-phlox, 99
prickly-poppy, 96
white, 96
- primrose, 95-96
common evening-, 95
cut-leaved evening-, 95
nodding evening-, 95
northern evening-, 95
Oakes evening-, 95
Rafinesque's water-, 95
showy water-, 95
small-flowered evening-, 95
square-pod water-, 95
white evening-, 96
wingstem water-, 95
- Primrose Family, 102-103
primrose-willow, 95
creeping, 95
showy, 95
upright, 95
- prince's-feather, 101
prince's-pine, 103
princess-pine, 2
princess-tree, 123
- privet, 93-94
Amur, 93
border, 94
California, 94
common, 94
Japanese, 94
sessile-flowered, 94
Tschenosky, 94
wax-leaf, 94
- proboscis-flower, 97
puccoon, 43
hoary, 43
orange, 43
- pumpkin, 59, 93
fetid wild, 59
wild, 59
- puncture-vine, 133
purple-cockle, 51
purslane, 11, 61, 65, 95, 102
common, 102
marsh-, 95
milk-, 65
mud-, 61
sea-, 11
water-, 95
- Purslane Family, 102

- pusley, Florida-, 116
 pussytoes, 20
 field, 20
 plantain, 20
 plantain-leaved, 20
 shale-barren, 20
 single-headed, 20
 solitary, 20
 pygmy-pipes, 91
 pyrola, 104
 greenish-flowered, 104
 one-sided, 104
 round-leaved, 104
 Quaker-ladies, 110
 Quassia Family, 125
 Queen Anne's-lace, 14
 queen-of-the-meadow, 28
 queen-of-the-prairie, 110
 quickweed, 29
 common, 29
 lesser, 29
 quillwort, 1
 Engelmann's, 1
 riverbank, 1
 shore, 1
 Quillwort Family, 1
 quince, 109
 flowering-, 109
 Japanese-, 109
 quinine, wild-, 34
 rabbit-tobacco, 29
 raccoon-grape, 132
 raceweed, 29
 radish, 47
 wild, 47
 ragged-robin, 52
 ragweed, 20
 common, 20
 giant, 20
 lance-leaved, 20
 ragwort, 35-36
 balsam, 36
 golden, 35
 round-leaved, 36
 Small's, 35
 raisin, wild-, 51
 ramie, 129
 ram's-horn, 97
 rancher's-fireweed, 42
 rape, bird's, 45
 raspberry, 114
 black, 114
 flowering, 114
 purple-flowering, 114
 red, 114
 rattlebox, 67
 showy, 67
 rattle-vetch, 66
 rattlesnake-master, 14
 rattlesnake-root, 34-35
 slender, 35
 rattlesnake-weed, 32
 rattleweed, 66
 red-cedar, eastern, 9
 red-gum, 79
 redroot, 12, 107
 prairie, 107
 red-willow, 58
 rest-harrow, 71
 rhododendron, 62
 rhubarb, 102
 ribgrass, 98
 richweed, 81, 129
 riffleweed, 98
 riverweed, 98
 Riverweed Family, 98
 robin, ragged-, 52
 robin's-plantain, 27
 rockcress, 44
 hairy, 44
 lyre-leaved, 44
 Missouri, 44
 Short's, 44
 smooth, 44
 spreading, 44
 wall, 44
 rocket, 44-46, 107
 dame's-, 46
 dyer's-, 107
 European sea-, 45
 garden, 46
 slim-leaved wall-, 46
 yellow-, 44
 rock-geranium, 119
 Rockrose Family, 57
 rocktwist, 46
 rose, 57, 105, 110, 113
 California-, 57
 climbing, 113
 dog, 113
 French, 113
 Japanese, 113
 Japanese-, 110
 Lenten- 105
 low pasture, 113
 McCartney, 113
 memorial, 113
 multiflora, 113
 pasture, 113
 prairie, 113
 smooth, 113
 swamp, 113
 Rose Family, 107-115
 rose-acacia, 72
 rosebay, 62
 rose-mallow, 89
 halberd-leaved, 89
 smooth, 89
 swamp, 89
 rose-moss, 102
 rose-of-Sharon, 90
 rose-pink, 77
 rosinweed, 36
 laciniate, 36
 whorled, 36
 Royal Fern Family, 6
 rue, 4, 69, 73, 106-107
 common, 117
 early meadow-, 107
 goat's-, 69, 73
 late meadow-, 107
 leatherleaf meadow-, 107
 mountain meadow-, 106
 purple meadow-, 107
 skunk meadow-, 107
 southern goat's-, 73
 Steele's meadow-, 107
 tall meadow-, 107
 tassel-, 107
 thick-leaved meadow-, 107
 wall-, 4
 wax-leaved meadow-, 107
 rue-anemone, 104-105
 false, 105
 Rue Family, 117
 ruellia, 11
 Appalachian, 11
 hairy, 11
 Pursh's, 11
 slender, 11
 smooth, 11
 running-box, 116
 running-pine, southern, 2
 running-pop, 97
 rush, 1
 common scouring-, 1
 Ferriss scouring-, 1
 rushfoil, 64
 Russian-olive, 61
 safflower, 25
 sage, 21, 85-86
 American wood-, 86
 lance-leaved, 85
 lyre-leaved, 85
 meadow, 85
 nettle-leaved, 85
 white, 21
 wild, 85
 salad, corn-, 129
 salsify, 39
 saltmarsh-fleabane, 34
 saltwort, 56,57
 dwarf, 56
 samphire, 56
 Sampson's-snakeroot, 71, 77
 Sandalwood Family, 118
 sand-bur, 127
 sand-spurrey, 54
 red, 54
 salt-marsh, 54
 sandvine, 19
 sandwort, 51
 grove, 51
 thyme-leaved, 51

- sanicle, 16
 - Canada, 16
 - Maryland, 16
 - cluster, 16
- sarsaparilla, wild, 18
- sassafras, 87
 - white, 87
- saxifrage, 15, 119-120
 - burnet-, 15
 - early, 120
 - golden-, 119
 - lettuce, 120
 - swamp, 120
- Saxifrage Family, 119-120
- scarlet-creeper, 58
- scorpion-grass, 43
 - big-seed, 43
 - blue, 43
 - early, 43
 - field, 43
 - mouse-ear, 43
 - spring, 43
 - water, 43
 - yellow-and-blue, 43
- Scotch-broom, 67
- Scotch-thistle, 34
- scouring-rush, 1
 - common, 1
 - Ferriss, 1
- screw-stem, 77
- sea-blite, 57
 - southern, 57
 - tall, 57
- sea-lavender, 98
- sea-myrtle, 23
- sea-oxeye, 24
- sea-pink, 77
 - annual, 77
 - large, 77
 - perennial, 77
- sea-poppy, 97
- sea-purslane, 11
- sea-rocket, European, 45
- seashore-mallow, 90
- seedbox, 95
- selfheal, 84
- Seneca-snakeroot, 100
- senna, 72
 - northern wild, 72
 - southern wild, 72
 - two-leaved, 72
- sensitive-pea, 67
- sensitive-plant, 71
- serviceberry, 108
 - coastal plain, 108
 - common, 108
 - downy, 108
 - eastern, 108
 - intermediate, 108
 - low, 108
 - New England, 108
 - obovate, 108
 - roundleaf, 108
- smooth, 108
- stoloniferous, 108
- sesban, 72
- shadbush, 108
- shagbark, false, 80
- sheep-laurel, 62
- shepherd's-purse, 45
- shinleaf, 103, 104
 - elliptic, 104
 - one-sided, 104
 - round-leaved, 104
- Shinleaf Family, 103-104
- shooting-star, 103
- sickle-pod, 44, 72
- sida, 90
 - arrowleaf, 90
 - prickly, 90
 - Virginia, 90
- silkgrass, 25
- silk-plant, Chinese, 129
- silk-tree, 66
- silverberry, 61
- silverrod, 36
- silverweed, 111
- skeleton-weed, 25
- skullcap, 85
 - Allegheny, 85
 - common, 85
 - downy, 85
 - forest, 85
 - hairy, 85
 - heart-leaved, 85
 - hyssop, 85
 - large-flowered, 85
 - larger, 85
 - little, 85
 - mad-dog, 85
 - marsh, 85
 - rock, 85
 - showy, 85
 - small, 85
 - veined, 85
- sloe, 111, 112
 - Allegheny, 111
- smartweed, 100-101
 - bristly, 101
 - Carey's, 100
 - coarse, 101
 - common, 101
 - dense-flowered, 100
 - dock-leaved, 101
 - dotted, 101
 - Pennsylvania, 101
 - water, 100, 101
- Smartweed Family, 100-102
- snakeroot, 14, 16, 18, 20, 71, 77, 100, 104
 - beaked, 16
 - black, 16, 104
 - button-, 14
 - clustered, 16
 - large-fruited, 16
 - Sampson's-, 71, 77
- Seneca-, 100
- small-leaved white, 20
- small white, 20
- smaller white, 20
- trifoliate, 16
- Virginia-, 18
- white, 20
- snapdragon, 121
 - lesser, 121
 - small, 121
- snapdragon-vine, 122
- sneezeweed, 27, 30
 - common, 30
 - narrow-leaved, 30
 - purple, 30
 - southern, 30
 - yellow, 30
- snowberry, 51
- snow-on-the-mountain, 65
- Soapberry Family, 118
- soapwort, 53,
- soapwort gentian, 77
- sophia, herb-, 46
- sorrel, 96, 102
 - sheep, 102
 - wood-, 96
- sorrel-tree, 62
- sour-gum, 93
- sourwood, 62
- southernwood, 21
- sow-thistle, 38
 - annual, 38
 - common, 38
 - field, 38
 - perennial, 38
 - prickly, 38
 - spiny-leaved, 38
- soybean, 69
- Spanish-buttons, 25
- Spanish-needles, 24
- spatterdock, 93
- spearmint, 83
- spearscale, 55
- spearwort, 106
 - low, 106
 - water-plantain, 106
- speedwell, 124
 - American, 124
 - bird's-eye, 124
 - common, 124
 - corn, 124
 - creeping, 124
 - field, 124
 - garden, 124
- germander, 124
- ivy-leaved, 124
- long-leaved, 124
- marsh, 124
- narrow-leaved, 124
- purslane, 124
- sage-leaved, 124
- thyme-leaved, 124
- water, 124

- spermolepis, western, 16
 spicebush, 86
 spider-flower, 49
 spikemoss, 2
 meadow, 2
 rock, 2
 Spikemoss Family, 2
 spikenard, 18
 American, 18
 spinach, mountain-, 55
 spindle-tree, European, 55
 spiraea, 114-115
 birch-leaved, 114
 corymbed, 114
 Japanese, 115
 spleenwort, 3-4, 8
 Bradley's, 3
 ebony, 3
 lobed, 3
 maidenhair, 4
 mountain, 3
 narrow-leaved, 8
 Scott's, 3
 silvery, 8
 wall-rue, 4
 Spleenwort Family, 3-4
 spring-beauty, 102
 sprouts, Brussel, 45
 spruce, Norway, 9
 spurge, 64-65
 blunt-leaved, 65
 caper, 65
 cypress, 64
 flowering, 64
 glade, 65
 hairy, 65
 ippecac, 65
 leafy, 64
 prairie, 65
 purple, 65
 seaside, 65
 spotted, 65
 spreading, 64
 tinted, 64
 toothed, 64
 wood, 64
 Spurge Family, 63-65
 spurrey, corn, 54
 spurry, 54
 red sand-, 54
 salt-marsh sand-, 54
 squarehead, 39
 squaw-bush, 12
 squaw-huckleberry, 63
 squaw-root, 96
 squaw-weed, 36
 balsam, 36
 squirrel-corn, 76
 St. Andrew's-cross, 80
 St. John's-wort, 79-80
 Canadian, 79
 common, 80
 coppery, 80
 dotted, 80
 dwarf, 80
 glade, 80
 hidden-flower, 80
 larger marsh, 80
 marsh, 80
 shrubby, 80
 small-flowered, 80
 spotted, 80
 St. John's-wort Family, 79-80
 St. Peter's-wort, 80
 Staff-tree Family, 54-55
 staggerbush, 62
 star, 25, 103
 golden-, 25
 shooting-, 103
 star-cucumber, 60
 star-flower, 103
 start-thistle, 25
 purple, 25
 yellow, 25
 starwort, 49
 Austin's water-, 49
 European water-, 49
 larger water-, 49
 vernal water-, 49
 steeple-bush, 115
 stickseed, 42
 two-row, 42
 stick-tight, 24
 tall, 24
 sticky-cockle, 53
 stinking-marigold, 27
 stinkweed, 34
 stitchwort, 54
 bog, 54
 common, 54
 long-leaved, 54
 long-stalked, 54
 stonecrop, ditch, 59
 mossy, 59
 three-leaved, 59
 Virginia, 59
 wild, 59
 Stonecrop Family, 59
 stork's-bill, 77
 stramonium, 125
 strawberry, 110
 false, 110
 Indian-, 110
 wild, 110
 woodland, 110
 strawberry-bush, 54
 strawberry-tomato, 126
 strawberry-weed, 111
 sugar, horse-, 127
 sugarberry, 128
 sultana, 40
 sumac, 12, 13
 fragrant, 12
 poison-, 13
 shining, 12
 smooth, 12
 staghorn, 13
 Sumac Family, 12-13
 summer-cypress, 56
 sundew, 61
 round-leaved, 61
 spatula-leaved, 61
 thread-leaved, 61
 Sundew Family, 61
 sundrops, 95, 96
 little, 95
 midwestern, 96
 narrow-leaved, 95
 southern, 95
 sunflower, 24, 30-31
 Appalachian, 30
 ashy, 31
 cucumber-leaved, 30
 common, 30
 divaricate, 30
 false, 31
 forest, 30
 giant, 30
 gray, 31
 hairy, 31
 hirsute, 31
 Maximilian, 31
 McDowell's, 31
 midwestern tickseed-, 24
 naked-stemmed, 31
 narrow-leaved, 30
 northern tickseed-, 24
 Ozark tickseed-, 24
 pale-leaved, 31
 prairie, 31
 rough-leaved, 31
 sawtooth, 30
 shale-barren, 31
 small-headed, 31
 smooth, 31
 stiff, 31
 swamp, 30
 tall, 30
 thin-leaved, 30
 western, 31
 woodland, 30
 sunflower-everlasting, 31
 swallow-wort, black, 19
 swamp-bay, 89
 swamp-candles, 103
 swamp-haw, 51
 swamp-honeysuckle, 63
 white, 63
 sweet-bay, 89
 sweetbrier, 113
 sweet-cicely, 15
 bland, 15
 hairy, 15
 long-styled, 15
 smooth, 15
 sweet-clover, 71
 white, 71
 yellow, 71
 sweet-fern, 92

- sweet-gum, 79
 sweet-jarvil, 15
 sweetleaf, 127
 Sweetleaf Family, 127
 sweet-pepperbush, 57
 sweet-pinesap, 91
 sweet-potato, wild, 58
 sweet-William, 52
 wild, 99
 swine-cress, 46
 sycamore, 98
 tansy, common, 38
 tansy-mustard, 46
 tarweed, 33, 88
 Chilean, 33
 tassel-flower, 27
 tassel-rue, 107
 tassel-white, 119
 tea, 55, 62, 64, 83, 107
 Mexican-, 55
 mountain-, 62
 New Jersey-, 107
 Oswego-, 83
 prairie-, 64
 teaberry, 62
 tearthumb, 100-101
 arrow-leaved, 101
 halberd-leaved, 100
 perfoliate, 101
 teasel, 60
 common, 60
 cut-leaf, 60
 fullers', 60
 laciniate wild, 60
 wild, 60
 Teasel Family, 60
 thimbleberry, 114
 thimblewood, 104
 thistle, 24-26, 36, 38, 42, 57, 127
 annual sow-, 38
 blue-, 42
 bull, 26
 Canada, 26
 common, 26
 common sow-, 38
 curled, 25
 field, 26
 field sow-, 38
 Kansas-, 127
 milk-, 36
 musk, 25
 nodding, 25
 pasture, 26
 perennial sow-, 38
 plumeless, 24
 prickly sow-, 38
 purple star-, 25
 Russian-, 57
 Scotch-, 34
 spiny-leaved sow-, 38
 spring, 26
 swamp, 26
 tall, 26
 welted, 25
 yellow, 26
 yellow star-, 25
 thorn, 109-110
 cockspur, 109
 dotted, 109
 large-seeded, 109
 southern, 110
 Washington, 109
 thorn-apple, 125
 downy, 125
 oakleaf, 125
 thorn-poppy, Mexican, 96
 thoroughwax, 13
 thoroughwort, 20, 28, 29
 aromatic, 20
 hyssop-leaved, 28
 late-flowering, 29
 ragged, 28
 round-leaved, 29
 tall, 28
 vervain, 28
 white, 28
 white-bracted, 28
 threadfoot, 98
 three-seeded-mercury, 63
 common, 63
 rough-pod, 63
 slender, 63
 Virginia, 63
 thyme, 85-86
 basil-, 85
 creeping, 86
 wild, 86
 tickseed, 24, 26
 lance-leaved, 26
 large-flowered, 26
 lobed, 26
 long-stalked, 26
 plains, 26
 running, 26
 tall, 26
 thread-leaved, 26
 whorled, 26
 tickseed-sunflower, 24
 midwestern, 24
 northern, 24
 Ozark, 24
 tick-trefoil, 67-69
 big, 68
 Canada, 67
 cluster-leaf, 68
 Fernald's, 68
 few-flowered, 68
 hairy small-leaved 67
 hoary, 67
 Maryland, 68
 naked-flowered, 68
 narrow-leaved, 69
 panicked, 68
 pine barrens, 68
 pointed-leaved, 68
 prostrate, 68
 round-leaved, 68
 sessile-leaved, 68
 small-leaved tick-, 68
 smooth tick-, 68
 stiff tick-, 68
 velvety tick-, 69
 white tick-, 68
 triodanis, round-leaved, 49
 trumpet creeper, 41
 small-leaved, 68
 smooth, 68
 stiff, 68
 velvety, 69
 white, 68
 tinker's-weed, 51
 toadflax, 118, 122
 annual, 122
 bastard, 118
 blue, 122
 Moroccan, 122
 old-field, 122
 sharp-pointed, 122
 tobacco, 27, 29, 88, 125-126
 desert, 126
 Indian-, 88
 flowering, 125, 126
 jasmine, 125
 long-flowered, 126
 rabbit-, 29
 tree, 125
 tobacco-weed, 27
 tomatillo, 126
 tomato, 125, 126
 strawberry-, 126
 tooth-cup, 88
 toothwort, 46
 Appalachian, 46
 cut-leaved, 46
 five-parted, 46
 slender, 46
 touch-me-not, 40, 71
 orange, 40
 pale, 40
 spotted, 40
 yellow, 40
 Touch-me-not Family, 40
 trailing-arbutus, 62
 traveler's-joy, 105
 tree-of-heaven, 125
 trefoil, 67-69
 big tick-, 68
 Canada tick-, 67
 cluster-leaf tick-, 68
 Fernald's tick-, 68
 few-flowered tick-, 68
 hairy small-leaved tick-, 67
 hoary tick-, 67
 Maryland tick-, 68
 naked-flowered tick-, 68
 narrow-leaved tick-, 69
 panicled tick-, 68
 pine barrens tick-, 68
 pointed-leaved tick-, 68
 prostrate tick-, 68
 round-leaved tick-, 68
 sessile-leaved tick-, 68
 small-leaved tick-, 68
 smooth tick-, 68
 stiff tick-, 68
 velvety tick-, 69
 white tick-, 68

- Trumpet creeper Family, 41
 trumpet-flower, evening-, 88
 trumpet-weed, 28
 tumbleweed, 12
 tupelo, black, 93
 tulip-poplar, 89
 tulip-tree, 89
 turkey-berry, 127
 turnip, 14, 45
 turn-sole, 42
 turtlehead, 121
 purple, 121
 red, 121
 white, 121
 twin-berry, 116
 twinleaf, 40
 two-eyed-berry, 116
 umbrella-tree, 89
 umbrellawort, heart-leaved, 92
 unicorn-plant, 97
 urd, 74
 valerian, 99, 129
 few-flowered, 129
 Greek-, 99
 large-flowered, 129
 long-tubed, 129
 Valerian Family, 129
 varnish-tree, 118
 vase-vine, 105
 vegetable-oyster, 39
 velvet-leaf, 89
 Venus's-comb, 16
 Venus's-looking-glass, 49
 vervain, 130
 blue, 130
 common, 130
 Dakota, 130
 European, 130
 hastate-leaf, 130
 large-bracted, 130
 narrow-leaved, 130
 nettleleaf, 130
 prostrate, 130
 rough, 130
 white, 130
 Vervain Family, 130
 vetch, 66-67, 73-74
 bigflower, 74
 bird, 74
 common, 74
 crown-, 67
 four-seed, 74
 French, 74
 hairy, 74
 milk-, 66
 narbonne, 74
 pale, 73
 rattle-, 66
 spring, 74
 tiny, 74
 tufted, 74
 wild, 73
 wood, 73
 vetchling, 69
 yellow, 69
 viburnum, 51
 linden, 51
 maple-leaved, 51
 Siebold's, 51
 violet, 46, 130-132
 American dog, 131
 arrowhead, 131
 arrow-leaved, 131
 bird's-foot, 131
 blue marsh, 131
 Britton, 131
 Canada, 131
 coast, 131
 common blue, 132
 creamy, 132
 dame's-, 46
 dooryard, 132
 downy yellow, 131
 English, 131
 green, 130
 lance-leaved, 131
 Leconte's, 130
 meadow, 132
 northern white, 131
 ovate-leaved, 131
 pale, 132
 palmate-leaved, 131
 pansy, 131
 primrose, 131
 primrose-leaved, 131
 smooth yellow, 131
 southern wood, 131
 southern woolly, 131
 strap-leaved, 131
 striped, 132
 sweet, 131
 sweet white, 130
 tall white, 131
 three-lobed, 132
 triangle-leaved, 131
 wild white, 131
 wood, 131
 Violet Family, 130-132
 Virginia creeper, 132
 Virginia mallow, 90
 Virginia snakeroot, 18
 Virginia willow, 119
 virgin's-bower, 104-105
 purple, 104
 wafer-ash, 117
 wahoo, 54
 walking-stick, devil's, 18
 wallflower, western, 46
 wall-rocket, 46
 slim-leaved, 46
 wall-rue, 4
 wall-rue spleenwort, 4
 walnut, 81
 black, 81
 white, 81
 Walnut Family, 80-81
 wandflower, 60
 wart-cress, 46
 wartweed, 64
 water-caltrop, 128
 water-carpet, 119
 water-chestnut, 128
 water-chinquapin, 92
 water-clover, European, 5
 Water-clover Family, 5
 watercress, 45, 47
 mountain-, 45
 water-dropwort, common, 15
 water-fennel, 15, 49
 water-hemlock, 14
 bulbiferous, 14
 common, 14
 water-hemp, 12
 water-horehound, 82
 American, 82
 cut-leaved, 82
 European, 82
 northern, 82
 sessile-leaved, 82
 Sherard's, 82
 stalked, 82
 Virginia, 82
 water-hyssop, 121-122
 round-leaved, 121
 waterleaf, 79
 broad-leaved, 79
 eastern, 79
 maple-leaved, 79
 Virginia, 79
 Waterleaf Family, 79
 water-lemon, wild, 97
 water-lily, 93
 fragrant, 93
 white, 93
 yellow, 93
 Water-lily Family, 93
 water-mat, 119
 watermelon, 59
 water-milfoil, 78
 common, 78
 Eurasian, 78
 European, 78
 variable, 78
 Water-milfoil Family, 78
 water-nut, 128
 Water-nut Family, 128
 water-oleander, 88
 water-parsnip, 16
 water-pepper, 101
 Asiatic, 101
 false, 101
 mild, 101
 water-pimpernel, 103
 water-plantain spearwort, 106
 water-primrose, 95
 creeping, 95
 Rafinesque's, 95
 showy, 95
 square-pod, 95
 wingstem, 95
 water-purslane, common, 95
 water-shield, 48

- Water-shield Family, 48
- water-starwort, 49
 - Austin's, 49
 - European, 49
 - larger, 49
 - vernal, 49
- Water-starwort Family, 49
- water-willow, 11, 88, 95
- waterwort, 61
- Waterwort Family, 61
- wax-myrtle, 92
- waxweed, blue, 88
- wen-dock, purple, 48
- wheat, cow-, 122
- white-alder, coast, 57
- White-alder Family, 57
- white-cedar, Atlantic, 9
- white-cockle, 53
- white-lettuce, 34
 - tall, 34
- Whiteman-s-foot, 98
- white-top, 27-28
- whitlow-grass, 46
- whitlow-wort, Appalachian, 53
- widow's-frill, 53
- wild-ageratum, 28
- wild-coffee, 51
- wild horehound, 29
- wild indigo, 66
 - yellow, 66
- wild olive, 61
- wild-quinine, 34
- wild-raisin, 51
- wild sweet-potato, 58
- willow, 11, 58, 88, 95, 117-119
 - American water-, 11
 - basket, 118
 - bay-leaved, 118
 - black, 118
 - Carolina, 118
 - crack, 118
 - creeping primrose-, 95
 - dense-flowered, 11
 - diamond, 118
 - dragon-claw, 118
 - dwarf prairie, 118
 - florist's, 117, 118
 - goat, 117
 - gray florist's, 118
 - heartleaf, 118
 - long-beaked, 117
 - prairie, 118
 - purple, 118
 - red-, 58
 - sandbar, 118
 - showy primrose, 95
 - silky, 118
 - small pussy, 118
 - upland, 118
 - upright primrose-, 95
 - Virginia-, 119
 - Ward's, 118
 - water-, 11, 88, 95
 - weeping, 117
 - white, 117
- Willow Family, 117-118
- willow-herb, 94
 - American, 94
 - American marsh, 94
 - downy, 94
 - easterly, 94
 - great, 94
 - hairy, 94
 - linear-leaved, 94
 - northeastern, 94
 - northern, 94
 - purple-leaved, 94
- windflower, 104
- wineberry, 114
- wingstem, 39, 91, 95
- winter-aconite, 105
- winterberry, 17, 18
 - smooth, 17
- winter-cress, 44
 - common, 44
 - early, 44
- wintergreen, 62, 99, 103-104
 - flowering-, 99
 - greenish-flowered, 104
 - round-leaved American, 104
 - spotted, 103
- wisteria, 74
 - Chinese, 74
 - Japanese, 74
 - Mississippi, 74
- witch-hazel, 79
- Witch-hazel Family, 79
- withe-rod, 51
 - naked, 51
 - smooth, 51
- woad, dyer's, 47
- wolf's-milk, 65
- wood-betony, 123
- Wood Fern Family, 4-5
- woodmint, 81
 - hairy, 81
- wood-nettle, 129
- wood-poppy, 97
- woodruff, 115
- wood-sage, American, 86
- wood-sorrell, 96
 - big, 96
 - common, 96
 - creeping, 96
 - great, 96
 - slender, 96
 - southern, 96
 - upright, 96
 - violet, 96
- Wood-sorrell Family, 96
- woolly-bean, 72
 - annual, 72
 - perennial, 72
 - small-flowered, 72
- wormgrass, 88
- wormseed, 46, 55
- wormwood, 21
 - annual, 21
- beach, 21
- common, 21
- woundwort, 86
 - marsh, 86
- yarrow, common, 20
- yellow-cress, 47
 - common, 47
 - creeping, 47
 - marsh, 47
 - southern, 47
 - spreading, 47
- yellow-foxglove, 121
 - downy, 121
 - entire-leaved, 121
 - fern-leaved, 121
 - smooth, 121
- yellow-ironweed, 39
- yellow-poplar, 89
- yellow-rocket, 44
- yellowroot, 105, 107
- yellowtop, 35
- yellow-weed, 107
- yellowwood, 127
- yerba-de-tagoo, 27
- yew, 10
 - American, 10
 - Canada, 10
 - English, 10
- Yew Family, 10

